

NERVE 1 NERVE TISSUE, EXCITABILITY, CONDUCTIVITY, SPINAL CORD & REFLEXES

DIRECTIONS: Read the questions carefully and pick the BEST CORRECT ANSWER. Then check your answer against the correct answers on the Key at the bottom of the page. Good luck.

1. Dendrites:

- A. carry efferent impulses
- B. are generally long and unbranched
- C. form synapses with the dendrites of neighboring neurons
- D. do not respond to neurotransmitter substances
- E. do not normally conduct true action potentials

2. Which of the following is NOT a vital or inborn reflex?

- A. Change in blood pressure due to shock
- B. Increased heart rate due to loss of blood
- C. Decreased respiratory rate during resting
- D. Thinking about the answer to this question
- E. Vomiting at the thought of taking this course over again

3. Which of the following statements is/are CORRECT?

- A. A reflex always starts at a sensory neuron and ends at a motor neuron
- B. The brain is the functional unit of the nervous system
- C. Effector organs are non-neural structures
- D. When a tack pricks the toe of a barefoot person, the tack is the stimulus
- E. All of the above

4. Which of the following is/are TRUE?

- A. Graded potentials are generated only at the dendrites or cell body of neurons
- B. Action potentials can only be generated in the axon hillock or axon of neurons
- C. Both A and B
- D. Neither A nor B

5. Reflex arcs:

- A. are the basic structural units of the nervous system
- B. are the smallest, simplest units of the nervous system capable of receiving a stimulus and producing a response
- C. require conscious thought for their initiation
- D. are usually composed of one or two, maybe three neurons
- E. two of the above

6. The sodium-potassium pump is used to:

- A. get sodium ions from inside of the cell to outside so as to reconstitute the resting potential
- B. move potassium ions to the inside of the cell to re-establish the resting polarity
- C. both A and B
- D. neither A nor B

7. The period of time during which a cell membrane is completely insensitive to another stimulus is the:

- A. threshold principle.
- B. after-potential period.
- C. absolute refractory period.
- D. relative refractory period.
- E. non-accommodation period.

8. Which of the following is NOT a visceral effector organ?

- A. Deltoid muscle
- B. Cardiac muscle
- C. Smooth muscle of blood vessels
- D. Stomach
- E. Urinary bladder

9. In which one of the following would the nerve impulses probably cross the "smallest" number synapses?

- A. Sneezing after sniffing some irritating substance
- B. Maintaining an upright position while walking up an icy hill
- C. Solving a mathematics problem
- D. Batting a pitched ball into a 10 foot area which is 200 feet from home

plate

10. Which of the following would be considered reflex activities?

- A. Inching a mosquito bite on your upper arm
- B. Writing notes during an anatomy lecture
- C. Belching while eating Jerry s pizza

D. Yawning on a blind date

E. All of the above

11. Nerve impulses are termed:

- A. efferent if they pass toward the cell body.
- B. afferent if they pass toward the central nervous system.
- C. reflexes when they pass back along the same pathway they follow in entering the cell body.
- D. afferent if they pass both toward and away from the cell body.
- E. afferent if they pass along a neuron away from the cell body.

12. During an action potential, repolarization begins as a result of:

- A. potassium ions diffusing to the outside of the cell membrane.
- B. potassium ions diffusing to the inside of the cell membrane.
- C. sodium ions diffusing to the outside of the cell membrane.
- D. sodium ions diffusing to the inside of the cell membrane.

13. Which of the following is/are TRUE?

- A. Neurons demonstrate irritability and conductivity, and can transmit electrical messages from one area of the body to another.
- B. neuroglia release neurotransmitters to other neuroglia.
- C. Both A and B
- D. Neither A nor B

14. Which of these would be considered a coordinated type of complex reflex?

- A. Ducking your head when a golfer hollers "fore!"
- B. Running between puddles in the parking lot to get to your car
- C. Writing your lecture notes so you can read them later
- D. All of the above
- E. None of the above

15. Which answer is out of order in a reflex arc? note: answer A is correct.

- A. Conduction of sensory information from somatic and visceral receptors to the spinal cord.
- B. Conduction from sensory neurons in gray H to sensory neurons in lower parts of the spinal cord.
- C. Both A and B
- D. Neither A nor B

16. The sense of knowing the action occurring over a joint at any one time is acquired through the action of:

- A. pain.
- B. touch.
- C. pressure.
- D. proprioception.
- E. None of the above

17. Which of the following is not necessary for the performance of spinal reflexes?

- A. Effectors
- B. Synapses
- C. Receptors

D. Peripheral nerves

E. Medulla oblongata

18. Which of the following is/are TRUE

A. The axon of a motor neuron extends from the cell body to another neuron or an effector organ.

B A neuron usually has many axons, connected to other neurons.

C. Sensory and motor neurons have dendrites; connector neurons do not.

D. The dendrite of one neuron connects with a dendrite of the next neuron.

E. All of the Above

19. Which of the following is NOT a sensory tract?

A. Spinothalamic tract

B. Spinocerebellar tract

C. Corticospinal tract

D. All of the above

E. A and B only

20. The subdural space is that potential space which:

A. contains a large amount of cerebrospinal fluid.

B. is located between the dura mater and arachnoid.

C. is located between the cranial bones and the outer surfaces of the dura.

D. is found only in the caudal region of the spinal cord.

E. is found in none of the above regions.

21. The route or pathway of information to a reflex center, or the pathway from a receptor to an integrator, describes a(an)

- A. motor nerve.
- B. motor neuron.
- C. efferent pathway.
- D. afferent pathway.
- E. lowest sensory neuron.

22. The spinal cord

- A. is lodged within the spinal cavity of the vertebral column.
- B. is the major reflex center for spinal reflexes.
- C. is the important center of reflex action for the upper and lower limbs.
- D. consists of the principal conducting paths to and from the higher centers in the brain.
- E. All of the above

23. Which of these describe(s) the meninges?

- A. The dura mater is the outermost membrane and is a sheath of dense fibrous and elastic tissue.
- B. The arachnoid membrane is a delicate web-like membrane between the dura and pia.
- C. The pia is the innermost meninge, with a thin membrane that directly covers the CNS.
- D. The central canal is a tiny tube within the spinal cord.
- E. All of the above

24. Which of the following CORRECTLY pertains to spinal nerves?

- A. They contain sensory neurons only.
- B. They arise from the base of the brain and travel down and inside the spinal canal.
- C. Each arises from the spinal cord by a dorsal and ventral root.

D. These are the nerves going to the organs of the thoracic and abdominal cavities.

E. None of the above

25. Cerebrospinal fluid is found between the:

- A. vertebrae and the meninges.
- B. arachnoid and the dura mater.
- C. pia mater and the cortical brain tissue.
- D. pia matter and arachnoid.
- E. None of the above

26. Meninges are:

- A. epithelial membranes around connective tissue.
- B. origins of broad flat muscles.
- C. cortical areas of the brain.
- D. brain and spinal cord coverings.
- E. hollow places in the brain

27. Which of the following cell types can produce action potentials when stimulated?

1. Smooth muscle cells
2. Skeletal muscle cells
3. Axon hillocks of neurons
4. Neuroglia
5. Astrocytes

A. 3 only

B. 3 and 5

C. 2, 3, and 5

D. 1, 2, 3, and 5

E. 1, 2, 3, 4, and 5

28. Ependymal cells

A. are sometimes called neurolemmocytes.

B. form sheaths around parasympathetic nervous tissue cells.

C. are phagocytes of the neuroglia.

D. form sheaths around central nervous system cells.

E. have cilia, and line the ventricles of the brain.

29. When a neuron is "resting", the inner surface of its cell membrane is slightly positive compared to its outer surface.

A. True

B. False

30. Which term does NOT belong with the other answers?

A. K^+ enters the cell

B. K^+ leaves the cell

C. Na^+ leaves the cell

D. Depolarization

31. The presence of myelin gives a nerve fiber its"

A. gray color and regenerative abilities.

B. white color and increased rate of impulse transmission.

C. white color and decreased rate of impulse transmission.

D. gray color and increased rate of impulse transmission.

32. Which of these answers does NOT belong with the others?

A. Nodes of Ranvier

B. Myelin sheath

C. Unmyelinated

D. Saltatory conduction

33. The period during which potassium ions move into the cell is called (the):

A. depolarization period.

B. relative refractory period.

C. absolute refractory period.

D. period of sodium/potassium pump activity.

E. None of the above

34. Which of these statements is first out of order concerning the basic functions of the nervous system? note: answer A is correct.

A. Conversion of stimuli to nerve impulses in receptor organs

B. CNS sorts out or integrates incoming nerve impulses.

C. Conduction of nerve impulses via sensory nerves to spinal cord and/or brain.

D. CNS interprets nerve impulses.

E. CNS routes nerve impulses to effector organs, i.e., muscles, and/or glands, via motor or efferent nerves.

35. The involuntary part of the nervous system that sends impulses over efferent fibers to smooth muscle of

internal organs, blood vessels, and exocrine glands, is the:

- A. peripheral nervous system.
- B. central nervous system.
- C. cerebrum nervous system.
- D. autonomic nervous system.
- E. social security system.

36. An axon hillock produces either a complete action potential or no action potential at all.

- A. True
- B. False

37. Saltatory conduction reduces the energy expenditure of the sodium-potassium pump required for impulse production transmission.

- A. True
- B. False

38. Nerve impulses travel faster in myelinated than in non-myelinated nerves because of the presence of --?-- in the former.

- A. saltatory conduction
- B. a fatty insulation
- C. Both A and B
- D. Neither A nor B

39. Nerve impulses "hop" from node to node in the process known as

- A. negative feedback.
- B. saltatory conduction.
- C. the all or none principle.

D. regeneration.

E. None of the above

40. --?-- are concentrations of nerve cell bodies in clusters adjacent to the spinal cord but outside of the vertebral column.

- A. Nuclei
- B. Nerves
- C. Plexi
- D. Glia
- E. Sympathetic ganglia

41. What activities may result from impulses conducted by motor neurons?

- A. Glandular secretion or interpretation of stimuli.
- B. Interpretation of stimuli related to associative memory.
- C. Glandular secretion or muscle contraction.
- D. memory, reasoning and muscle contraction.

42. Which of the following is/are "true"?

- A. Interneurons (association neurons) lie outside of the central nervous system.
- B. Efferent neurons that innervate skeletal muscle are also called motor neurons.
- C. Both A and B
- D. Neither A nor B

43. The neurilemma:

- A. is a continuous sheath that encloses the segmented myelin sheath of peripheral nerve fibers.
- B. acts as the cell membrane for the Schwann cells.

C. is used for regeneration of injured peripheral nerve fibers.

D. All of the above

44. Which class of neurons accounts for 95% of all nerve cells?

A. Afferent neurons

B. Efferent neurons

C. Association neurons

D. Motor neurons

45. Which of these is/are "TRUE"?

A. Myelin is a proteinaceous or protein-like material.

B. Saltatory conduction in nonmyelinated neurons is faster than in myelinated neurons.

C. Both A and B

D. Neither A nor B

46. Which of these is only in the peripheral nervous system?

A. Astrocytes

B. Oligodendroglia

C. Schwann cells

D. Microglia

47. Which of the following is/are NOT true of axons?

A. They are usually long, cytoplasmic processes carrying impulses away from the cell body.

B. In the peripheral nervous system, they are covered by three types of coverings--axolemma, myelin sheath and neurilemma.

C. They contain nissl bodies

D. They contain many neurofibrils

E. All of the above

48. Part of the structure of "every" type of neuron is:

A. a myelin sheathe.

B. a neurilemma.

C. a motor end plate.

D. an axon.

49. Which of the following IS/ARE a function of the nervous system?

A. It senses changes within the body and in the outside environment.

B. It interprets the changes.

C. It may initiate a response to a stimulus.

D. All of the above

E. Two of the above

50. ATP is important for a neuron so that,

A. the Na⁺/K⁺ pump can operate.

B. neurotransmitters can be synthesized.

C. regeneration of CNS neurons can take place.

D. A and B only

E. B and C only

NERVOUS SYSTEM 1 ANSWERS

1. Dendrites:

A. carry efferent impulses

B. are generally long and unbranched

- C. form synapses with the dendrites of neighboring neurons
- D. do not respond to neurotransmitter substances

E. do not normally conduct true action potentials

2. Which of the following is NOT a vital or inborn reflex?

- A. Change in blood pressure due to shock
- B. Increased heart rate due to loss of blood
- C. Decreased respiratory rate during resting

D. Thinking about the answer to this question

E. Vomiting at the thought of taking this course over again

3. Which of the following statements is/are CORRECT?

A. A reflex always starts at a sensory neuron and ends at a motor neuron

B. The brain is the functional unit of the nervous system

C. Effector organs are non-neural structures

D. When a tack pricks the toe of a barefoot person, the tack is the

stimulus

E. All of the above

4. Which of the following is/are TRUE?

A. Graded potentials are generated only at the dendrites or cell body of

neurons

B. Action potentials can only be generated in the axon hillock or axon of

neurons

C. Both A and B

D. Neither A nor B

5. Reflex arcs:

A. are the basic structural units of the nervous system

B. are the smallest, simplest units of the nervous system capable of

receiving a stimulus and producing a response

C. require conscious thought for their initiation

D. are usually composed of one or two, maybe three neurons

E. two of the above

6. The sodium-potassium pump is used to:

A. get sodium ions from inside of the cell to outside so as to

reconstitute the resting potential

B. move potassium ions to the inside of the cell to re-establish the

resting polarity

C. both A and B

D. neither A nor B

7. The period of time during which a cell membrane is completely insensitive to another stimulus is the:

A. threshold principle.

B. after-potential period.

C. absolute refractory period.

D. relative refractory period.

E. non-accommodation period.

8. Which of the following is NOT a visceral effector organ?

A. Deltoid muscle

B. Cardiac muscle

C. Smooth muscle of blood vessels

D. Stomach

E. Urinary bladder

9. In which one of the following would the nerve impulses probably cross the "smallest" number synapses?

A. Sneezing after sniffing some irritating substance

B. Maintaining an upright position while walking up an icy hill

C. Solving a mathematics problem

D. Batting a pitched ball into a 10 foot area which is 200 feet from home

plate

10. Which of the following would be considered reflex activities?

A. Inching a mosquito bite on your upper arm

B. Writing notes during an anatomy lecture

C. Belching while eating Jerry s pizza

D. Yawning on a blind date

E. All of the above

11. Nerve impulses are termed:

A. efferent if they pass toward the cell body.

B. afferent if they pass toward the central nervous system.

C. reflexes when they pass back along the same pathway they follow in

entering the cell body.

D. afferent if they pass both toward and away from the cell body.

E. afferent if they pass along a neuron away from the cell body.

12. During an action potential, repolarization begins as a result of:

A. potassium ions diffusing to the outside of the cell membrane.

B. potassium ions diffusing to the inside of the cell membrane.

C. sodium ions diffusing to the outside of the cell membrane.

D. sodium ions diffusing to the inside of the cell membrane.

13. Which of the following is/are TRUE?

A. Neurons demonstrate irritability and conductivity, and can transmit

electrical messages from one area of the body to another.

B. neuroglia release neurotransmitters to other neuroglia.

C. Both A and B

D. Neither A nor B

14. Which of these would be considered a coordinated type of complex reflex?

A. Ducking you head when a golfer hollers "fore!"

B. Running between puddles in the parking lot to get to your car

C. Writing your lecture notes so you can read them later

D. All of the above

E. None of the above

15. Which answer is out of order in a reflex arc? note: answer A is correct.

A. Conduction of sensory information from somatic and visceral receptors to the spinal cord.

B. Conduction from sensory neurons in gray H to sensory neurons in lower parts of the spinal cord.

C. Both A and B

D. Neither A nor B

16. The sense of knowing the action occurring over a joint at any one time is acquired through the action of:

A. pain.

B. touch.

C. pressure.

D. proprioception.

E. None of the above

17. Which of the following is not necessary for the performance of spinal reflexes?

A. Effectors

B. Synapses

C. Receptors

D. Peripheral nerves

E. Medulla oblongata

18. Which of the following is/are TRUE

A. The axon of a motor neuron extends from the cell body to another neuron or an effector organ.

B A neuron usually has many axons, connected to other neurons.

C. Sensory and motor neurons have dendrites; connector neurons do not.

D. The dendrite of one neuron connects with a dendrite of the next neuron.

E. All of the Above

19. Which of the following is NOT a sensory tract?

A. Spinothalamic tract

B. Spinocerebellar tract

C. Corticospinal tract

D. All of the above

E. A and B only

20. The subdural space is that potential space which:

A. contains a large amount of cerebrospinal fluid.

B. is located between the dura mater and arachnoid.

C. is located between the cranial bones and the outer surfaces of the dura.

D. is found only in the caudal region of the spinal cord.

E. is found in none of the above regions.

21. The route or pathway of information to a reflex center, or the pathway from a receptor to an integrator, describes a(an)

A. motor nerve.

B. motor neuron.

C. efferent pathway.

D. afferent pathway.

E. lowest sensory neuron.

22. The spinal cord

- A. is lodged within the spinal cavity of the vertebral column.
- B. is the major reflex center for spinal reflexes.
- C. is the important center of reflex action for the upper and lower limbs.
- D. consists of the principal conducting paths to and from the higher centers in the brain.

E. All of the above

23. Which of these describe(s) the meninges?

- A. The dura mater is the outermost membrane and is a sheath of dense fibrous and elastic tissue.
- B. The arachnoid membrane is a delicate web-like membrane between the dura and pia.
- C. The pia is the innermost meninge, with a thin membrane that directly covers the CNS.
- D. The central canal is a tiny tube within the spinal cord.

E. All of the above

24. Which of the following CORRECTLY pertains to spinal nerves?

- A. They contain sensory neurons only.
- B. They arise from the base of the brain and travel down and inside the spinal canal.
- C. Each arises from the spinal cord by a dorsal and ventral root.**
- D. These are the nerves going to the organs of the thoracic and abdominal cavities.
- E. None of the above

25. Cerebrospinal fluid is found between the:

- A. vertebrae and the meninges.
- B. arachnoid and the dura mater.
- C. pia mater and the cortical brain tissue.
- D. pia matter and arachnoid.**
- E. None of the above

26. Meninges are:

- A. epithelial membranes around connective tissue.
- B. origins of broad flat muscles.
- C. cortical areas of the brain.
- D. brain and spinal cord coverings.**
- E. hollow places in the brain

27. Which of the following cell types can produce action potentials when stimulated?

1. Smooth muscle cells
2. Skeletal muscle cells
3. Axon hillocks of neurons
4. Neuroglia
5. Astrocytes

A. 3 only

B. 3 and 5

C. 2, 3, and 5

D. 1, 2, 3, and 5

E. 1, 2, 3, 4, and 5

28. Ependymal cells

- A. are sometimes called neurolemmocytes.
- B. form sheaths around parasympathetic nervous tissue cells.
- C. are phagocytes of the neuroglia.
- D. form sheaths around central nervous system cells.
- E. have cilia, and line the ventricles of the brain.**

29. When a neuron is "resting", the inner surface of its cell membrane is slightly positive compared to its outer surface.

A. True

B. False

30. Which term does NOT belong with the other answers?

A. K⁺ enters the cell

B. K⁺ leaves the cell

C. Na⁺ leaves the cell

D. Depolarization

31. The presence of myelin gives a nerve fiber its"

A. gray color and regenerative abilities.

B. white color and increased rate of impulse transmission.

C. white color and decreased rate of impulse transmission.

D. gray color and increased rate of impulse transmission.

32. Which of these answers does NOT belong with the others?

A. Nodes of Ranvier

B. Myelin sheath

C. Unmyelinated

D. Saltatory conduction

33. The period during which potassium ions move into the cell is called (the):

A. depolarization period.

B. relative refractory period.

C. absolute refractory period.

D. period of sodium/potassium pump activity.

E. None of the above

34. Which of these statements is first out of order concerning the basic functions of the nervous system? note: answer A is correct.

A. Conversion of stimuli to nerve impulses in receptor organs

B. CNS sorts out or integrates incoming nerve impulses.

C. Conduction of nerve impulses via sensory nerves to spinal cord and/or brain.

D. CNS interprets nerve impulses.

E. CNS routes nerve impulses to effector organs, i.e., muscles, and/or glands, via motor or efferent nerves.

35. The involuntary part of the nervous system that sends impulses over efferent fibers to smooth muscle of internal organs, blood vessels, and exocrine glands, is the:

A. peripheral nervous system.

B. central nervous system.

C. cerebrum nervous system.

D. autonomic nervous system.

E. social security system.

36. An axon hillock produces either a complete action potential or no action potential at all.

A. True

B. False

37. Saltatory conduction reduces the energy expenditure of the sodium-potassium pump required for impulse production transmission.

A. True

B. False

38. Nerve impulses travel faster in myelinated than in non-myelinated nerves because of the presence of --?-- in the former.

A. saltatory conduction

B. a fatty insulation

C. Both A and B

D. Neither A nor B

39. Nerve impulses "hop" from node to node in the process known as

A. negative feedback.

B. saltatory conduction.

C. the all or none principle.

D. regeneration.

E. None of the above

40. --?-- are concentrations of nerve cell bodies in clusters adjacent to the spinal cord but outside of the vertebral column.

A. Nuclei

B. Nerves

C. Plexi

D. Glia

E. Sympathetic ganglia

41. What activities may result from impulses conducted by motor neurons?

A. Glandular secretion or interpretation of stimuli.

B. Interpretation of stimuli related to associative memory.

C. Glandular secretion or muscle contraction.

D. memory, reasoning and muscle contraction.

42. Which of the following is/are "true"?

A. Interneurons (association neurons) lie outside of the central nervous system.

B. Efferent neurons that innervate skeletal muscle are also called motor neurons.

C. Both A and B

D. Neither A nor B

43. The neurilemma:

A. is a continuous sheath that encloses the segmented myelin sheath of peripheral nerve fibers.

B. acts as the cell membrane for the Schwann cells.

C. is used for regeneration of injured peripheral nerve fibers.

D. All of the above

44. Which class of neurons accounts for 95% of all nerve cells?

A. Afferent neurons

B. Efferent neurons

C. Association neurons

D. Motor neurons

C. a motor end plate.

D. an axon.

45. Which of these is/are "TRUE"?

A. Myelin is a proteinaceous or protein-like material.

B. Saltatory conduction in nonmyelinated neurons is faster than in myelinated neurons.

C. Both A and B

D. Neither A nor B

49. Which of the following IS/ARE a function of the nervous system?

A. It senses changes within the body and in the outside environment.

B. It interprets the changes.

C. It may initiate a response to a stimulus.

D. All of the above

E. Two of the above

46. Which of these is only in the peripheral nervous system?

A. Astrocytes

B. Oligodendroglia

C. Schwann cells

D. Microglia

50. ATP is important for a neuron so that,

A. the Na⁺/K⁺ pump can operate.

B. neurotransmitters can be synthesized.

C. regeneration of CNS neurons can take place.

D. A and B only

E. B and C only

47. Which of the following is/are NOT true of axons?

A. They are usually long, cytoplasmic processes carrying impulses away from the cell body.

B. In the peripheral nervous system, they are covered by three types of coverings--axolemma, myelin sheath and neurilemma.

C. They contain nissl bodies

D. They contain many neurofibrils

E. All of the above

Part2

NERVE 2 NERVE TISSUE, EXCITABILITY, CONDUCTIVITY, SPINAL CORD & REFLEXES

DIRECTIONS: Read the questions carefully and pick the BEST CORRECT ANSWER. Then check your answer against the correct answers on the Key at the bottom of the page. Good luck.

48. Part of the structure of "every" type of neuron is:

A. a myelin sheathe.

B. a neurilemma.

1. The minimum number of neurons that may be involved in the simplest reflex is:

A. 1

B. 2

C. 3

4. 4

5. any number less than infinity

C. arachnoid.

D. cauda equina.

E. none of the above

2. Sensory is to --?-- as --?-- is to efferent.

A. efferent; motor

B. afferent; sensory

C. afferent; motor

D. motor; central

E. none of the above are true

6. Unlike continuous conduction, saltatory conduction

A. is a slower means of impulse transmission.

B. requires more energy.

C. is characteristic of unmyelinated neurons.

D. does not have a refractory period.

E. none of the above

3. Which one of the following functions of neuroglial cells is NOT correct?

A. Carry nerve impulses

B. Help create cerebrospinal fluid

C. Assist in attaching neurons to capillaries

D. Phagocytosis

E. some make myelin

7. The inferior end of the spinal cord is:

A. at L-4.

B. in the shape of a horse.

C. tapered in the shape of a cone.

D. at the sacrum.

E. All of the above are true

4. The connective tissue wrapping around each fiber of a nerve is called:

A. perimysium.

B. epineurium.

C. periosteum.

D. endoneurium.

E. epimysium.

8. In considering a typical 2-neuron spinal reflex arc,

A. the incoming (sensory) impulses enter the spinal cord through the ventral root of the spinal nerve.

B. the sensory fibers have their cells of origin located in the brain.

C. all the nerve fibers involved are un-myelinated.

D. the sensory neuron involved has its cell body located in the dorsal root ganglion.

E. synaptic connections are made across the spinal cord to neurons on the opposite side.

5. The most superficial of the meninges is called the:

A. pia mater.

B. dura mater.

9. The dorsal root ganglion contains

- A. cell bodies of motor neurons.
- B. cell bodies of sensory neurons.
- C. cranial nerve axons.
- D. synapses.
- E. all of the above

- B. nerves.
- C. axons.
- D. dendrites.
- E. tracts.

10. Which fibers, if cut, are capable of regeneration because of the presence of a neurilemma around the fibers:

- 1. Those in the femoral nerve, a peripheral nerve.
- 2. Those in the association areas of the brain.
- 3. Those in the spinothalamic tract of the spinal cord.

-
- A. 1 only
 - B. 2 only
 - C. 3 only
 - D. none of the above
 - E. all of the above

11. Dendrites of a neuron

- A. are always covered with a neurilemma (sheath of Schwann)
- B. conduct graded potentials toward the cell body.
- C. secrete acetylcholine and/or norepinephrine.
- D. may regenerate, if cut, because of the presence of a myelin sheath.
- E. all of the above

12. Gray matter is composed mostly of:

- A. cell bodies.

13. Which of the following is located entirely within the CNS?

- A. Sensory neurons
- B. Motor neurons
- C. Association neurons
- D. All of the above
- E. None of the above

14. Severing of a spinal nerve could result in

- A. paralysis of muscle in areas supplied by the nerve.
- B. loss of sensation in areas supplied by the nerve.
- C. paralysis of muscles on the opposite side of the body.
- D. A and B above
- E. B and C above

15. The dorsal root of the spinal nerve has been severed. What theoretical effect would you expect to see in such a patient?

- A. The individual would not be able to feel anything in the affected area.
- B. The individual would not be able to move the skeletal muscle innervated by the spinal nerve.
- C. The individual would not be able to move the skeletal muscle innervated or to in the affected area.
- D. The individual would not be able to feel anything in the area of the opposite side of the body.

E. The individual would not be able to move the skeletal muscle innervated by that spinal nerve on the opposite side of the body.

16. Neurons have cytoplasmic extensions which connect one neuron to another.

Given the following structures:

1. dendrite
2. cell body
3. axon
4. telodendria
5. terminal end bulb, or button

Choose the arrangement which lists the structures over which an action potential would travel.

- A. 3, 4, 5
- B. 2, 3, 4, 5, 1
- C. 3, 4, 5, 1, 2
- D. 2, 3, 1, 4, 5
- E. 1, 2, 3, 4, 5

17. The spinal cord extends from the

- A. medulla to coccyx.
- B. level of the axis to L-5.
- C. foramen magnum to L-1.
- D. axis to S-5.
- E. C-1 to S-2.

18. A bullet entered a person within the vicinity of his vertebral column.

1. vertebra
2. dura mater

3. arachnoid mater
4. sub arachnoid space
5. pia mater
6. spinal cord

Which order of the structures listed above, is most correct in describing the bullet's pathway

- A. 1, 2, 3, 4, 5, 6
- B. 1, 2, 6, 4, 3, 5
- C. 2, 6, 1, 4, 5, 3
- D. 2, 1, 5, 4, 3, 6
- E. 4, 5, 6, 3, 2, 1

19. The electrical aspects of impulse conduction along a neuron involves several concepts. The change in internal or external environment which initiates the impulse conduction is called:

- A. the stimulus.
- B. the resting potential.
- C. polarization.
- D. self-propagation.
- E. recovery.

20. A reflex arc:

- A. is the automatic action resulting from impulse conduction to muscle or gland cells.
- B. always includes a receptor and effector.
- C. usually has a afferent, efferent, and association neurons as components.
- D. always involves the spinal cord.
- E. B and C

21. Which of these is not required for a sensation to occur?

- A. A stimulus must be present.
- B. A receptor must pick up the stimulus.
- C. The impulse must be conducted to the central nervous system
- D. A response to the stimulus must be made.
- E. The CNS must integrate the impulse.

22. A nerve impulse travels from the motor area of the cerebrum. It passes down through brain stem tracts and into the spinal cord, eventually causing contraction of the iliopsoas muscle. Where is the last synapse over which the impulse must pass before it reaches the muscle?

- A. Lower brainstem, near the upper part of the spinal cord.
- B. Crossing place of the corticospinal tract in the medulla
- C. Cervical region of spinal cord.
- D. Ventral horn of gray matter of the spinal cord at the level at which the spinal Nerve emerges.
- E. Immediately adjacent to the reflex center for the particular response.

23. Which of the following is the correct order by which sensory impulses from receptors reach effectors?

- A. Receptor --> sensory neuron --> synapse --> motor neuron --> effector
- B. Receptor --> motor neuron --> synapse --> sensory neuron --> effector
- C. Receptor --> efferent neuron --> synapse --> afferent neuron --> effector
- D. None of the above

24. Why is it that the nerve impulse cannot be made to go backward across the point of synapse, as from dendrites to axons?

- A. The refractory state is too long.
- B. The synapse becomes fatigued and unable to transmit the impulse.
- C. There is a physical barrier which prevents the impulse from crossing at the end the dendrite.
- D. The CNS alone produces neurotransmitter substances.
- E. The dendrite cannot produce a neurotransmitter substance.

25. Every thing you do is a reflex.

- A. True
- B. False

26. Which of the following is an example of a "conditioned reflex"?

- A. Choking on a piece of chicken
- B. Vomiting undigested spaghetti from your stomach
- C. Suckling milk from your mother when you were a baby
- D. Coughing
- E. Unzipping your jacket from the top down

27. What force(s) regulate or determine the amount of passage of sodium ions across a nerve cell membrane?

- A. Sodium and potassium ion concentration gradients
- B. Electrical charge on both sides of the cell membrane
- C. Sodium/potassium pumps
- D. All of the above

28. A wave of depolarization followed by a wave of repolarization is called a(n):

- A. Action potential
- B. Nerve impulse
- C. Both A and B
- D. Neither A nor B

29. Following a subthreshold stimulus,

A. a graded potential is created and may stimulate the next or adjacent part of the neuron to depolarize.

B. sodium ions enter the neuron thru the cell membrane.

C. the charge inside the neuron momentarily becomes less negative.

D. All of the above

E. None of the above

30. The process during which ATP is used to move sodium out of the cell and potassium into the cell, and which restores the resting conditions of the membrane potential and intracellular ionic concentrations, is called the

A. action potential.

B. depolarization period.

C. refractory period.

D. nerve impulse.

E. sodium-potassium pump.

31. Which of the following statements is NOT true of a nerve impulse?

A. Nerve impulse velocity is directly related to the diameter of the fiber.

B. It is a repeating sequence of polarity reversal and restoration of resting potential traveling in both directions along the nerve from its point of origin.

C. It is a self-perpetuating process that requires no expenditure of energy.

D. Nerve impulses do not travel through myelinated areas. Instead they jump from node to node in a leaping fashion.

32. Synaptic innervation of a number of neurons by one fiber is an example of:

A. convergence.

B. facilitation.

C. self-excitation.

D. divergence.

E. None of the above

33. The nerve cell membrane has increased permeability to potassium all the time, but even more so during the:

A. first stage of repolarization.

B. relative refractory period.

C. Both A and B

D. Neither A nor B

34. The fact that depolarization phenomena stimulates the adjacent portion of a nerve cell membrane accounts for the fact that:

A. the nerve cell will contract completely or not at all.

B. the nerve impulse is self-propagating.

C. little energy is needed to conduct nerve impulses.

D. glucose rather than fat can be used as an energy source for nerve impulse conduction.

E. None of the above

35. If the dorsal root of a spinal nerve were cut, what would be the result in the region supplied by that nerve?

A. Almost complete loss of sensation

B. Almost complete loss of movement.

C. Almost complete loss of both sensation and movement.

D. Almost complete loss of sensation, movement, and autonomic control of blood vessels and sweat glands.

E. Practically no loss, because the opposite anterior root is still intact.

36. Without knowing the particular action of the cerebellospinal tract, which of the following would be correct about it?

A. It is descending tract within the central nervous.

B. It carries nerve impulses away from the spinal cord.

C. It is found in the peripheral nervous system.

D. It is probably found inside the cerebellum only.

E. It carries nerve impulses toward the brain.

37. A person experiences pain in his hand, but the only damage that can be found is ruptured disk which is putting pressure on the spinal nerve that innervated the arm. Which of the following is true of this patient?

A. The brain is interpreting nerve impulses as coming from the hand even though the actual stimulus is pressure on the spinal nerve.

B. The corticospinal tract is severed.

C. The spinothalamic tract (a pain pathway) is conducting action potentials regarding painful stimuli to the brain.

D. The pain could be reduced by applying a local anesthetic to the hand.

38. Which one of the following is NOT part of the gray matter of the spinal cord?

A. Neuroglia

B. Nerve cell bodies

C. Myelinated processes of neurons

D. Median commissure

E. Unmyelinated processes of neurons

39. The physiological property of irritability:

A. of nervous tissue means it can be stimulated by changes in its environment.

B. is found in all types of tissue, and to almost the same degree in each.

C. possessed by nervous tissue means it will conduct impulses.

D. is absent in normal healthy nervous tissue.

E. is observable in nerves tissue only when it is diseased or subjected to certain drugs, such as caffeine.

40. Which of the following statements concerning the autonomic nervous system is correct?

A. It contains afferent or sensory neurons.

B. It conveys impulses from the CNS to smooth muscle or exocrine glands

C. It produces responses only in voluntary or skeletal muscles.

D. It is usually considered a "voluntary" or skeletal muscles.

E. Efferent pathways contain at least 5 neurons between hypothalamus and effector organs.

41. "A muscle fiber is to a muscle cell" as a "nerve fiber is to a --?--".

A. nerve cell

B. neuron

C. both A and B

D. neither A nor B

42. Which one of the following is true of the absolute refractory period?

A. Another action potential can be evoked if a stronger stimulus is used.

B. The duration of this period corresponds to the time of sodium permeability changes, i.e., when sodium diffuses into the cell.

C. Refractory periods have no effect on the number of action potentials that can be generated in a given period of time.

D. The duration of the time period is very long, usually over a minute.

43. Energy is conserved in saltatory conduction because:

A. depolarization only has to occur in the axis cylinder down its entire length rather than in the myelin sheath.

B. depolarization occurs only at the nodes of Ranvier.

C. depolarization does not occur in cells with saltatory conduction.

D. impulse transmission does not require energy in myelinated neurons.

44. Which of the following is NOT true about all reflex arcs?

A. Include a sensory and a motor neuron.

B. Consist of at least 3 neurons.

C. Have their centers in grey matter of brain or spinal cord.

D. Terminate in a muscle or a glands.

E. Include an afferent and an efferent neuron.

45. The action potential arriving at the end of an axon is:

A. greatly weaker than the initial action potential.

B. moderately weaker than the initial action potential.

C. precisely identical to the initial action potential.

D. moderately greater than the initial action potential.

46. A large depolarization that spreads or is propagated along the entire membrane without changing its magnitude is called the "all or none" law.

A. True

B. False.

47. Under no circumstances can a cell membrane become depolarized and a nerve impulse be produced during the:

A. relative refractory period.

B. absolute refractory period.

C. resting potential period.

D. all of the above

E. A and B only

48. Which of the following make(s) depolarization more unlikely:

A. Increasing the neuron membrane permeability to sodium ions.

B. Raising the resting membrane potential.

C. Raising the threshold potential.

D. All of the above.

E. None of the above.

49. What is primarily responsible for restoring the resting potential in milliseconds following depolarization?

A. The membrane becomes relatively impermeable to sodium ions.

B. There is a rapid net diffusion of potassium ions to the exterior of the cells.

C. The sodium-potassium active transport pump begins functioning again.

D. A and B above.

E. B and C above.

50. The membrane of a neuron that is not conducting an impulse is said to:

A. have an action potential.

B. be depolarized.

C. be undergoing repolarization.

D. have a resting potential.

E. be more negative on its outside edge.

NERVOUS SYSTEM 2 ANSWERS

1. The minimum number of neurons that may be involved in the simplest reflex is:

A. 1

B. 2

C. 3

4. 4

5. any number

2. Sensory is to --?-- as --?-- is to efferent.

A. efferent; motor

B. afferent; sensory

C. afferent; motor

D. motor; central

E. none of the above are true

3. Which one of the following functions of neuroglial cells is NOT correct?

A. Carry nerve impulses

B. Help create cerebrospinal fluid

C. Assist in attaching neurons to capillaries

D. Phagocytosis

E. some make myelin

4. The connective tissue wrapping around each fiber of a nerve is called:

A. perimysium.

B. epineurium.

C. periosteum.

D. endoneurium.

E. epimysium.

5. The most superficial of the meninges is called the:

A. pia mater.

B. dura mater.

C. arachnoid.

D. cauda equina.

E. none of the above

6. Unlike continuous conduction, saltatory conduction

A. is a slower means of impulse transmission.

B. requires more energy.

C. is characteristic of unmyelinated neurons.

D. does not have a refractory period.

E. none of the above

3. Those in the spinothalamic tract of the spinal cord.

- A. 1 only
- B. 2 only
- C. 3 only
- D. none of the above
- E. all of the above

7. The inferior end of the spinal cord is:

- A. at L-4.
- B. in the shape of a horse.
- C. tapered in the shape of a cone.**
- D. at the sacrum.
- E. All of the above are true

8. In considering a typical 2-neuron spinal reflex arc,

- A. the incoming (sensory) impulses enter the spinal cord through the ventral root of the spinal nerve.
- B. the sensory fibers have their cells of origin located in the brain.
- C. all the nerve fibers involved are un-myelinated.
- D. the sensory neuron involved has its cell body located in the dorsal root ganglion.**
- E. synaptic connections are made across the spinal cord to neurons on the opposite side.

9. The dorsal root ganglion contains

- A. cell bodies of motor neurons.
- B. cell bodies of sensory neurons.**
- C. cranial nerve axons.
- D. synapses.
- E. all of the above

10. Which fibers, if cut, are capable of regeneration because of the presence of a neurilemma around the fibers:

- 1. Those in the femoral nerve, a peripheral nerve.
- 2. Those in the association areas of the brain.

11. Dendrites of a neuron

- A. are always covered with a neurilemma (sheath of Schwann)
- B. conduct graded potentials toward the cell body.**
- C. secrete acetylcholine and/or norepinephrine.
- D. may regenerate, if cut, because of the presence of a myelin sheath.
- E. all of the above

12. Gray matter is composed mostly of:

- A. cell bodies.**
- B. nerves.
- C. axons.
- D. dendrites.
- E. tracts.

13. Which of the following is located entirely within the CNS?

- A. Sensory neurons
- B. Motor neurons
- C. Association neurons**

D. All of the above

E. None of the above

5. terminal end bulb, or button

Choose the arrangement which lists the structures over which an action potential would travel.

A. 3, 4, 5

B. 2, 3, 4, 5, 1

C. 3, 4, 5, 1, 2

D. 2, 3, 1, 4, 5

E. 1, 2, 3, 4, 5

14. Severing of a spinal nerve could result in

A. paralysis of muscle in areas supplied by the nerve.

B. loss of sensation in areas supplied by the nerve.

C. paralysis of muscles on the opposite side of the body.

D. A and B above

E. B and C above

15. The dorsal root of the spinal nerve has been severed. What theoretical effect would you expect to see in such a patient?

A. The individual would not be able to feel anything in the affected area.

B. The individual would not be able to move the skeletal muscle innervated by the spinal nerve.

C. The individual would not be able to move the skeletal muscle innervated or to feel in the affected area.

D. The individual would not be able to feel anything in the area of the opposite side of the body.

E. The individual would not be able to move the skeletal muscle innervated by that spinal nerve on the opposite side of the body.

16. Neurons have cytoplasmic extensions which connect one neuron to another.

Given the following structures:

1. dendrite

2. cell body

3. axon

4. telodendria

17. The spinal cord extends from the

A. medulla to coccyx.

B. level of the axis to L-5.

C. foramen magnum to L-1.

D. axis to S-5.

E. C-1 to S-2.

18. A bullet entered a person within the vicinity of his vertebral column.

1. vertebra

2. dura mater

3. arachnoid mater

4. sub arachnoid space

5. pia mater

6. spinal cord

Which order of the structures listed above, is most correct in describing the bullet's pathway

A. 1, 2, 3, 4, 5, 6

B. 1, 2, 6, 4, 3, 5

C. 2, 6, 1, 4, 5, 3

D. 2, 1, 5, 4, 3, 6

E. 4, 5, 6, 3, 2, 1

19. The electrical aspects of impulse conduction along a neuron involves several concepts. The change in internal or external environment which initiates the impulse conduction is called:

- A. the stimulus.**
- B. the resting potential.
- C. polarization.
- D. self-propagation.
- E. recovery.

20. A reflex arc:

- A. is the automatic action resulting from impulse conduction to muscle or gland cells.
- B. always includes a receptor and effector.
- C. usually has a afferent, efferent, and association neurons as components.
- D. always involves the spinal cord.

E. B and C

21. Which of these is not required for a sensation to occur?

- A. A stimulus must be present.
- B. A receptor must pick up the stimulus.
- C. The impulse must be conducted to the central nervous system
- D. A response to the stimulus must be made.**
- E. The CNS must integrate the impulse.

22. A nerve impulse travels from the motor area of the cerebrum. It passes down through brain stem tracts and into the spinal cord, eventually causing contraction of the

iliopsoas muscle. Where is the last synapse over which the impulse must pass before it reaches the muscle?

- A. Lower brainstem, near the upper part of the spinal cord.
- B. Crossing place of the corticospinal tract in the medulla
- C. Cervical region of spinal cord.
- D. Ventral horn of gray matter of the spinal cord at the level at which the spinal nerve emerges.**
- E. Immediately adjacent to the reflex center for the particular response.

23. Which of the following is the correct order by which sensory impulses from receptors reach effectors?

- A. Receptor --> sensory neuron --> synapse --> motor neuron --> effector**
- B. Receptor --> motor neuron --> synapse --> sensory neuron --> effector
- C. Receptor --> efferent neuron --> synapse --> afferent neuron --> effector
- D. None of the above

24. Why is it that the nerve impulse cannot be made to go backward across the point of synapse, as from dendrites to axons?

- A. The refractory state is too long.
- B. The synapse becomes fatigued and unable to transmit the impulse.
- C. There is a physical barrier which prevents the impulse from crossing at the end of the dendrite.
- D. The CNS alone produces neurotransmitter substances.
- E. The dendrite cannot produce a neurotransmitter substance.**

25. Every thing you do is a reflex.

A. True

B. False

26. Which of the following is an example of a "conditioned reflex"?

A. Choking on a piece of chicken

B. Vomiting undigested spaghetti from your stomach

C. Suckling milk from your mother when you were a baby

D. Coughing

E. Unzipping your jacket from the top down

27. What force(s) regulate or determine the amount of passage of sodium ions across a nerve cell membrane?

A. Sodium and potassium ion concentration gradients

B. Electrical charge on both sides of the cell membrane

C. Sodium/potassium pumps

D. All of the above

28. A wave of depolarization followed by a wave of repolarization is called a(n):

A. Action potential

B. Nerve impulse

C. Both A and B

D. Neither A nor B

29. Following a subthreshold stimulus,

A. a graded potential is created and may stimulate the next or adjacent part of the neuron to depolarize.

B. sodium ions enter the neuron thru the cell membrane.

C. the charge inside the neuron momentarily becomes less negative.

D. All of the above

E. None of the above

30. The process during which ATP is used to move sodium out of the cell and potassium into the cell, and which restores the resting conditions of the membrane potential and intracellular ionic concentrations, is called the

A. action potential.

B. depolarization period.

C. refractory period.

D. nerve impulse.

E. sodium-potassium pump.

31. Which of the following statements is NOT true of a nerve impulse?

A. Nerve impulse velocity is directly related to the diameter of the fiber.

B. It is a repeating sequence of polarity reversal and restoration of resting potential traveling in both directions along the nerve from its point of origin.

C. It is a self-perpetuating process that requires no expenditure of energy.

D. Nerve impulses do not travel through myelinated areas. Instead they jump from node to node in a leaping fashion.

32. Synaptic innervation of a number of neurons by one fiber is an example of:

A. convergence.

B. facilitation.

C. self-excitation.

D. divergence.

E. None of the above

33. The nerve cell membrane has increased permeability to potassium all the time, but even more so during the:

A. first stage of repolarization.

B. relative refractory period.

C. Both A and B

D. Neither A nor B

34. The fact that depolarization phenomena stimulates the adjacent portion of a nerve cell membrane accounts for the fact that:

A. the nerve cell will contract completely or not at all.

B. the nerve impulse is self-propagating.

C. little energy is needed to conduct nerve impulses.

D. glucose rather than fat can be used as an energy source for nerve impulse conduction.

E. None of the above

35. If the dorsal root of a spinal nerve were cut, what would be the result in the region supplied by that nerve?

A. Almost complete loss of sensation

B. Almost complete loss of movement.

C. Almost complete loss of both sensation and movement.

D. Almost complete loss of sensation, movement, and autonomic control of blood vessels and sweat glands.

E. Practically no loss, because the opposite anterior root is still intact.

36. Without knowing the particular action of the cerebellospinal tract, which of the following would be correct about it?

A. It is descending tract within the central nervous.

B. It carries nerve impulses away from the spinal cord.

C. It is found in the peripheral nervous system.

D. It is probably found inside the cerebellum only.

E. It carries nerve impulses toward the brain.

37. A person experiences pain in his hand, but the only damage that can be found is ruptured disk which is putting pressure on the spinal nerve that innervated the arm. Which of the following is true of this patient?

A. The brain is interpreting nerve impulses as coming from the hand even though the actual stimulus is pressure on the spinal nerve.

B. The corticospinal tract is severed.

C. The spinothalamic tract (a pain pathway) is conducting action potentials regarding painful stimuli to the brain.

D. The pain could be reduced by applying a local anesthetic to the hand.

38. Which one of the following is NOT part of the gray matter of the spinal cord?

A. Neuroglia

B. Nerve cell bodies

C. Myelinated processes of neurons

D. Median commissure

E. Unmyelinated processes of neurons

39. The physiological property of irritability:

A. of nervous tissue means it can be stimulated by changes in its environment.

B. is found in all types of tissue, and to almost the same degree in each.

C. possessed by nervous tissue means it will conduct impulses.

D. is absent in normal healthy nervous tissue.

E. is observable in nerves tissue only when it is diseased or subjected to certain drugs, such as caffeine.

40. Which of the following statements concerning the autonomic nervous system is correct?

A. It contains afferent or sensory neurons.

B. It conveys impulses from the CNS to smooth muscle or exocrine glands

C. It produces responses only in voluntary or skeletal muscles.

D. It is usually considered a "voluntary" or skeletal muscles.

E. Efferent pathways contain at least 5 neurons between hypothalamus and effector organs.

41. "A muscle fiber is to a muscle cell" as a "nerve fiber is to a --?--".

A. nerve cell

B. neuron

C. both A and B

D. neither A nor B

42. Which one of the following is true of the absolute refractory period?

A. Another action potential can be evoked if a stronger stimulus is used.

B. The duration of this period corresponds to the time of sodium permeability changes, i.e., when sodium diffuses into the cell.

C. Refractory periods have no effect on the number of action potentials that can be generated in a given period of time.

D. The duration of the time period is very long, usually over a minute.

43. Energy is conserved in saltatory conduction because:

A. depolarization only has to occur in the axis cylinder down its entire length rather than in the myelin sheathe.

B. depolarization occurs only at the nodes of Ranvier.

C. depolarization does not occur in cells with saltatory conduction.

D. impulse transmission does not require energy in myelinated neurons.

44. Which of the following is NOT true about all reflex arcs?

A. Include a sensory and a motor neuron.

B. Consist of at least 3 neurons.

C. Have their centers in grey matter of brain or spinal cord.

D. Terminate in a muscle or a glands.

E. Include an afferent and an efferent neuron.

45. The action potential arriving at the end of an axon is:

A. greatly weaker than the initial action potential.

B. moderately weaker than the initial action potential.

C. precisely identical to the initial action potential.

D. moderately greater than the initial action potential.

46. A large depolarization that spreads or is propagated along the entire membrane without changing its magnitude is called the "all or none" law.

A. True

B. False.

47. Under no circumstances can a cell membrane become depolarized and a nerve impulse be produced during the:

A. relative refractory period.

B. absolute refractory period.

C. resting potential period.

D. all of the above

E. A and B only

48. Which of the following make(s) depolarization more unlikely:

A. Increasing the neuron membrane permeability to sodium ions.

B. Raising the resting membrane potential.

C. Raising the threshold potential.

D. All of the above.

E. None of the above.

49. What is primarily responsible for restoring the resting potential in milliseconds following depolarization?

A. The membrane becomes relatively impermeable to sodium ions.

B. There is a rapid net diffusion of potassium ions to the exterior of the cells.

C. The sodium-potassium active transport pump begins functioning again.

D. A and B above.

E. B and C above.

50. The membrane of a neuron that is not conducting an impulse is said to:

A. have an action potential.

B. be depolarized.

C. be undergoing repolarization.

D. have a resting potential.

E. be more negative on its outside edge.

Part 3

NERVE 3 NERVE TISSUE, EXCITABILITY, CONDUCTIVITY, SPINAL CORD & REFLEXES

DIRECTIONS: Read the questions carefully and pick the BEST CORRECT ANSWER. Then check your answer against the correct answers on the Key at the bottom of the page. Good luck.

1. When a neuron is at rest, the inside of the cell contains more than .

A. K⁺; Na⁺.

B. Ca⁺⁺; Na⁺.

C. Na⁺; K⁺.

D. Fe⁺⁺; Fe⁺⁺⁺.

E. Na⁺; Ca⁺⁺.

2. The connective tissue wrapping around an entire nerve is called:

A. perimysium

B. epineurium

C. perineurium

D. endoneurium

E. epimysium

3. Neuroglia cells in the CNS are responsible for all except which one of the following:

- A. phagocytosis of cellular debris.
- B. myelination of axons.
- C. neural regeneration.
- D. provide neural support.

4. A neural impulse will proceed through a neuron in what anatomical sequence once a receptor is stimulated:

- A. cell body to axon to dendrite.
- B. axon to dendrite to cell body.
- C. dendrite to axon to cell body.
- D. dendrite to cell body to axon.

5. A motor nerve consists of:

- A. dendrites.
- B. axons.
- C. cell bodies.
- D. All of the above.
- E. None of the above.

6. The Na/K pump:

- A. maintains the ionic concentration gradient across the resting neuron.
- B. is briefly discontinued during depolarization.
- C. is responsible for repolarization.
- D. All of the above.
- E. None of the above.

7. Arrange the following events in the correct order of occurrence. An action potential involves:

- 1. increased K⁺ permeability; decreased Na⁺ permeability.
- 2. resting membrane potential reestablished.
- 3. threshold stimulus applied.
- 4. increased Na⁺ permeability.
- 5. K⁺ moves out.
- 6. Na⁺ moves into cell
- 7. depolarization occurs.
- 8. repolarization occurs.

The correct sequence is:

- A. 3,7,8,4,5,1,6,2
- B. 5,8,1,2,6,3,4,7
- C. 1,2,7,3,5,8,4,6
- D. 8,6,4,3,2,1,5,7
- E. 3,4,6,7,1,5,8,2

8. Neuronal cell bodies are located in the CNS within:

- A. nerves.
- B. tracts.
- C. gray matter.
- D. ganglia.

9. If a neuron were experimentally placed in conditions where intracellular potassium were depleted, which of the following is a logical consequence?

- A. the neuron would hyper polarize.
- B. the intracellular charge would become more positive.
- C. the neuron would fire spontaneously.

D. all of the above.

E. none of the above.

10. If a motor neuron in the body were stimulated by an electrode placed about midpoint along the length of the axon:

A. the impulse would move to the motor end plate (synaptic bulb).

B. sensory discrimination would occur.

C. the impulse would spread to the dendrite and across the neuronal synapse.

D. the membrane would become hyper polarized.

E. nothing would happen.

11. Cell bodies of sensory neurons of spinal nerves are located in:

A. dorsal horn of gray matter.

B. ventral root.

C. dorsal root ganglion.

D. dorsal white column.

E. central canal.

12. The white matter in the spinal cord:

A. is composed of myelinated fibers.

B. ascends to higher CNS centers.

C. descends to lower levels.

D. can be found around the perimeter of the gray "H".

E. all of the above are correct.

13. A reflex center is:

A. in the CNS.

B. a synaptic site.

C. a location for motor neuron cell bodies.

D. all of the above.

E. none of the above.

14. Cutting a ventral root of the spinal cord would lead to:

A. loss of sensory perception at that cord level.

B. loss of reflexes at that cord level.

C. both of the above.

D. none of the above.

15. Cutting a spinal nerve would lead to:

A. loss of sensory perception.

B. loss of reflex activity.

C. loss of voluntary muscle response.

D. all of the above.

E. none of the above.

16. Which is longer?

A. the dendrite of a peripheral sensory neuron.

B. the dendrite of a somatic motor neuron.

C. both dendrites are the same length.

17. Dorsal root ganglia:

A. contain fibers of motor neurons.

B. are the site of sensory neuron cell bodies.

C. both of the above.

D. none of the above.

D. None of the above.

18. Which of the following is not necessary for the performance of the withdrawal reflex:

- A. Effectors (muscle fibers).
- B. Synapses.
- C. Receptors.
- D. Peripheral nerves.
- E. Cerebral cortex.

19. What is the correct sequence that structures are involved in a spinal reflex?

- 1. Dorsal root ganglion
- 2. Motor neuron axon
- 3. Cutaneous receptor
- 4. Synapse between neurons
- 5. Sensory neuron dendrite
- 6. Motor neuron cell body
- 7. Motor neuron synaptic bulb

The correct sequence is:

- A. 5,6,1,2,4,7,3
- B. 3,5,1,4,6,2,7
- C. 3,4,1,2,5,6,7
- D. 5,3,4,2,1,6,7
- E. 7,4,5,6,1,2,3

20. In a synaptic junction between a neuron and muscle fiber, receptors are located on:

- A. the muscle fiber.
- B. the neuronal membrane.
- C. Both of the above.

21. Neuro-transmitters are released at:

- A. receptor sites.
- B. post-synaptic membranes.
- C. synaptic bulb of neuron.
- D. All of the above.
- E. None of the above.

22. The spinal cord ends at the level of:

- A. L1
- B. L3
- C. S1
- D. S3
- E. T10

23. Severing the spinal cord at what level would result in cardiac arrest?

- A. C2
- B. C3
- C. C5
- D. T1
- E. None of the above

24. What peripheral nerves provide motor pathways to the diaphragm?

- A. cranial
- B. C2
- C. C4

D. T1

E. All of the above

C. oculomotor

D. all of the above

E. none of the above

25. Cutting what cranial nerve would lead to loss of vision?

A. oculomotor

B. optic

C. olfactory

D. facial

E. vagus

29. The first synapse of a peripheral sensory neuron in the arm would be:

A. in the ganglion in the under arm region

B. in the dorsal root ganglion

C. in the ventral root ganglion

D. in the CNS

E. none of the above

26. What cranial nerve is involved in the pain associated with a toothache?

A. hypoglossal

B. vagus

C. facial

D. trigeminal

E. trochlear

30. In a polysynaptic reflex, which neuron is located entirely within the CNS?

A. association

B. motor

C. sensory

D. ganglionic

27. Cutting this nerve would lead to the loss of control of peristalsis (movement of the intestine):

A. glossopharyngeal

B. trigeminal

C. vagus

D. hypoglossal

E. trochlear

31. White matter contains:

A. myelin

B. axons

C. tracts

D. all of the above

E. none of the above

28. Which cranial nerve controls eye movement?

A. abducens

B. trochlear

32. Motor neurons conduct impulses to:

A. cardiac muscle.

B. smooth muscle.

C. skeletal muscle.

D. All of the above.

E. None of the above.

33. Cutting the white matter of the spinal cord results in:

A. loss of voluntary motor activity

B. loss of sensory input

C. loss of reflex activity

D. choices A and B only

E. choices A and C only

34. Cutting the ventral horn of the gray matter results in:

A. loss of voluntary motor activity

B. loss of sensory input

C. loss of reflex activity

D. choices A and B only

E. choices A and C only

35. Cutting the ascending tracts results in:

A. loss of voluntary motor activity

B. loss of sensory input

C. loss of reflex activity

D. choices A and B only

E. choices A and C only

36. Regarding the speed of impulse conduction, which of the following is True?

A. Nerve fibers classed as pain fibers conduct most rapidly.

B. Myelinated fibers conduct impulses most rapidly.

C. Motor impulses are conducted more rapidly than sensory impulses.

D. Nerve impulses all travel at the same rate.

E. None of the above

37. If the anterior root of a spinal nerve were cut, what would be the result in the tissue or region supplied by that nerve?

A. Complete loss of sensation.

B. Complete loss of movement.

C. Complete loss of sensation and movement.

D. Complete loss of sensation, movement, and autonomic control of blood vessels and sweat glands.

E. Loss of neither sensation nor movement, but only of autonomic control of blood vessels and sweat glands.

38. In a stretch reflex, an impulse travels to the spinal cord, then back (by way of the same nerve) to the muscle in which the impulse originated. As a result"

A. the muscle contracts, overcoming the stretch.

B. the muscle relaxes, increasing the tension.

C. the muscle fatigues, decreasing the energy needed to move.

D. A and C only

39. What force(s) best regulate the passage of sodium ions across a nerve cell membrane?

A. Sodium and potassium ion concentration gradients

B. Electrical charge on both sides of the cell membrane

C. Sodium/potassium pumps

D. All of the above

40. During the absolute refractory period, a second action potential can be produced:

A. when the second stimulus is greater than the threshold stimulus.

B. when the second stimulus is less than the threshold stimulus.

C. under no conditions no matter what the strength of the stimulus is.

D. None of the above

41. Which of the following statements is "NOT" True of a nerve impulse?

A. Nerve impulse velocity is directly related to the diameter of the fiber.

B. It is a repeating sequence of polarity reversal and restoration of resting potential traveling in both directions along the nerve from its point of origin.

C. It is a self-perpetuating process that requires no expenditure of energy.

D. Nerve impulses do NOT travel through myelinated areas. Instead they jump from node to node in a leaping fashion.

42. An individual regularly adjusts her clothing by buttoning the top button of her blouse before any of the others. This is an example of a:

A. learned reflex.

B. conditioned reflex.

C. spinal reflex.

D. All of the above

E. A and B only

43. In order to have production of an action potential, the inside of the nerve cell must:

A. decrease from -70 to -30 MV.

B. increase from -70 to -90 MV.

C. decrease from -90 to -30 MV.

D. decrease from -70 to +30 MV.

E. increase from +30 to -70 MV.

44. Graded potentials are:

A. pre-action potentials.

B. generated at dendrites and cell bodies only.

C. Both A and B

D. Neither A nor B

45. A cut on the finger would activate which receptors?

A. Tactile receptors

B. Baroreceptors

C. Chemoreceptors

D. Nocioceptors

46. The lateral spinothalamic tracts

A. are concerned with pain reflexes only.

B. are part of the gray matter of the spinal cord.

C. are found within the cerebral cortex.

D. carry motor impulses down the spinal cord from the brain.

E. None of the above

47. The "Cauda Equina" is a name given to (a):

A. clinical procedure used to induce anesthesia.

B. roots from the lower region of the spinal cord which run caudally to below the level of the conus medullaris before leaving the vertebral canal.

C. the middle meninx of the spinal cord.

D. a group of blood vessels that run within the vertebral canal.

E. the neural pathway that runs through the anterior horns of the spinal cord.

48. A pre-action potential always flows in one direction over a neuron, that is, it moves from the --?-- to the --?-- of the cell.

A. dendrite; cell body

B. cell body; axon

C. dendrite; cyton

D. All of the above

E. None of the above

49. Which of the following is NOT a type of neuroglial cell?

A. Astrocyte

B. Oligodendrocyte

C. Schwann cell

D. Nissl cell

50. How is the resting membrane potential of -70 MV (Millivolts) best interpreted?

A. The inside of the fiber is -70 MV.

B. The outside of the fiber is -70 MV.

C. The outside of the fiber is 70 MV more negative than the inside.

D. The inside of the fiber is 70 MV more negative than the outside.

E. None of the above

NERVOUS SYSTEM 3 ANSWERS

1. When a neuron is at rest, the inside of the cell contains more than .

A. K⁺; Na⁺.

B. Ca⁺⁺; Na⁺.

C. Na⁺; K⁺.

D. Fe⁺⁺; Fe⁺⁺⁺.

E. Na⁺; Ca⁺⁺.

2. The connective tissue wrapping around an entire nerve is called:

A. perimysium

B. epineurium

C. perineurium

D. endoneurium

E. epimysium

3. Neuroglia cells in the CNS are responsible for all except which one of the following:

A. phagocytosis of cellular debris.

B. myelination of axons.

C. neural regeneration.

D. provide neural support.

4. A neural impulse will proceed through a neuron in what anatomical sequence once a receptor is stimulated:

A. cell body to axon to dendrite.

B. axon to dendrite to cell body.

C. dendrite to axon to cell body.

D. dendrite to cell body to axon.

A. 3,7,8,4,5,1,6,2

B. 5,8,1,2,6,3,4,7

C. 1,2,7,3,5,8,4,6

D. 8,6,4,3,2,1,5,7

E. 3,4,6,7,1,5,8,2

5. A motor nerve consists of:

A. dendrites.

B. axons.

C. cell bodies.

D. All of the above.

E. None of the above.

6. The Na/K pump:

A. maintains the ionic concentration gradient across the resting neuron.

B. is briefly discontinued during depolarization.

C. is responsible for repolarization.

D. All of the above.

E. None of the above.

7. Arrange the following events in the correct order of occurrence. An action potential involves:

1. increased K⁺ permeability; decreased Na⁺ permeability.

2. resting membrane potential reestablished.

3. threshold stimulus applied.

4. increased Na⁺ permeability.

5. K⁺ moves out.

6. Na⁺ moves into cell

7. depolarization occurs.

8. repolarization occurs.

The correct sequence is:

8. Neuronal cell bodies are located in the CNS within:

A. nerves.

B. tracts.

C. gray matter.

D. ganglia.

9. If a neuron were experimentally placed in conditions where intracellular potassium were depleted, which of the following is a logical consequence?

A. the neuron would hyper polarize.

B. the intracellular charge would become more positive.

C. the neuron would fire spontaneously.

D. all of the above.

E. none of the above.

10. If a motor neuron in the body were stimulated by an electrode placed about midpoint along the length of the axon:

A. the impulse would move to the motor end plate (synaptic bulb).

B. sensory discrimination would occur.

C. the impulse would spread to the dendrite and across the neuronal synapse.

D. the membrane would become hyper polarized.

E. nothing would happen.

11. Cell bodies of sensory neurons of spinal nerves are located in:

- A. dorsal horn of gray matter.
- B. ventral root.
- C. dorsal root ganglion.**
- D. dorsal white column.
- E. central canal.

12. The white matter in the spinal cord:

- A. is composed of myelinated fibers.
- B. ascends to higher CNS centers.
- C. descends to lower levels.
- D. can be found around the perimeter of the gray "H".
- E. all of the above are correct.**

13. A reflex center is:

- A. in the CNS.
- B. a synaptic site.
- C. a location for motor neuron cell bodies.
- D. all of the above.**
- E. none of the above.

14. Cutting a ventral root of the spinal cord would lead to:

- A. loss of sensory perception at that cord level.
- B. loss of reflexes at that cord level.**
- C. both of the above.
- D. none of the above.

15. Cutting a spinal nerve would lead to:

- A. loss of sensory perception.
- B. loss of reflex activity.
- C. loss of voluntary muscle response.
- D. all of the above.**
- E. none of the above.

16. Which is longer?

- A. the dendrite of a peripheral sensory neuron.**
- B. the dendrite of a somatic motor neuron.
- C. both dendrites are the same length.

17. Dorsal root ganglia:

- A. contain fibers of motor neurons.
- B. are the site of sensory neuron cell bodies.**
- C. both of the above.
- D. none of the above.

18. Which of the following is not necessary for the performance of the withdrawal reflex:

- A. Effectors (muscle fibers).
- B. Synapses.
- C. Receptors.
- D. Peripheral nerves.
- E. Cerebral cortex.**

19. What is the correct sequence that structures are involved in a spinal reflex?

- | | |
|-------------------------------|--------------|
| 1. Dorsal root ganglion | A. L1 |
| 2. Motor neuron axon | B. L3 |
| 3. Cutaneous receptor | C. S1 |
| 4. Synapse between neurons | D. S3 |
| 5. Sensory neuron dendrite | E. T10 |
| 6. Motor neuron cell body | |
| 7. Motor neuron synaptic bulb | |

The correct sequence is:

- A. 5,6,1,2,4,7,3
- B. 3,5,1,4,6,2,7**
- C. 3,4,1,2,5,6,7
- D. 5,3,4,2,1,6,7
- E. 7,4,5,6,1,2,3

20. In a synaptic junction between a neuron and muscle fiber, receptors are located on:

- A. the muscle fiber.**
- B. the neuronal membrane.
- C. Both of the above.
- D. None of the above.

21. Neuro-transmitters are released at:

- A. receptor sites.
- B. post-synaptic membranes.
- C. synaptic bulb of neuron.**
- D. All of the above.
- E. None of the above.

22. The spinal cord ends at the level of:

23. Severing the spinal cord at what level would result in cardiac arrest?

- A. C2
- B. C3
- C. C5
- D. T1
- E. None of the above**

24. What peripheral nerves provide motor pathways to the diaphragm?

- A. cranial
- B. C2
- C. C4**
- D. T1
- E. All of the above

25. Cutting what cranial nerve would lead to loss of vision?

- A. oculomotor
- B. optic**
- C. olfactory
- D. facial
- E. vagus

26. What cranial nerve is involved in the pain associated with a toothache?

- A. hypoglossal
- B. vagus
- C. facial
- D. trigeminal**
- E. trochlear

27. Cutting this nerve would lead to the loss of control of peristalsis (movement of the intestine):

- A. glossopharyngeal
- B. trigeminal
- C. vagus**
- D. hypoglossal
- E. trochlear

28. Which cranial nerve controls eye movement?

- A. abducens
- B. trochlear
- C. oculomotor
- D. all of the above**
- E. none of the above

29. The first synapse of a peripheral sensory neuron in the arm would be:

- A. in the ganglion in the under arm region
- B. in the dorsal root ganglion
- C. in the ventral root ganglion
- D. in the CNS**
- E. none of the above

30. In a polysynaptic reflex, which neuron is located entirely within the CNS?

- A. association**
- B. motor
- C. sensory
- D. ganglionic

31. White matter contains:

- A. myelin
- B. axons
- C. tracts
- D. all of the above**
- E. none of the above

32. Motor neurons conduct impulses to:

- A. cardiac muscle.
- B. smooth muscle.
- C. skeletal muscle.
- D. All of the above.**
- E. None of the above.

33. Cutting the white matter of the spinal cord results in:

- A. loss of voluntary motor activity
- B. loss of sensory input
- C. loss of reflex activity
- D. choices A and B only**
- E. choices A and C only

34. Cutting the ventral horn of the gray matter results in:

- A. loss of voluntary motor activity
- B. loss of sensory input
- C. loss of reflex activity
- D. choices A and B only
- E. choices A and C only**

35. Cutting the ascending tracts results in:

- A. loss of voluntary motor activity
- B. loss of sensory input**
- C. loss of reflex activity
- D. choices A and B only
- E. choices A and C only

36. Regarding the speed of impulse conduction, which of the following is True?

- A. Nerve fibers classed as pain fibers conduct most rapidly.
- B. Myelinated fibers conduct impulses most rapidly.**
- C. Motor impulses are conducted more rapidly than sensory impulses.
- D. Nerve impulses all travel at the same rate.
- E. None of the above

37. If the anterior root of a spinal nerve were cut, what would be the result in the tissue or region supplied by that nerve?

- A. Complete loss of sensation.
- B. Complete loss of movement.**
- C. Complete loss of sensation and movement.

D. Complete loss of sensation, movement, and autonomic control of blood vessels and sweat glands.

E. Loss of neither sensation nor movement, but only of autonomic control of blood vessels and sweat glands.

38. In a stretch reflex, an impulse travels to the spinal cord, then back (by way of the same nerve) to the muscle in which the impulse originated. As a result"

A. the muscle contracts, overcoming the stretch.

B. the muscle relaxes, increasing the tension.

C. the muscle fatigues, decreasing the energy needed to move.

D. A and C only

39. What force(s) best regulate the passage of sodium ions across a nerve cell membrane?

A. Sodium and potassium ion concentration gradients

B. Electrical charge on both sides of the cell membrane

C. Sodium/potassium pumps

D. All of the above

40. During the absolute refractory period, a second action potential can be produced:

A. when the second stimulus is greater than the threshold stimulus.

B. when the second stimulus is less than the threshold stimulus.

C. under no conditions no matter what the strength of the stimulus is.

D. None of the above

41. Which of the following statements is "NOT" True of a nerve impulse?

A. Nerve impulse velocity is directly related to the diameter of the fiber.

B. It is a repeating sequence of polarity reversal and restoration of resting potential traveling in both directions along the nerve from its point of origin.

C. It is a self-perpetuating process that requires no expenditure of energy.

D. Nerve impulses do NOT travel through myelinated areas. Instead they jump from node to node in a leaping fashion.

42. An individual regularly adjusts her clothing by buttoning the top button of her blouse before any of the others. This is an example of a:

A. learned reflex.

B. conditioned reflex.

C. spinal reflex.

D. All of the above

E. A and B only

43. In order to have production of an action potential, the inside of the nerve cell must:

A. decrease from -70 to -30 MV.

B. increase from -70 to -90 MV.

C. decrease from -90 to -30 MV.

D. decrease from -70 to +30 MV.

E. increase from +30 to -70 MV.

44. Graded potentials are:

A. pre-action potentials.

B. generated at dendrites and cell bodies only.

C. Both A and B

D. Neither A nor B

45. A cut on the finger would activate which receptors?

A. Tactile receptors

B. Baroreceptors

C. Chemoreceptors

D. Nocioceptors

46. The lateral spinothalamic tracts

A. are concerned with pain reflexes only.

B. are part of the gray matter of the spinal cord.

C. are found within the cerebral cortex.

D. carry motor impulses down the spinal cord from the brain.

E. None of the above

47. The "Cauda Equina" is a name given to (a):

A. clinical procedure used to induce anesthesia.

B. roots from the lower region of the spinal cord which run caudally to below the level of the conus medullaris before leaving the vertebral canal.

C. the middle meninx of the spinal cord.

D. a group of blood vessels that run within the vertebral canal.

E. the neural pathway that runs through the anterior horns of the spinal cord.

48. A pre-action potential always flows in one direction over a neuron, that is, it moves from the --?-- to the --?-- of the cell.

A. dendrite; cell body

B. cell body; axon

C. dendrite; cyton

D. All of the above

E. None of the above

49. Which of the following is NOT a type of neuroglial cell?

A. Astrocyte

B. Oligodendrocyte

C. Schwann cell

D. Nissl cell

50. How is the resting membrane potential of -70 MV (Millivolts) best interpreted?

A. The inside of the fiber is -70 MV.

B. The outside of the fiber is -70 MV.

C. The outside of the fiber is 70 MV more negative than the inside.

D. The inside of the fiber is 70 MV more negative than the outside.

E. None of the above

NERVE 3 ANSWERS

1. A 2. B 3. C 4. D 5. B
6. A 7. E 8. C 9. A 10. A
11. C 12. E 13.

16. A 17. B 18.

21. C

22. A

23.

26. D

27. C

28.

31. D

32. D

33.

36. B

37. B

38.

**NERVE 4 NERVE TISSUE, EXCITABILITY,
CONDUCTIVITY, SPINAL CORD & REFLEXES**

DIRECTIONS: Read the questions carefully and pick the **BEST CORRECT ANSWER**. Then check your answer against the correct answers on the Key at the bottom of the page. Good luck.

1. The two major types of cells that are part of the nervous system are:
 - A. brain and spinal cord
 - B. neuroglia and neurons
 - C. blood and connective
 - D. epithelia and neuroglia
 - E. neurons and muscle

2. ATP is important for a neuron so that,
 - A. the Na^+/K^+ pump can operate
 - B. neurotransmitters can be synthesized

- C. regeneration of CNS neurons can take place
- D. A and B above
- E. B and C above
3. A branch of an axon is called a(n)
- A. dendrite
- B. cyton
- C. axolemma
- D. nissl body
- E. telodendria
4. The knee jerk, in response to a sharp tap on the patellar tendon, is
- A. an autonomic reflex
- B. a conditioned reflex
- C. Occurs over a three-neuron reflex arc
- D. a spinal reflex
- E. described by more than one of the above
5. The dorsal root ganglion contains
- A. cerebral medulla nuclei
- B. cell bodies of sensory neurons
- C. cranial nerve axons
- D. synapses
- E. Cell bodies of motor neurons
6. Under no circumstances can a cell membrane become depolarized and a nerve impulse be produced during the:
- A. relative refractory period.
- B. absolute refractory period.
- C. resting potential period.
- D. all of the above
- E. A and B only
7. The dorsal root of the spinal nerve has been severed. What theoretical effect would you expect to see in such a patient?
- A. the individual would not be able to feel anything in the affected area
- B. the individual would not be able to move the skeletal muscle innervated by the spinal nerve
- C. the individual would not be able to move the skeletal muscle innervated or to feel in the affected area
- D. the individual would not be able to feel anything in the area of the opposite side of the body
- E. the individual would not be able to move the skeletal muscle innervated by that spinal nerve on the opposite side of the body
8. Vesicles containing neurotransmitter substances are present in the
- A. cell body.
- B. axolemma.
- C. terminal end bulb
- D. dendrites.
- E. mitochondria.
9. Saltatory conduction refers to;
- A. a very fast form of impulse transmission
- B. a very slow form of impulse transmission
- C. an increase in acetylcholine diffusion
- D. a "jumping" form of impulse transmission

E. 2 of the above are true

10. A glial cell that is a major component of the blood-brain barrier is the

- A. astrocyte.
- B. Microglia cell.
- C. oligodendrocyte.
- D. ependymal cell.
- E. Schwann cell.

11. An axon hillock ALONE produces either a complete action potential.

- A. True
- B. False

12. Which of the following IS/ARE a function of the nervous system?

- A. It senses changes within the body and in the outside environment.
- B. It interprets the changes.
- C. It may initiate a response to a stimulus.
- D. All of the above
- E. Two of the above

13. The minimum number of neurons that may be involved in the simplest reflex is:

- A. 1
- B. 2
- C. 3
- D. 4
- E. any number

14. Sensory is to --?-- as --?-- is to efferent.

- A. efferent; motor
- B. afferent; sensory
- C. afferent; motor
- D. motor; central
- E. none of the above are true

15. Which one of the following functions of neuroglial cells is NOT correct?

- A. Carry nerve impulses
- B. Help create cerebrospinal fluid
- C. Assist in attaching neurons to capillaries
- D. Phagocytosis
- E. some make myelin

16. A reflex arc:

- A. is the automatic action resulting from impulse conduction to muscle or gland cells.
- B. always includes a receptor and effector.
- C. usually has a afferent, efferent, and association neurons as components.
- D. always involves the spinal cord.
- E. B and C

17. Which of these is not required for a "sensation" to occur?

- A. A stimulus must be present.
- B. A receptor must pick up the stimulus.

C. The impulse must be conducted to the central nervous system

D. A response to the stimulus must be made.

E. The CNS must integrate the impulse.

18. Every thing we do is a reflex.

A. True

B. False

19. Action potentials can be generated by virtually all cells of the body because all cells possess cell membranes.

A. True

B. False

20. When a neuron is polarized, the inside of the cell contains more --?-- than --?--.

A. K^+ ; Na^+

B. Ca^{++} ; Na^+

C. Na^+ ; K^+

D. Sodium; protein

E. Na^+ ; Ca^{++}

21. The connection between 2 or more neurons is called a(n)

A. cleft

B. synapse

C. fissure

D. telodendria

E. axonal vesicle

22. The activity of transmitter substances can be stopped by:

A. dilution by diffusion

B. enzymatic destruction

C. vesicular reabsorption

D. all of the above

E. none of the above

23. The deepest of the meninges is called the:

A. Pia

B. Dura

C. Arachnoid

D. Equina

E. none of the above

24. There are --?-- pairs of cranial nerves and --?-- pairs of spinal nerves.

A. 2; 12

B. 10; 30

C. 31; 12

D. 12; 31

E. 30; 10

25. The afferent division of the peripheral nervous system

A. transmits action potentials to sensory organs.

B. conveys action potentials to the CNS.

C. Both A and B

D. Neither A nor B

26. The primary site of protein synthesis in neurons is the

- A. axon.
- B. dendrite.
- C. cell body.
- D. terminal boutons.
- E. presynaptic vesicles.

27. Dendrites

- A. carry action potentials from the cell body.
- B. are generally long and unbranched.
- C. form synapses with the dendrites of neighboring neurons.
- D. respond to neurotransmitter substances.
- E. are found on neuroglial cells

28. Nissl bodies

- A. represent areas of rough endoplasmic reticulum.
- B. are found in cell bodies.
- C. are also called gemmules.
- D. Both A and B
- E. both a and c

29. Neuroglia

- A. serve as the major supporting tissue in the CNS.
- B. participate in the formation of the blood-brain barrier.
- C. produce cerebrospinal fluid.
- D. form myelin sheaths around some axons.
- E. all of these

30. Action potentials travel faster in

- A. myelinated axons.
- B. axons with larger diameters.
- C. Both A and B
- D. Neither A nor B

31. Which of the following statements is false?

- A. In saltatory conduction, electrical charges flow from node to node.
- B. Myelination influences speed of conduction of action potentials.
- C. The lipid in the myelin sheath allows electrical charges to flow across the cell membrane to internode areas.
- D. All of the above.

32. In the PNS bundles of axons and their sheath are referred to as

- A. ganglia.
- B. nuclei.
- C. nerves.
- D. gray matter.
- E. dendrites.

33. Neurotransmitter is released from the

- A. synaptic cleft.
- B. presynaptic terminal.
- C. postsynaptic terminal.
- D. epineurium.

34. Damage to a postsynaptic terminal would

- A. increase the release of neurotransmitter.
- B. decrease the release of neurotransmitter.
- C. interfere with the ability to respond to neurotransmitter.
- D. result in increased neurotransmitter production.

35. Neurotransmitters

- A. remain in the synaptic cleft for long periods of time.
- B. bind irreversibly to the receptor molecules of the postsynaptic terminal.
- C. have short-term effects on the postsynaptic terminal.
- D. are always catabolized by acetylcholinesterase in the synaptic cleft.

36. Which of the following statements concerning the release of neurotransmitter at the synapse is false?

- A. Calcium ions must enter the presynaptic terminal for the release of neurotransmitter to occur.
- B. Synaptic vesicles release neurotransmitter by exocytosis into the synaptic cleft.
- C. Both presynaptic and postsynaptic terminals release neurotransmitter.
- D. Once neurotransmitter is released, it flows rapidly across the synaptic cleft.

37. Low extracellular calcium ion levels at a chemical synapse would tend to

- A. enhance transmission across the synapse.
- B. reduce or inhibit transmission across the synapse.
- C. have no effect on transmission across the synapse.

38. When two or more presynaptic neurons synapse with a single postsynaptic neuron in the CNS, the condition is called a(n) --?--circuit.

- A. convergent
- B. divergent
- C. oscillatory
- D. somatic
- E. sensory

39. Afferent neurons carrying action potentials from pain receptors synapse within the spinal cord with association neurons, which in turn, induce a reflex response. In addition, collateral axons synapse with ascending neurons that carry action potentials toward the brain. This is an example of a(n) circuit.

- A. convergent
- B. divergent
- C. oscillatory
- D. somatic
- E. sensory

40. Coordination via the endocrine system tends to differ from that produced by the nervous system because the endocrine system:

- A. has longer lasting effects.
- B. is slower and more coordinated.
- C. does not require conscious activity.
- D. All of the above
- E. None of the above

41. Nerve impulse conduction is unidirectional because:

- A. when the action potential reaches the axonal end bulb it causes production and

release of neurotransmitters; the latter carries the effect of the impulse across

the synapse.

B. when the action potential reaches the dendritic ending, nothing happens; thus,

it has to turn around and travel towards the axon.

C. Both A and B

D. Neither A nor B

42. Saltatory conduction is a result of --?-- present in a neuron.

A. A myelin sheath.

B. large nerve fibers.

C. Bouncing nerve impulses

D. erratic transmission of nerve impulses.

43. The All or None Law, as applied to nerve conduction states that the whole nerve cell must be stimulated for conduction to take place.

A. True

B. False

44. Reflexes are rapid, automatic responses to stimuli.

A. True

B. False

45. Efferent nerve fibers may be described as motor.

A. True

B. False

46. The velocity of conduction by nerve fibers can be modified by the length of the nerve fiber.

A. True

B. False

47. Cell bodies of sensory neurons are located in ganglia lying outside the central nervous system.

A. True

B. False

48. Myelination of the nerve fibers in the central nervous system is the job of the oligodendrocyte.

A. True

B. False

49. During depolarization, the inside of the neuron's membrane becomes less negative.

A. True

B. False

50. In myelinated axons the voltage-gated sodium channels are concentrated at the nodes of Ranvier.

A. True

B. False

NERVOUS SYSTEM 4 ANSWERS

1. The two major types of cells that are part of the nervous system are:

A. brain and spinal cord

B. neuroglia and neurons

C. blood and connective

D. epithelia and neuroglia

- E. neurons and muscle
2. ATP is important for a neuron so that,
- the Na^+/K^+ pump can operate
 - neurotransmitters can be synthesized
 - regeneration of CNS neurons can take place
 - A and B above**
 - B and C above
3. A branch of an axon is called a(n)
- dendrite
 - cyton
 - axolemma
 - nissl body
 - telodendria**
4. The knee jerk, in response to a sharp tap on the patellar tendon, is
- an autonomic reflex
 - a conditioned reflex
 - Occurs over a three-neuron reflex arc
 - a spinal reflex**
 - described by more than one of the above
5. The dorsal root ganglion contains
- cerebral medulla nuclei
 - cell bodies of sensory neurons**
 - cranial nerve axons
 - synapses
- E. Cell bodies of motor neurons
6. Under no circumstances can a cell membrane become depolarized and a nerve impulse be produced during the:
- relative refractory period.
 - absolute refractory period.**
 - resting potential period.
 - all of the above
 - A and B only
7. The dorsal root of the spinal nerve has been severed. What theoretical effect would you expect to see in such a patient?
- the individual would not be able to feel anything in the affected area**
 - the individual would not be able to move the skeletal muscle innervated by the spinal nerve
 - the individual would not be able to move the skeletal muscle innervated or to feel in the affected area
 - the individual would not be able to feel anything in the area of the opposite side of the body
 - the individual would not be able to move the skeletal muscle innervated by that spinal nerve on the opposite side of the body
8. Vesicles containing neurotransmitter substances are present in the
- cell body.
 - axolemma.
 - terminal end bulb**
 - dendrites.
 - mitochondria.

9. Saltatory conduction refers to;

- A. a very fast form of impulse transmission
- B. a very slow form of impulse transmission
- C. an increase in acetylcholine diffusion
- D. a "jumping" form of impulse transmission

E. 2 of the above are true

10. A glial cell that is a major component of the blood-brain barrier is the

- A. astrocyte.**
- B. Microglia cell.
- C. oligodendrocyte.
- D. ependymal cell.
- E. Schwann cell.

11. An axon hillock ALONE produces either a complete action potential.

- A. True**
- B. False

12. Which of the following IS/ARE a function of the nervous system?

- A. It senses changes within the body and in the outside environment.
- B. It interprets the changes.
- C. It may initiate a response to a stimulus.
- D. All of the above**
- E. Two of the above

13. The minimum number of neurons that may be involved in the simplest reflex is:

- A. 1
- B. 2**
- C. 3
- D. 4
- E. any number

14. Sensory is to --?-- as --?-- is to efferent.

- A. efferent; motor
- B. afferent; sensory
- C. afferent; motor**
- D. motor; central
- E. none of the above are true

15. Which one of the following functions of neuroglial cells is NOT correct?

- A. Carry nerve impulses**
- B. Help create cerebrospinal fluid
- C. Assist in attaching neurons to capillaries
- D. Phagocytosis
- E. some make myelin

16. A reflex arc:

- A. is the automatic action resulting from impulse conduction to muscle or gland cells.
- B. always includes a receptor and effector.
- C. usually has a afferent, efferent, and association neurons as components.
- D. always involves the spinal cord.
- E. B and C**

17. Which of these is not required for a "sensation" to occur?

- A. A stimulus must be present.
- B. A receptor must pick up the stimulus.
- C. The impulse must be conducted to the central nervous system
- D. A response to the stimulus must be made.**
- E. The CNS must integrate the impulse.

18. Every thing we do is a reflex.

- A. True**
- B. False

19. Action potentials can be generated by virtually all cells of the body because all cells possess cell membranes.

- A. True
- B. False**

20. When a neuron is polarized, the inside of the cell contains more --?-- than --?--.

- A. K^+ ; Na^+**
- B. Ca^{++} ; Na^+
- C. Na^+ ; K^+
- D. Sodium; protein
- E. Na^+ ; Ca^{++}

21. The connection between 2 or more neurons is called a(n)

- A. cleft
- B. synapse**

- C. fissure
- D. telodendria
- E. axonal vesicle

22. The activity of transmitter substances can be stopped by:

- A. dilution by diffusion
- B. enzymatic destruction
- C. vesicular reabsorption
- D. all of the above
- E. none of the above

23. The deepest of the meninges is called the:

- A. Pia**
- B. Dura
- C. Arachnoid
- D. Equina
- E. none of the above

24. There are --?-- pairs of cranial nerves and --?-- pairs of spinal nerves.

- A. 2; 12
- B. 10; 30
- C. 31; 12
- D. 12; 31**
- E. 30; 10

25. The afferent division of the peripheral nervous system

- A. transmits action potentials to sensory organs.

B. conveys action potentials to the CNS.

C. Both A and B

D. Neither A nor B

26. The primary site of protein synthesis in neurons is the

A. axon.

B. dendrite.

C. cell body.

D. terminal boutons.

E. presynaptic vesicles.

27. Dendrites

A. carry action potentials from the cell body.

B. are generally long and unbranched.

C. form synapses with the dendrites of neighboring neurons.

D. respond to neurotransmitter substances.

E. are found on neuroglial cells

28. Nissl bodies

A. represent areas of rough endoplasmic reticulum.

B. are found in cell bodies.

C. are also called gemmules.

D. Both A and B

E. both a and c

29. Neuroglia

A. serve as the major supporting tissue in the CNS.

B. participate in the formation of the blood-brain barrier.

C. produce cerebrospinal fluid.

D. form myelin sheaths around some axons.

E. all of these

30. Action potentials travel faster in

A. myelinated axons.

B. axons with larger diameters.

C. Both A and B

D. Neither A nor B

31. Which of the following statements is false?

A. In saltatory conduction, electrical charges flow from node to node.

B. Myelination influences speed of conduction of action potentials.

C. The lipid in the myelin sheath allows electrical charges to flow across the cell membrane to internode areas.

D. All of the above.

32. In the PNS bundles of axons and their sheath are referred to as

A. ganglia.

B. nuclei.

C. nerves.

D. gray matter.

E. dendrites.

33. Neurotransmitter is released from the

A. synaptic cleft.

B. presynaptic terminal.

C. postsynaptic terminal.

D. epineurium.

34. Damage to a postsynaptic terminal would

A. increase the release of neurotransmitter.

B. decrease the release of neurotransmitter.

C. interfere with the ability to respond to neurotransmitter.

D. result in increased neurotransmitter production.

35. Neurotransmitters

A. remain in the synaptic cleft for long periods of time.

B. bind irreversibly to the receptor molecules of the postsynaptic terminal.

C. have short-term effects on the postsynaptic terminal.

D. are always catabolized by acetylcholinesterase in the synaptic cleft.

36. Which of the following statements concerning the release of neurotransmitter at the synapse is false?

A. Calcium ions must enter the presynaptic terminal for the release of

neurotransmitter to occur.

B. Synaptic vesicles release neurotransmitter by exocytosis into the synaptic cleft.

C. Both presynaptic and postsynaptic terminals release neurotransmitter.

D. Once neurotransmitter is released, it flows rapidly across the synaptic cleft.

37. Low extracellular calcium ion levels at a chemical synapse would tend to

A. enhance transmission across the synapse.

B. reduce or inhibit transmission across the synapse.

C. have no effect on transmission across the synapse.

38. When two or more presynaptic neurons synapse with a single postsynaptic neuron in the CNS, the condition is called a(n) --?-- circuit.

A. convergent

B. divergent

C. oscillatory

D. somatic

E. sensory

39. Afferent neurons carrying action potentials from pain receptors synapse within the spinal cord with association neurons, which in turn, induce a reflex response. In addition, collateral axons synapse with ascending neurons that carry action potentials toward the brain. This is an example of a(n) circuit.

A. convergent

B. divergent

C. oscillatory

D. somatic

E. sensory

40. Coordination via the endocrine system tends to differ from that produced by the nervous system because the endocrine system:

A. has longer lasting effects.

B. is slower and more coordinated.

C. does not require conscious activity.

D. All of the above

E. None of the above

41. Nerve impulse conduction is unidirectional because:

A. when the action potential reaches the axonal end bulb it causes production and

release of neurotransmitters; the latter carries the effect of the impulse across

the synapse.

B. when the action potential reaches the dendritic ending, nothing happens; thus,

it has to turn around and travel towards the axon.

C. Both A and B

D. Neither A nor B

42. Saltatory conduction is a result of --?-- present in a neuron.

A. A myelin sheath.

B. large nerve fibers.

C. Bouncing nerve impulses

D. erratic transmission of nerve impulses.

43. The All or None Law, as applied to nerve conduction states that the whole nerve cell must be stimulated for conduction to take place.

A. True

B. False

44. Reflexes are rapid, automatic responses to stimuli.

A. True

B. False

45. Efferent nerve fibers may be described as motor.

A. True

B. False

46. The velocity of conduction by nerve fibers can be modified by the length of the nerve fiber.

A. True

B. False

47. Cell bodies of sensory neurons are located in ganglia lying outside the central nervous system.

A. True

B. False

48. Myelination of the nerve fibers in the central nervous system is the job of the oligodendrocyte.

A. True

B. False

49. During depolarization, the inside of the neuron's membrane becomes less negative.

A. True

B. False

50. In myelinated axons the voltage-gated sodium channels are concentrated at the nodes of Ranvier.

A. True

B. False

NERVE 5 NERVE TISSUE, EXCITABILITY, CONDUCTIVITY, SPINAL CORD & REFLEXES

DIRECTIONS: Read the questions carefully and pick the **BEST CORRECT ANSWER**. Then check your answer

against the correct answers on the Key at the bottom of the page. Good luck.

1. If bacteria were to invade the nervous tissue, microglia would migrate to the area to engulf and destroy them.

- A. True
- B. False

2. The node of Ranvier is found only on myelinated neural processes.

- A. True
- B. False

3. Graded potentials exhibit all the following EXCEPT they:

- A. are short lived.
- B. can form on receptor endings.
- C. increase amplitude as they move away from the stimulus point.
- D. can be called postsynaptic potentials.

4. The entire period after an initial stimulus when a neuron is NOT sensitive to another stimulus is the:

- A. resting period.
- B. repolarization.
- C. depolarization.
- D. transient period.
- E. refractory period.

5. A bullet entered a person within the vicinity of his spinal cavity. Which order of the structures listed below, is most correct in describing the bullet's pathway.

1. Spinal cord
2. Pia mater
3. Arachnoid
4. Subarachnoid space
5. Dura mater
6. Vertebra

Select answers below

- A. 1,2,3,4,5,6
- B. 6,5,3,4,2,1
- C. 2,6,1,4,5,3
- D. 2,1,5,4,3,6
- E. 4,5,6,3,2,1

6. Which of the following is NOT a structural feature of a neuron?

- A. Synaptic cleft
- B. Nissl bodies
- C. Dendrites
- D. Axon

7. If one incoming impulse produces several outgoing nerve impulses, we know that there is a(n):

- A. converging circuit.
- B. concentration effect.
- C. diverging circuit.
- D. reverberating circuit.
- E. parallel circuit.

8. The point at which an impulse from one nerve cell is communicated to another nerve cell is the

- A. cell body.
- B. synapse.
- C. receptor.
- D. effector

D. positively charged and contains more sodium.

9. Collections of nerve cell bodies inside the central nervous system are called:

- A. nuclei.
- B. nerves.
- C. ganglia.
- D. tracts.

13. The part of the neuron that acts as receptor region is called:

- A. an axon.
- B. a dendrite.
- C. a neurilemma.
- D. a Schwann cell.

10. The term "central nervous system" refers to the

- A. autonomic nervous system.
- B. brain, spinal cord, and peripheral nerves.
- C. brain and spinal cord.
- D. spinal cord and spinal nerves.

14. Place the following parts of the reflex arc in proper sequence

- A. effector-motor neuron-integration center-sensory neuron-receptor.
- B. receptor-motor neuron-integration center-sensory neuron-effector.
- C. receptor-sensory neuron-integration center-motor neuron-effector.
- D. effector-sensory neuron-integration center-motor neuron-receptor.
- E. sensory neuron-receptor-integration center-effector-motor neuron.

11. A neuron which has its primary function the job or action of connecting other neurons is called:

- A. a motor neuron.
- B. a sensory neuron.
- C. an association neuron.
- D. a glial cell.

15. Schwann cells are important because they:

- A. produce myelin in the CNS
- B. allow for regeneration of fibers in the PNS
- C. produce myelin in the PNS
- D. A and B
- E. B and C

12. In what way does the interior of a resting neuron differ from the external environment? It (the interior) is:

- A. positively charged and contains less sodium.
- B. negatively charged and contains less sodium.
- C. negatively charged and contains more sodium.

16. Sensory is related to –?– as –?– is related to efferent.

- A. efferent; motor
- B. afferent; sensory

- C. afferent; motor
- D. motor; central
- E. none of the above are true

- A. Pia
- B. Dura
- C. Arachnoid
- D. Equina
- E. none of the above

17. Which one of the following functions of neuroglia cells is not correct?

- A. carry nerve impulses
- B. help create C.S.F.
- C. assist in getting capillaries close to neurons
- D. phagocytosis
- E. make myelin

21. Which one of the following terms is not related directly to the others?

- A. choroid plexus
- B. lumbar plexus
- C. cervical plexus
- D. sacral plexus
- E. brachial plexus

18. The initial event that allows an action potential to occur is:

- A. the repolarization of the cell body
- B. the opening of the pores due to a stimulus or a neurotransmitter
- C. an influx of K^+
- D. an out pouring of Na^+
- E. depolarization

22. Unlike continuous conduction, saltatory conduction

- A. is a slower means of impulse transmission
- B. requires more energy
- C. is characteristic of unmyelinated neurons
- D. does not have a refractory period
- E. none of the above

19. A period of time during which no stimulus will evoke a response is called the:

- A. threshold phase
- B. summation time
- C. saltatory period
- D. relative refractory period
- E. none of the above

23. The inferior end of the spinal cord is:

- A. at L-4
- B. in the shape of a horse's tail
- C. tapered in the shape of a cone
- D. at the sacrum
- E. all of the above are true

20. The most superficial of the meninges is called the:

24. Axons:

- A. arise from an area of a cell body called the hillock
- B. may be single or branched into collaterals
- C. vary in length from a few millimeters to over 1 meter
- D. have a distal portion which branches into an arrangement called telodendria
- E. all of the above

25. In considering a typical spinal reflex

- A. the incoming (sensory) impulses enter the spinal cord through the ventral root of the spinal nerve
- B. the sensory fibers have their cells of origin located in the brain
- C. all the nerve fibers involved are un-myelinated
- D. the sensory neuron involved has its cell body located in the dorsal root ganglion
- E. synaptic connections are made across the spinal cord to neurons in the brain

26. Which one of the following is located in the ventral (anterior) horn of the spinal cord?

- A. receptors
- B. cell bodies of motor (efferent) neurons
- C. synapses
- D. axons of afferent nerves
- E. cell bodies of sensory (afferent) neurons

27. Walking gingerly between scores of puddles in a large parking lot is an example of a :

- A. Coordinated reflex
- B. Conditioned reflex
- C. Inborn reflex

- D. Vital reflex
- E. All of the above

28. Which fibers, if cut, are capable of regeneration because of the presence of a neurilemma around the fibers:

1. Those in the femoral nerve, a peripheral nerve.
2. Those in the association areas of the brain.
3. Those in the spinothalamic tract of the spinal cord.

Select answer below

- A. 1 only
- B. 2 only
- C. 3 only
- D. none of the above
- E. all of the above

29. Which of the following is true?

- A. the neurotransmitter secreted by all dendrites is acetylcholine
- B. a synapse is the junction between the afferent fibers of two neurons
- C. the electrical activity of an impulse raises the threshold of the synapse
- D. the terminations of motor neurons on muscle cells are termed synapses
- E. the nerve impulse can travel only one way across a synapse

30. Dendrites of a neuron

- A. are always covered with a neurilemma (sheath of Schwann)
- B. conduct a pre-action potential toward the cell body

- C. secrete acetylcholine or norepinephrine
- D. may regenerate, if cut, because of the presence of a myelin sheath
- E. are described or function in all of the above ways

- A. Breathing and vasomotor reflexes
- B. Vasomotor and cardiac reflexes
- C. Choking and swallowing reflexes
- D. Knee jerk and ankle jerk reflexes
- E. Vomiting and suckling reflexes

31. Gray matter is composed mostly of:

- A. cell bodies
- B. nerves
- C. axons
- D. dendrites
- E. tracts

35. Which of the following is located entirely within the CNS

- A. sensory neuron
- B. motor neuro
- C. association neuron
- D. all of the above
- E. none of the above

32. In the spinal cord

- A. the gray matter is composed almost entirely of myelinated nerve fibers
- B. the white matter is composed chiefly of myelinated nerve fibers
- C. the gray matter consists of ascending tracts
- D. the white matter consists only of descending tracts
- E. none of the above

36. Severing of a spinal nerve could result in

- A. paralysis of muscle in areas supplied by the nerve
- B. loss of sensation in areas supplied by the nerve
- C. paralysis of muscles on the opposite side of the body
- D. A and B above
- E. B and C above

33. The knee jerk in response to a sharp tap on the patellar tendon is

- A. an autonomic reflex
- B. a conditioned reflex
- C. mediated by a three-neuron reflex arc
- D. a spinal reflex
- E. described by more than one of the above

37. Neurons have cytoplasmic extensions which connect one neuron to another.

Given the following structures:

1. dendrite
2. cell body
3. axon
4. telodendria

34. Which of the following are not vital reflexes?

5. Terminal end bulb

Choose the arrangement which lists the structures over which an pre-action potential

and then a legitimate action potential would travel.

A. 1,2,3,4,5

B. 2,3,4,5,1

C. 3,4,5,1,2

D. 2,3,1,4,5

E. 3,1,4,3,5

38. The spinal cord extends from the

A. medulla to coccyx

B. level of the axis to L-5

C. foramen magnum to C-1

D. axis to S-5

E. C-1 to S-2

NERVOUS SYSTEM-5 ANSWERS

1. If bacteria were to invade the nervous tissue, microglia would migrate to the area to engulf and destroy them.

A. True

B. False

2. The node of Ranvier is found only on myelinated neural processes.

A. True

B. False

3. Graded potentials exhibit all the following EXCEPT they:

A. are short lived.

B. can form on receptor endings.

C. increase amplitude as they move away from the stimulus point.

D. can be called postsynaptic potentials.

4. The entire period after an initial stimulus when a neuron is NOT sensitive to another stimulus is the:

A. resting period.

B. repolarization.

C. depolarization.

D. transient period.

E. refractory period.

5. A bullet entered a person within the vicinity of his spinal cavity. Which order of the structures listed below, is most correct in describing the bullet's pathway.

1. Spinal cord

2. Pia mater

3. Arachnoid

4. Subarachnoid space

5. Dura mater

6. Vertebra

Select answers below

A. 1,2,3,4,5,6

B. 6,5,3,4,2,1

C. 2,6,1,4,5,3

D. 2,1,5,4,3,6

E. 4,5,6,3,2,1

6. Which of the following is NOT a structural feature of a neuron?

A. Synaptic cleft

B. Nissl bodies

C. Dendrites

D. Axon

7. If one incoming impulse produces several outgoing nerve impulses, we know that there is a(n):

A. converging circuit.

B. concentration effect.

C. diverging circuit.

D. reverberating circuit.

E. parallel circuit.

8. The point at which an impulse from one nerve cell is communicated to another nerve cell is the

A. cell body.

B. synapse.

C. receptor.

D. effector

9. Collections of nerve cell bodies inside the central nervous system are called:

A. nuclei.

B. nerves.

C. ganglia.

D. tracts.

10. The term "central nervous system" refers to the

A. autonomic nervous system.

B. brain, spinal cord, and peripheral nerves.

C. brain and spinal cord.

D. spinal cord and spinal nerves.

11. A neuron which has its primary function the job or action of connecting other neurons is called:

A. a motor neuron.

B. a sensory neuron.

C. an association neuron.

D. a glial cell.

12. In what way does the interior of a resting neuron differ from the external environment? It (the interior) is:

A. positively charged and contains less sodium.

B. negatively charged and contains less sodium.

C. negatively charged and contains more sodium.

D. positively charged and contains more sodium.

13. The part of the neuron that acts as receptor region is called:

A. an axon.

B. a dendrite.

C. a neurilemma.

D. a Schwann cell.

14. Place the following parts of the reflex arc in proper sequence

A. effector-motor neuron-integration center-sensory neuron-receptor.

B. receptor-motor neuron-integration center-sensory neuron-effector.

C. receptor-sensory neuron-integration center-motor neuron-effector.

D. effector-sensory neuron-integration center-motor neuron-receptor.

E. sensory neuron-receptor-integration center-effector-motor neuron.

15. Schwann cells are important because they:

A. produce myelin in the CNS

B. allow for regeneration of fibers in the PNS

C. produce myelin in the PNS

D. A and B

E. B and C

16. Sensory is related to –?– as –?– is related to efferent.

A. efferent; motor

B. afferent; sensory

C. afferent; motor

D. motor; central

E. none of the above are true

17. Which one of the following functions of neuroglia cells is not correct?

A. carry nerve impulses

B. help create C.S.F.

C. assist in getting capillaries close to neurons

D. phagocytosis

E. make myelin

18. The initial event that allows an action potential to occur is:

A. the repolarization of the cell body

B. the opening of the pores due to a stimulus or a neurotransmitter

C. an influx of K⁺

D. an out pouring of Na⁺

E. depolarization

19. A period of time during which no stimulus will evoke a response is called the:

A. threshold phase

B. summation time

C. saltatory period

D. relative refractory period

E. none of the above

20. The most superficial of the meninges is called the:

A. Pia

B. Dura

C. Arachnoid

D. Equina

E. none of the above

21. Which one of the following terms is not related directly to the others?

A. choroid plexus

B. lumbar plexus

C. cervical plexus

D. sacral plexus

E. brachial plexus

C. all the nerve fibers involved are un-myelinated

D. the sensory neuron involved has its cell body located in the dorsal root ganglion

E. synaptic connections are made across the spinal cord to neurons in the brain

22. Unlike continuous conduction, saltatory conduction

A. is a slower means of impulse transmission

B. requires more energy

C. is characteristic of unmyelinated neurons

D. does not have a refractory period

E. none of the above

26. Which one of the following is located in the ventral (anterior) horn of the spinal cord?

A. receptors

B. cell bodies of motor (efferent) neurons

C. synapses

D. axons of afferent nerves

E. cell bodies of sensory (afferent) neurons

23. The inferior end of the spinal cord is:

A. at L-4

B. in the shape of a horse's tail

C. tapered in the shape of a cone

D. at the sacrum

E. all of the above are true

27. Walking gingerly between scores of puddles in a large parking lot is an example of a :

A. Coordinated reflex

B. Conditioned reflex

C. Inborn reflex

D. Vital reflex

E. All of the above

24. Axons:

A. arise from an area of a cell body called the hillock

B. may be single or branched into collaterals

C. vary in length from a few millimeters to over 1 meter

D. have a distal portion which branches into an arrangement called telodendria

E. all of the above

28. Which fibers, if cut, are capable of regeneration because of the presence of a neurilemma around the fibers:

1. Those in the femoral nerve, a peripheral nerve.

2. Those in the association areas of the brain.

3. Those in the spinothalamic tract of the spinal cord.

Select answer below

A. 1 only

B. 2 only

25. In considering a typical spinal reflex

A. the incoming (sensory) impulses enter the spinal cord through the ventral root of the spinal nerve

B. the sensory fibers have their cells of origin located in the brain

C. 3 only

D. none of the above

E. all of the above

29. Which of the following is true?

A. the neurotransmitter secreted by all dendrites is acetylcholine

B. a synapse is the junction between the afferent fibers of two neurons

C. the electrical activity of an impulse raises the threshold of the synapse

D. the terminations of motor neurons on muscle cells are termed synapses

E. the nerve impulse can travel only one way across a synapse

30. Dendrites of a neuron

A. are always covered with a neurilemma (sheath of Schwann)

B. conduct a pre-action potential toward the cell body

C. secrete acetylcholine or norepinephrine

D. may regenerate, if cut, because of the presence of a myelin sheath

E. are described or function in all of the above ways

31. Gray matter is composed mostly of:

A. cell bodies

B. nerves

C. axons

D. dendrites

E. tracts

32. In the spinal cord

A. the gray matter is composed almost entirely of myelinated nerve fibers

B. the white matter is composed chiefly of myelinated nerve fibers

C. the gray matter consists of ascending tracts

D. the white matter consists only of descending tracts

E. none of the above

33. The knee jerk in response to a sharp tap on the patellar tendon is

A. an autonomic reflex

B. a conditioned reflex

C. mediated by a three-neuron reflex arc

D. a spinal reflex

E. described by more than one of the above

34. Which of the following are not vital reflexes?

A. Breathing and vasomotor reflexes

B. Vasomotor and cardiac reflexes

C. Choking and swallowing reflexes

D. Knee jerk and ankle jerk reflexes

E. Vomiting and suckling reflexes

35. Which of the following is located entirely within the CNS

A. sensory neuron

B. motor neuro

C. association neuron

D. all of the above

E. none of the above

36. Severing of a spinal nerve could result in

A. paralysis of muscle in areas supplied by the nerve

B. loss of sensation in areas supplied by the nerve

C. paralysis of muscles on the opposite side of the body

D. A and B above

E. B and C above

37. Neurons have cytoplasmic extensions which connect one neuron to another.

Given the following structures:

1. dendrite

2. cell body

3. axon

4. telodendria

5. Terminal end bulb

Choose the arrangement which lists the structures over which an pre-action potential

and then a legitimate action potential would travel.

A. 1,2,3,4,5

B. 2,3,4,5,1

C. 3,4,5,1,2

D. 2,3,1,4,5

E. 3,1,4,3,5

38. The spinal cord extends from the

A. medulla to coccyx

B. level of the axis to L-5

C. foramen magnum to C-1

D. axis to S-5

E. C-1 to S-2

BRAIN 1 BRAIN STRUCTURE AND FUNCTION

DIRECTIONS: Read the questions carefully and pick the BEST CORRECT ANSWER. Then check your answer against the correct answers on the Key at the bottom of the page. Good luck.

1. Almost all sensory impulses pass through what structure (s) on their way to the cerebral cortex?

A. Basal ganglia

B. Corpus striatum

C. Hypothalamus

D. Mammillary bodies

E. Thalamus

2. Which of these is/are "TRUE"?

A. The 4th ventricle is a diamond-shaped expansion of the central canal within the brainstem

B. The third ventricle is a thin chamber lying below the corpus callosum and septum pellucidum

C. The lateral ventricles are two irregular cavities, one in each cerebral hemisphere

D. All of the above

E. None of the above

3. Which is the proper order for cerebrospinal fluid flow?

A. Lateral ventricles, foramen of Monro, 3rd ventricle, aqueduct Of Sylvius, 4th ventricle, subarachnoid space.

B. 3rd ventricle, aqueduct of Sylvius, lateral ventricle

C. 4th ventricle, foramen of Magendie, central canal of spinal Cord

D. Subarachnoid space, subdural space, extra dural space

4. Occlusion of the major veins draining the brain is likely to have what significant effect on the cerebrospinal fluid?

A. It will become diluted

B. Its lymphatic composition will increase

C. Its hydrostatic pressure will increase

D. Its volume of CSF will decrease

E. All of the above

5. In order to see the time on the wall clock, nerve impulses directed from your --?-- must travel to the --?-- .

A. Superior colliculus; rectus muscles of your eyes to contract And move your eyes.

B. Superior colliculus; sternomastoid muscle to turn your head.

C. Both A and B

D. Neither A nor B

6. Which of the following is NOT a vital reflex controlled by the medulla oblongata?

A. Regulation of the pacemaker of the heart

B. Regulation of resistance to blood flow, and blood pressure

C. Monitoring the rhythmicity of breathing

D. Controlling the internal feedback control for thinking

7. Which of these is NOT a reflex whose center is in the medulla oblongata?

A. Choking

B. Breathing

C. Speaking

D. Swallowing

E. Coughing

8. Diffusion across the arachnoid villi returns excess CSF to

A. The third ventricle

B. Venous circulation

C. Arterial circulation

D. The fourth ventricle

9. Feeling satiated and relaxed after a full meal is related to the function of the:

A. Pons

B. Hypothalamus

C. Cerebellum

D. Medulla

E. Cerebrum

10. The fact that each half of the brain controls opposite sides of the body is partly explained by the:

A. Division of the cerebrum into two hemispheres

B. Division of the cerebellum into two hemispheres

C. Decussation of the pyramids

D. Crossing of fiber tracts in the midbrain

E. Division of the brain into six parts

11. The center controlling the cough reflex is located in the same part of the brain as one of the major centers controlling

- A. Blood pressure
- B. Equilibrium
- C. Vision
- D. Speech
- E. Hearing

12. Which of the following is/are TRUE?

- A. Damage to the thalamus impairs consciousness and the cerebral Arousing mechanism.
- B. The agnostic area is the principal integrating area for Sensory impulses coming the cerebral cortex.
- C. Both A and B
- D. Neither A nor B

13. In a comparison between the temperature regulation of a room and that of the human body, the hypothalamus is similar to the thermostat, while the heat-producing action of the furnace is similar to:

- A. Increased breathing
- B. Increased blood flow through skin providing for sweating
- C. Chills(uncontrolled skeletal muscle contractions)
- D. All of the above
- E. None of the above

14. The hypothalamus secretes substances that function as releasing factors for:

- A. Skeletal muscle contraction
- B. Smooth muscle contraction
- C. Anterior pituitary hormones
- D. Posterior pituitary hormones
- E. All of the above

15. Which of the following is "not" TRUE of the hypothalamus?

- A. All afferent impulses are relayed here before they reach the Cerebellum.
- B. The hypothalamus is considered closely associated with the RAS which controls the degree of wakefulness
- C. It secretes several releasing factors that regulate the Secretion and release of hormones from the anterior pituitary
- D. The hypothalamus is the center that coordinates many body Functions such as body temperature regulation and thirst

16. "Satiety":

- A. Is usually the result of being full or eating too much.
- B. Is caused by having too much alcohol at one time.
- C. Promotes the formation of hiatal hernias.
- D. Causes the desire to have a bowel movement or B.M.
- E. Causes a strong physiological desire to eat more food.

17. Which of these pairs are the most nearly identical?

- A. Cerebral arousing center of hypothalamus and the reticular Activating system
- B. Broca's speech area and the reticular formation
- C. Hypothalamus and thalamus
- D. Infundibulum and the pituitary gland
- E. Pneumotaxic center and respiratory center

18. The ability to enjoy the pleasures of sex would be impossible if:

- A. There was a tumor in your limbic system
- B. You did NOT have a vas deferens(male) or oviduct(female).
- C. Both A and B
- D. Neither A nor B

19. "Pleasure centers" and "punishment centers" of the brain are located in the:

- A. Mammillary bodies
- B. Limbic system
- C. Precentral gyrus
- D. Prefrontal area
- E. Intermediate mass

20. What part of the brain is inactive when the RAS is inactive:

- A. Thalamus
- B. Cerebellum
- C. Cerebral cortex
- D. Hypothalamus

21. Which of these would NOT be in the exact center of a midsagittal section of the brain?

- A. Intermediate mass
- B. Corpus callosum
- C. Vermis of cerebellum
- D. Cerebral peduncle
- E. Hypothalamus

22. Which of these works through a positive feedback?

- A. Pneumotoxic center of the pons
- B. Reticular activating system of the thalamus
- C. Both A and B
- D. Neither A nor B

23. Which of these would be a type of behavior controlled by the limbic system?

- A. Watching the car in front of you skid on a wet pavement and Destroy a stop light
- B. Seeing your fiancée' win the Maryland Lotto
- C. Both A and B
- D. Neither A nor B

24. "The thalamus is the lowest level of consciousness". This means that

- A. If nerve impulses reach the thalamus, the individual will be At least slightly aware of them.
- B. If the thalamus is destroyed, the individual will still be Conscious.
- C. Both A and B
- D. Neither A nor B

25. Which of these events would be considered by your limbic system as a memory to keep?

- A. The pain of a consistent toothache
- B. A big hug from your boyfriend (or girlfriend).
- C. The thought of strawberry shortcake covered with ice cream at Friendly's restaurant
- D. All of the above
- E. None of the above

26. Looking squarely at the teacher's tie at the front of the classroom, the overhead projection screen,

chemistry chart and projection lamp appear out of focus. This scenario describes how the --?-- works.

- A. Nervous system
- B. Reticular formation
- C. Inborn reflex
- D. Conditioned reflex
- E. All of the above

27. Which of the following is "not" a function of the cerebrum?

- A. Interpreting smell and taste
- B. Acting as control center of the breathing reflex
- C. Regulating voluntary movements
- D. Making moral judgements
- E. Determining the size and shape of a new car

28. The famous lion tamer of the Ringling Bros/Barnum and Bailey circus, Mr. Claude Tibbits, often failed to wash up after leaving the lion's den. His body odor(B0) had emanated from the performer's lounge until sometime after he left. Claude had caused --?-- to occur.

- A. Projections
- B. Adaptations
- C. After-images
- D. Modulations

29. The ability to recall thought is the definition of

- A. Perception
- B. Memory
- C. Sensation
- D. Arousal
- E. Ideas

30. The more time that information spends in "short-term memory",

- A. The more likely it can be later retrieved
- B. The more likely it will be transferred to long-term memory
- C. Both A and B
- D. Neither A nor B

31. The ability to solve problems is called:

- A. Learning
- B. Reasoning
- C. Conditioning
- D. Habituation

32. The type of sensation that a person feels is

- A. Determined solely by the receptor that detects the sensation
- B. A function of the thalamus and cerebral cortex
- C. Both A and B
- D. Neither A nor B

33. Which of the following would have the greatest amount of cortical area devoted to their control?

- A. Hips
- B. Hands
- C. Toes
- D. Knees
- E. Wrists

34. Sensations that are very discretely located include

- A. Aching pain
- B. Light touch
- C. Position of a part of your body relative to something else
- D. All of the above
- E. B and C only

35. The visual association area:

- A. Interprets written language by distinguishing shapes of letters in words
- B. Interprets what a sentence means when it comes over the radio
- C. Would be used to identify the location of the pons vs the Thalamus on a model of brainstem
- D. All of the above
- E. A and C only

36. Which of the following is a correct pathway for interpretation of communicated ideas?

- A. Auditory cortex -> auditory association area -> gnostic area
- B. Primary auditory area -> auditory association area -> common integrative area
- C. Both A and B
- D. Neither A nor B

37. The part of the brain that "directs" precise smooth movements and maintenance of equilibrium is the:

- A. Cerebrum
- B. Cerebellum
- C. Pons
- D. Hypothalamus

E. Medulla

38. Whereas the auditory area of the brain is in the --?-- lobe, the visual area is in the --?-- area.

- A. Parietal; frontal
- B. Insular; temporal
- C. Temporal; occipital
- D. Broca's; somesthetic
- E. None of the above

39. The basal ganglia:

- A. Are involved in slowing down motor output from the precentral and premotor gyri of the cerebral cortex
- B. Control all postural reflexes
- C. Control the secretion and release of Antidiuretic hormone from the hypothalamus and posterior pituitary, respectively.
- D. All of the above
- E. A and B only

40. An elderly gentleman had just suffered a stroke. He is able to understand verbal and written language, but when he tries to respond, his words come out garbled. What cortical region has been damaged?

- A. Visual area of occipital lobe
- B. Broca's area of frontal lobe
- C. Primary sensory area of parietal lobe
- D. Premotor area of frontal lobe
- E. None of the above

41. Terminal ganglia are sometimes located with the organ innervated.

- A. True B. False

42. Dual innervation means that an organ had both sensory and motor nerves innervating it.

A. True B. False

43. Which of the following is NOT TRUE of the parasympathetic division of the autonomic nervous system?

A. is known as the "feed and breed" division because of the effectors it turns on

B. it has long preganglionic fibers

C. its postganglionic fibers are short

D. its postganglionic fibers are adrenergic

44. The autonomic nervous system:

A. operates reflexly

B. contains visceral efferent fibers only

C. contains ganglia and plexuses

D. contains peripheral nerves

E. all of the above

45. Stimulation of the parasympathetic nervous system causes:

A. vasoconstriction of the blood vessels of the gastrointestinal Tract

B. increased peristalsis in the gastrointestinal tract

C. decreased tone of the gastrointestinal sphincters

D. inhibition of the secretions of the gi glands

E. all of the above

46. Which of these is NOT a function of the sympathetic division of the autonomic nervous system?

A. dilate the pupil

B. dilate the bronchi and bronchioles of the lung

C. accelerate the heart rate

D. increases the rate of urination and feces formation

E. all of the above are a function of the sympathetic division

47. Which statement concerning the autonomic nervous system is false?

A. the sympathetic division is a mixed division having both Cholinergic and adrenergic fibers

B. the parasympathetic division is totally adrenergic

C. most visceral effectors have dual innervation with the two Divisions producing antagonistic effects

D. in stress, the sympathetic division tends to dominate

E. none of the above

48. The sympathetic nervous system:

A. in most cases releases acetylcholine from the post-ganglionic Neuron

B. stimulates digestion

C. is mimicked by adrenalin

D. emanates from the spinal cord

49. Which of the following is/are TRUE?

A. neurons, like muscle cells, conduct impulses according to the all or none law.

B. acetylcholine is the predominant neurotransmitter in the Peripheral nervous system

C. Both A and B

D. Neither A nor B

50. Which of the following is/are TRUE?

A. all organs of the body have both sympathetic and parasympathetic nerve supplies Sympathetic innervation.

B. the preganglionic neurons of both sympathetic and parasympathetic systems secreted acetylcholine(ACH).

C. Both A and B

D. Neither A nor B

BRAIN-1 ANSWERS

1. Almost all sensory impulses pass through what structure (s) on their way to the cerebral cortex?

A. Basal ganglia

B. Corpus striatum

C. Hypothalamus

D. Mammillary bodies

E. Thalamus

2. Which of these is/are "TRUE"?

A. The 4th ventricle is a diamond-shaped expansion of the central

Canal within the brainstem

B. The third ventricle is a thin chamber lying below the

Corpus callosum and septum pellucidum

C. The lateral ventricles are two irregular cavities, one in each

Cerebral hemisphere

D. All of the above

E. None of the above

3. Which is the proper order for cerebrospinal fluid flow?

A. Lateral ventricles, foramen of Monro, 3rd ventricle, aqueduct Of Sylvius, 4th ventricle, subarachnoid space.

B. 3rd ventricle, aqueduct of Sylvius, lateral ventricle

C. 4th ventricle, foramen of Magendie, central canal of spinal Cord

D. Subarachnoid space, subdural space, extra dural space

4. Occlusion of the major veins draining the brain is likely to have what significant effect on the cerebrospinal fluid?

A. It will become diluted

B. Its lymphatic composition will increase

C. Its hydrostatic pressure will increase

D. Its volume of CSF will decrease

E. All of the above

5. In order to see the time on the wall clock, nerve impulses directed from your --?-- must travel to the --?-- .

A. Superior colliculus; rectus muscles of your eyes to contract And move your eyes.

B. Superior colliculus; sternomastoid muscle to turn your head.

C. Both A and B

D. Neither A nor B

6. Which of the following is NOT a vital reflex controlled by the medulla oblongata?

A. Regulation of the pacemaker of the heart

B. Regulation of resistance to blood flow, and blood pressure

C. Monitoring the rhythmicity of breathing

D. Controlling the internal feedback control for thinking

7. Which of these is NOT a reflex whose center is in the medulla oblongata?

A. Choking

B. Breathing

C. Speaking

D. Swallowing

E. Coughing

8. Diffusion across the arachnoid villi returns excess CSF to

A. The third ventricle

B. Venous circulation

C. Arterial circulation

D. The fourth ventricle

9. Feeling satiated and relaxed after a full meal is related to the function of the:

A. Pons

B. Hypothalamus

C. Cerebellum

D. Medulla

E. Cerebrum

10. The fact that each half of the brain controls opposite sides of the body is partly explained by the:

A. Division of the cerebrum into two hemispheres

B. Division of the cerebellum into two hemispheres

C. Decussation of the pyramids

D. Crossing of fiber tracts in the midbrain

E. Division of the brain into six parts

11. The center controlling the cough reflex is located in the same part of the brain as one of the major centers controlling

A. Blood pressure

B. Equilibrium

C. Vision

D. Speech

E. Hearing

12. Which of the following is/are TRUE?

A. Damage to the thalamus impairs consciousness and the cerebral Arousing mechanism.

B. The agnostic area is the principal integrating area for Sensory impulses coming into the cerebral cortex.

C. Both A and B

D. Neither A nor B

13. In a comparison between the temperature regulation of a room and that of the human body, the hypothalamus is similar to the thermostat, while the heat-producing action of the furnace is similar to:

A. Increased breathing

B. Increased blood flow through skin providing for sweating

C. Chills(uncontrolled skeletal muscle contractions)

D. All of the above

E. None of the above

A. Cerebral arousing center of hypothalamus and the reticular Activating system

14. The hypothalamus secretes substances that function as releasing factors for:

A. Skeletal muscle contraction

B. Smooth muscle contraction

C. Anterior pituitary hormones

D. Posterior pituitary hormones

E. All of the above

15. Which of the following is "not" TRUE of the hypothalamus?

A. All afferent impulses are relayed here before they reach the Cerebellum.

B. The hypothalamus is considered closely associated with the RAS which controls the degree of wakefulness

C. It secretes several releasing factors that regulate the Secretion and release of hormones from the anterior pituitary

D. The hypothalamus is the center that coordinates many body Functions such as body temperature regulation and thirst

16. "Satiety":

A. Is usually the result of being full or eating too much.

B. Is caused by having too much alcohol at one time.

C. Promotes the formation of hiatal hernias.

D. Causes the desire to have a bowel movement or B.M.

E. Causes a strong physiological desire to eat more food.

17. Which of these pairs are the most nearly identical?

B. Broca's speech area and the reticular formation

C. Hypothalamus and thalamus

D. Infundibulum and the pituitary gland

E. Pneumotaxic center and respiratory center

18. The ability to enjoy the pleasures of sex would be impossible if:

A. There was a tumor in your limbic system

B. You did NOT have a vas deferens(male) or oviduct(female).

C. Both A and B

D. Neither A nor B

19. "Pleasure centers" and "punishment centers" of the brain are located in the:

A. Mammillary bodies

B. Limbic system

C. Precentral gyrus

D. Prefrontal area

E. Intermediate mass

20. What part of the brain is inactive when the RAS is inactive:

A. Thalamus

B. Cerebellum

C. Cerebral cortex

D. Hypothalamus

21. Which of these would NOT be in the exact center of a midsagittal section of the brain?

- A. Intermediate mass
- B. Corpus callosum
- C. Vermis of cerebellum
- D. Cerebral peduncle

E. Hypothalamus

22. Which of these works through a positive feedback?

- A. Pneumotaxic center of the pons

B. Reticular activating system of the thalamus

- C. Both A and B
- D. Neither A nor B

23. Which of these would be a type of behavior controlled by the limbic system?

A. Watching the car in front of you skid on a wet pavement and Destroy a stop light

B. Seeing your fiancée' win the Maryland Lotto

C. Both A and B

D. Neither A nor B

24. "The thalamus is the lowest level of consciousness". This means that

A. If nerve impulses reach the thalamus, the individual will be At least slightly aware of them.

B. If the thalamus is destroyed, the individual will still be Conscious.

C. Both A and B

D. Neither A nor B

25. Which of these events would be considered by your limbic system as a memory to keep?

A. The pain of a consistent toothache

B. A big hug from your boyfriend (or girlfriend).

C. The thought of strawberry shortcake covered with ice cream At Friendly's Restaurant

D. All of the above

E. None of the above

26. Looking squarely at the teacher's tie at the front of the classroom, the overhead projection screen, chemistry chart and projection lamp appear out of focus. This scenario describes how the --?-- works.

A. Nervous system

B. Reticular formation

C. Inborn reflex

D. Conditioned reflex

E. All of the above

27. Which of the following is "not" a function of the cerebrum?

A. Interpreting smell and taste

B. Acting as control center of the breathing reflex

C. Regulating voluntary movements

D. Making moral judgements

E. Determining the size and shape of a new car

28. The famous lion tamer of the Ringling Bros/Barnum and Bailey circus, Mr. Claude Tibbits, often failed to wash up after leaving the lion's den. His body odor(B0) had emanated from the performer's lounge until sometime after he left. Claude had caused --?-- to occur.

A. Projections

B. Adaptations

C. After-images

D. Modulations

C. Both A and B

D. Neither A nor B

29. The ability to recall thought is the definition of

A. Perception

B. Memory

C. Sensation

D. Arousal

E. Ideas

33. Which of the following would have the greatest amount of cortical area devoted to their control?

A. Hips

B. Hands

C. Toes

D. Knees

E. Wrists

30. The more time that information spends in "short-term memory",

A. The more likely it can be later retrieved

B. The more likely it will be transferred to long-term memory

C. Both A and B

D. Neither A nor B

34. Sensations that are very discretely located include

A. Aching pain

B. Light touch

C. Position of a part of your body relative to something else

D. All of the above

E. B and C only

31. The ability to solve problems is called:

A. Learning

B. Reasoning

C. Conditioning

D. Habituation

35. The visual association area:

A. Interprets written language by distinguishing shapes of letters in words

B. Interprets what a sentence means when it comes over the radio

C. Would be used to identify the location of the pons vs the Thalamus on a model of the brainstem

D. All of the above

E. A and C only

32. The type of sensation that a person feels is

A. Determined solely by the receptor that detects the sensation

B. A function of the thalamus and cerebral cortex

36. Which of the following is a correct pathway for interpretation of communicated ideas?

A. Auditory cortex -> auditory association area -> gnostic area

B. Primary auditory area -> auditory association area -> common Integrative area

C. Both A and B

D. Neither A nor B

37. The part of the brain the "directs" precise smooth movements and maintenance of equilibrium is the:

A. Cerebrum

B. Cerebellum

C. Pons

D. Hypothalamus

E. Medulla

38. Whereas the auditory area of the brain is in the --?-- lobe, the visual area is in the --?-- area.

A. Parietal; frontal

B. Insular; temporal

C. Temporal; occipital

D. Broca's; somesthetic

E. None of the above

39. The basal ganglia:

A. Are involved in slowing down motor output from the precentral And premotor gyri of the cerebral cortex

B. Control all postural reflexes

C. Control the secretion and release of Antidiuretic hormone from The hypothalamus and posterior pituitary, respectively.

D. All of the above

E. A and B only

40. An elderly gentleman had just suffered a stroke. He is able to understand verbal and written language, but when he tries to respond, his words come out garbled. What cortical region has been damaged?

A. Visual area of occipital lobe

B. Broca's area of frontal lobe

C. Primary sensory area of parietal lobe

D. Premotor area of frontal lobe

E. None of the above

41. Terminal ganglia are sometimes located with the organ innervated.

A. True B. False

42. Dual innervation means that an organ had both sensory and motor nerves innervating it.

A. True **B. False**

43. Which of the following is NOT TRUE of the parasympathetic division of the autonomic nervous system?

A. is known as the "feed and breed" division because of the effectors it turns on

B. it has long preganglionic fibers

C. its postganglionic fibers are short

D. its postganglionic fibers are adrenergic

44. The autonomic nervous system:

A. operates reflexly

B. contains visceral efferent fibers only

C. contains ganglia and plexuses

D. contains peripheral nerves

E. all of the above

45. Stimulation of the parasympathetic nervous system causes:

A. vasoconstriction of the blood vessels of the gastrointestinal Tract

B. increased peristalsis in the gastrointestinal tract

C. decreased tone of the gastrointestinal sphincters

D. inhibition of the secretions of the gi glands

E. all of the above

46. Which of these is NOT a function of the sympathetic division of the autonomic nervous system?

A. dilate the pupil

B. dilate the bronchi and bronchioles of the lung

C. accelerate the heart rate

D. increases the rate of urination and feces formation

E. all of the above are a function of the sympathetic division

47. Which statement concerning the autonomic nervous system is false?

A. the sympathetic division is a mixed division having both Cholinergic and adrenergic fibers

B. the parasympathetic division is totally adrenergic

C. most visceral effectors have dual innervation with the two Divisions producing antagonistic effects

D. in stress, the sympathetic division tends to dominate

E. none of the above

48. The sympathetic nervous system:

A. in most cases releases acetylcholine from the post-ganglionic Neuron

B. stimulates digestion

C. is mimicked by adrenalin

D. emanates from the spinal cord

49. Which of the following is/are TRUE?

A. neurons, like muscle cells, conduct impulses according to the all or none law.

B. acetylcholine is the predominant neurotransmitter in the Peripheral nervous system

C. Both A and B

D. Neither A nor B

50. Which of the following is/are TRUE?

A. all organs of the body have both sympathetic and parasympathetic nerve supplies Sympathetic innervation.

B. the preganglionic neurons of both sympathetic and parasympathetic systems secrete acetylcholine(ACH).

C. Both A and B

D. Neither A nor B

BRAIN 2 BRAIN STRUCTURE AND FUNCTION

DIRECTIONS: Read the questions carefully and pick the BEST CORRECT ANSWER. Then check your answer against the correct answers on the Key at the bottom of the page. Good luck.

1. A local PG politician by the name of Jerry Mander knows just where his hands are when he's trying to get a bill through the Maryland Senate. He waves them around, often jesting to his colleagues to support his measures. This ability to understand the spatial representation of his arms is a function of the:

- A. Precentral gyrus
- B. Prefrontal cortex
- C. Postcentral gyrus
- D. Somesthetic association area
- E. Temporal lobe

2. Nurse Karen Feading was often seen walking briskly through the wards in the obstetrics area of large community hospital. She was essentially unaware of the swinging action of her arms as she talked to her colleagues. What area of Karen's brain controlled the movement of her arms?

- A. Cerebellum
- B. Basal ganglia
- C. Cerebral nuclei
- D. All of the above
- E. B and C only

3. One of the functions of the cerebellum is

- A. Regulation of body temperature
- B. Reasoning
- C. Memory storage
- D. Interpretation of sensations
- E. Maintaining posture

4. Which of the following are paired correctly?

- A. Primary motor area = postcentral gyrus
- B. Central sulcus = central fissure
- C. General somesthetic area = postcentral gyrus
- D. Visual association area = primary visual area
- E. Broca's area = primary gustatory area

5. Mental retardation can occur if an individual suffers damage to the

- A. Visual association area
- B. Auditory association area
- C. Broca's area
- D. Gnostic area
- E. All of the above

6. The central sulcus separates the

- A. Parietal lobes
- B. Frontal lobes and the parietal lobes
- C. Occipital lobe and temporal lobe
- D. Temporal lobe and parietal lobe
- E. Frontal lobe and ear lobe

7. The interpretation of basic meanings of visual sensations such as line, squares, or colors of objects is made by the

- A. Primary visual cortex of the occipital lobe
- B. Visual association area of the occipital lobe
- C. Both A and B
- D. Neither A nor B

8. The ability to retain information from a lecture, to modify it, and then use it later to answer a test question is called

- A. Short-term memory
- B. Long-term memory
- C. Associative memory
- D. Sensory memory

9. An impulse passing from the cerebrum to the cerebellum would necessarily pass through which of the following?

- A. Midbrain
- B. Medulla
- C. Spinal cord
- D. Cerebral aqueduct

10. The cerebral aqueduct(or aqueduct of Sylvius):

- A. Drains venous blood into the internal jugular vein
- B. Connects the second and third ventricles
- C. Passes through the midbrain
- D. Drains cerebrospinal fluid from the 4th ventricle and sends it to the third ventricle
- E. Contains an accessory choroid plexus

11. Which of the following statements is/are NOT correct?

- A. White and gray matter are part of the central nervous system
- B. White matter is composed chiefly of unmyelinated fibers.
- C. Gray matter is so called because of the density of nerve cell bodies, each containing abundant nissl substance.
- D. The term nucleus, when applied to the nervous system designates a mass of gray matter (i.e. Nerve cells).
- E. Ganglion refers to a cluster of nerve cells (gray matter) usually located outside the brain and spinal cord.

12. The circle of Willis is an anastomosing channel of tubes; it Connects the --?-- to the --?--.

- A. Third ventricle; fourth ventricle
- B. Choroid plexus; arachnoid granulations
- C. Vertebral artery; internal jugular vein
- D. Lateral ventricles; third ventricle
- E. Basilar artery; branches of the internal carotid artery

13. The limbic system:

- A. Is intimately involved with muscle coordination
- B. Is a small area of the pons in the brainstem
- C. Contains centers for sexual behavior and aggression
- D. Has little effect on learning

14. Most of the hypothalamic control of body temperature is done by

virtue of its control over:

- A. Constriction and dilation of blood vessels in the skin
- B. The secretion of releasing factors
- C. Both A and B
- D. Neither A nor B

15. Because Anti Diuretic Hormone ___?___ the amount of water in the blood, the pressure applied upon the blood by the heart ___?___.

- A. Increases; increases
- B. Increases; decreases
- C. Decreases; increases

D. Decreases; decreases

16. The Massa intermedia is a commissural pathway between the:

- A. Arbor vitae & the cerebellum
- B. Third ventricle & the fourth ventricle.
- C. Caudate nucleus & the paraventricular nucleus
- D. Right & the left side of the thalamus
- E. Pineal body & the anterior commissure

17. Which of the following is CORRECT?

- A. Appetite control is a function of the thalamus.
- B. The midbrain is a conduction pathway and reflex center.
- C. The cerebellum has sensory centers for thirst and speech.
- D. Respiratory centers are concentrated in the basal ganglia.

18. Lesions of the basal ganglia would result in

- A. uncontrolled muscle tremors.
- B. emotional disturbances.
- C. loss of memory.
- D. loss of cutaneous sensations.
- E. inability to speak coherently.

19. Destruction of Wernicke's area in the adult completely destroys the intellectual processes:

- A. because most memories are stored in this area.
- B. providing the similar area on the opposite side of the brain is also destroyed.

C. but only for a short while until a period of relearning takes place.

D. because this area integrates information from other areas of the brain.

E. because all potential for abstract thought lies in this area.

20. In order for a general anesthetic to produce unconsciousness, it must prevent which of the following structures from receiving impulses?

- A. Medulla
- B. Thalamus
- C. Pons
- D. Hypothalamus
- E. Pituitary gland

21. Which pair of organs is most directly related to relaying impulses to the motor cortex for action?

- A. basal ganglia and cerebellum
- B. superior and inferior colliculi
- C. cerebellum and medulla oblongata
- D. thalamus and hypothalamus

22. Which of the following is not a function of cerebrospinal fluid?

- A. Provides cushion and support for delicate neural tissues.
- B. Acts as an important transport medium for certain nutrients.
- C. Used for diagnosis in clinical situations.
- D. Carries important antibiotics to sights of injury in the brain.

23. Which of the following conditions is due to a defect in the cerebrum?

- A. Senility
- B. CVA
- C. Epilepsy
- D. All of the above

24. The ? contains relatively large blood vessels and cerebrospinal fluid.

- A. Subarachnoid space
- B. Subdural spaces
- C. Dural sinuses
- D. Fissure of Sylvius
- E. Cerebral ventricles

25. Following an auto accident, a man with an obvious head injury was observed stumbling about the scene. An inability to walk properly and a loss of balance were quite obvious. What brain area was involved?

- A. Cerebellum
- B. Corpus callosum
- C. Occipital lobe of cerebrum
- D. Temporal lobe of cerebrum
- E. Medulla oblongata

26. Which of the following pairs are mismatched?

- A. Right cerebral hemisphere - aesthetic hemisphere
- B. Left cerebral hemisphere - analytical hemisphere
- C. Speech center for most of the population - left cerebral hemisphere
- D. Right cerebral hemisphere - dominant hemisphere

E. Motor cortex of right cerebral hemisphere - control of the left side of the body

27. When you turned your head to the side wall in the classroom to see the clock, the actions were performed under control of the ? in the ?.

- A. Riting center; inferior colliculus
- B. Righting center; superior colliculus
- C. Writing center; corpora quadrigemina
- D. Writhing center; midbrain
- E. reighting center; medulla oblongata

28. Information reaching the common integrative area comes from which of the following places?

- A. Visual association area
- B. Auditory association area
- C. Gustatory association area
- D. Olfactory association area
- E. All of the above

29. The cerebellum:

- A. initiates voluntary muscular movement.
- B. receives sensory input from muscle proprioceptors and the vestibular apparatus of the inner ear.
- C. if destroyed would result in the loss of all voluntary skeletal muscle activity.
- D. contains the center responsible for the regulation of the body temperature.
- E. None of the above

30. Constant arteriolar blood flow to all parts of the brain is made by

- A. a system of choroid plexus capillaries.
- B. the internal jugular vein.
- C. the circle of Willis connecting to the basilar and internal carotid arteries.
- D. All of the above

31. In order to reason the answer to this question you have to gain some knowledge about the cerebral cortex. Which of these answers best tells what you need in order to get the correct answer?

- A. Modulation
- B. Perception
- C. A good personality
- D. Associative memory
- E. Modest emotions

32. Which of the following is not ordinarily found in the cerebrospinal fluid?

- A. Red and white blood cells
- B. Water
- C. Glucose
- D. Sodium ions
- E. All of the above

33. When impulses from receptors for deep somatic pain and visceral pain are incorrectly interpreted by the brain as having come from the surface of the body, we call that

- A. phantom pain.
- B. psychosomatic pain.
- C. visceral pain.
- D. referred pain.
- E. None of the above

34. The arachnoidal villi:

- A. serves as the outer binding or cover of a nerve.
- B. separates the cerebral hemispheres.
- C. help in the return of cerebrospinal fluid to the blood stream.
- D. project into the lumen of the intestines and stomach.
- E. comprise the grey matter of the cerebrum.

35. Which one of the following is correct?

- A. Short-term memory does not require that information be rehearsed.
- B. Neuroglial cell numbers remain constant when long-term memories are being stored.
- C. Reverberating neuronal circuits may account for long-term memory.
- D. Long-term memory involves changes that are both structural as well as biochemical.

36. The greater the space in the primary motor cortex allotted to each part of the body, the greater the control or "fidelity" over its movements. This statement explains our ability to

- A. eat with a fork.
- B. turn the steering wheel sharply to the right to miss another car.
- C. write answers on this answer form.
- D. All of the above
- E. B and C only.

37. The longitudinal fissure divides the:

- A. frontal and parietal lobes.
- B. parietal and occipital lobes.

C. right and left cerebral hemispheres.

D. frontal and temporal lobes.

38. A young man is admitted to the hospital after receiving serious burn resulting from standing with his back too close to a bonfire. He is muttering that he never felt the pain--otherwise, he would have smothered the flames by rolling on the ground. What part of his CNS is malfunctional?

A. Premotor area of cerebral cortex

B. Somesthetic cortex of cerebrum

C. Both A and B

D. Neither A nor B

39. Learned patterns of skilled movement are probably stored in the

A. primary motor area.

B. premotor area.

C. basal ganglia.

D. cerebellum.

E. reticular activating system.

40. The "primary visual area" of the cerebral cortex:

A. interprets basic meanings of visual sensations, i.e., color and shape of an object viewed.

B. interprets the interrelationships of different objects that are felt and makes discrete identification of them.

C. Both A and B

D. Neither A nor B

41. Which of the following is not ordinarily accomplished through associative memory?

A. Dilation of your pupils during extreme excitement.

B. Recalling the answer to this question.

C. Remembering to put on your shirt or blouse this morning.

D. Turning on your car motor with the car keys.

E. None of the above

42. The right cerebral hemisphere:

A. controls the movements of the left side of the body.

B. receives sensory information from the right side of the body.

C. is covered by a thin layer of white matter.

D. All of the above are correct.

E. None of the above is correct.

43. Which of the following is/are a true statement?

A. Anti-diuretic hormone or ADH acts to increase the rate of filtration at the glomerulus of the kidney and thus causes more reabsorption of water.

B. The hypothalamus has both inhibitory and excitatory control over contraction of smooth muscle in the walls of the viscera.

C. Both A and B

D. Neither A nor B

44. Which of the following is not a response to sympathetic stimulation?

A. Increased heart rate

B. Increased blood pressure

C. Increased motility of the digestive tract

D. Increased metabolism

E. Increased release of glucose from the liver

45. Which one of the following is "not" true of both ordinary somatic efferent activity and autonomic function?

A. The impulses pass through ventral roots of spinal nerves.

B. The fiber emerging from the CNS releases acetylcholine at its endings.

C. The cell body of the fiber emerging from the CNS lies in the lateral gray column of the spinal cord.

D. A pre and a post synaptic neuron exist between the spinal cord and the effector organ or muscle.

46. Which of the following is a true statement?

A. Adrenalin or epinephrine is the hormone released by the adrenal gland during a stressful situation.

B. Noradrenaline/norepinephrine is the neurotransmitter released from post ganglionic neurons of the sympathetic nervous system.

C. Both A and B

D. neither A nor B

47. The preganglionic autonomic nerve fibers that arise from the thoracic and lumbar parts of the spinal cord:

A. are also called preganglionic sympathetic fibers.

B. synapse with postganglionic fibers of the parasympathetic nervous system.

C. form the dorsal roots of the thoracic and lumbar spinal nerves.

D. are also called preganglionic parasympathetic fibers.

48. You've just consumed thanksgiving dinner; yes, even the green jell-o. Now you retreat to the couch, snuggle up under an afghan, and turn on the interviews that precede the afternoon football game. The ? division of your autonomic nervous system is predominately in command of your visceral responses at this moment.

A. Parasympathetic

B. Sympathetic

C. Thoraco-lumbar

D. All of the above

E. B and C only

49. Which one of the following is not true of the reticular formation?

A. It extends throughout the brainstem.

B. It receives impulses from some selected ascending sensory tracts as they pass through the medulla.

C. It receives impulses from the cerebellum.

D. Injury to this system may produce coma.

E. It sends impulses to the cerebral cortex.

50. The secretion of hormones from the anterior lobe of the pituitary gland is largely controlled by:

A. releasing factors from the hypothalamus.

B. releasing factors from the thalamus.

C. nerve impulses from the hypothalamus.

D. nerve impulses from the thalamus.

BRAIN-2 ANSWERS

1. A local PG politician by the name of Jerry Mander knows just where his hands are when he's trying to get a bill through the Maryland Senate. He waves them around, often jesting to his colleagues to support his measures. This ability to understand the spatial representation of his arms is a function of the:

A. Precentral gyrus

B. Prefrontal cortex

C. Postcentral gyrus

D. Somesthetic association area

E. Temporal lobe

2. Nurse Karen Feading was often seen walking briskly through the wards in the obstetrics area of large community hospital. She was essentially unaware of the swinging action of her arms as she talked to her colleagues. What area of Karen's brain controlled the movement of her arms?

- A. Cerebellum
- B. Basal ganglia
- C. Cerebral nuclei
- D. All of the above

E. B and C only

3. One of the functions of the cerebellum is

- A. Regulation of body temperature
- B. Reasoning
- C. Memory storage
- D. Interpretation of sensations

E. Maintaining posture

4. Which of the following are paired correctly?

- A. Primary motor area = postcentral gyrus
- B. Central sulcus = central fissure
- C. General somesthetic area = postcentral gyrus**
- D. Visual association area = primary visual area
- E. Broca's area = primary gustatory area

5. Mental retardation can occur if an individual suffers damage to the

- A. Visual association area
- B. Auditory association area
- C. Broca's area

D. Gnostic area

E. All of the above

6. The central sulcus separates the

- A. Parietal lobes
- B. Frontal lobes and the parietal lobes**
- C. Occipital lobe and temporal lobe
- D. Temporal lobe and parietal lobe
- E. Frontal lobe and ear lobe

7. The interpretation of basic meanings of visual sensations such as line, squares, or colors of objects is made by the

- A. Primary visual cortex of the occipital lobe**
- B. Visual association area of the occipital lobe
- C. Both A and B
- D. Neither A nor B

8. The ability to retain information from a lecture, to modify it, and then use it later to answer a test question is called

- A. Short-term memory
- B. Long-term memory
- C. Associative memory**
- D. Sensory memory

9. An impulse passing from the cerebrum to the cerebellum would necessarily pass through which of the following?

A. Midbrain

- B. Medulla
- C. Spinal cord
- D. Cerebral aqueduct

10. The cerebral aqueduct(or aqueduct of Sylvius):

A. Drains venous blood into the internal jugular vein

B. Connects the second and third ventricles

C. Passes through the midbrain

D. Drains cerebrospinal fluid from the 4th ventricle and sends it to the third ventricle

E. Contains an accessory choroid plexus

11. Which of the following statements is/are NOT correct?

A. White and gray matter are part of the central nervous system

B. White matter is composed chiefly of unmyelinated fibers.

C. Gray matter is so called because of the density of nerve cell

bodies, each containing abundant nissl substance.

D. The term nucleus, when applied to the nervous system

designates a mass of gray matter (i.e. Nerve cells).

E. Ganglion refers to a cluster of nerve cells (gray matter)

usually located outside the brain and spinal cord.

12. The circle of Willis is an anastomosing channel of tubes; it Connects the --?-- to the --?--.

A. Third ventricle; fourth ventricle

B. Choroid plexus; arachnoid granulations

C. Vertebral artery; internal jugular vein

D. Lateral ventricles; third ventricle

E. Basilar artery; branches of the internal carotid artery

13. The limbic system:

A. Is intimately involved with muscle coordination

B. Is a small area of the pons in the brainstem

C. Contains centers for sexual behavior and aggression

D. Has little effect on learning

14. Most of the hypothalamic control of body temperature is done by

virtue of its control over:

A. Constriction and dilation of blood vessels in the skin

B. The secretion of releasing factors

C. Both A and B

D. Neither A nor B

15. Because Anti Diuretic Hormone ___?___ the amount of water in the blood, the pressure applied upon the blood by the heart ___?___.

A. Increases; increases

B. Increases; decreases

C. Decreases; increases

D. Decreases; decreases

16. The Massa intermedia is a commissural pathway between the:

- A. Arbor vitae & the cerebellum
- B. Third ventricle & the fourth ventricle.
- C. Caudate nucleus & the paraventricular nucleus

D. Right & the left side of the thalamus

- E. Pineal body & the anterior commissure

17. Which of the following is CORRECT?

- A. Appetite control is a function of the thalamus.

B. The midbrain is a conduction pathway and reflex center.

- C. The cerebellum has sensory centers for thirst and speech.

- D. Respiratory centers are concentrated in the basal ganglia.

18. Lesions of the basal ganglia would result in

A. uncontrolled muscle tremors.

- B. emotional disturbances.
- C. loss of memory.
- D. loss of cutaneous sensations.
- E. inability to speak coherently.

19. Destruction of Wernicke's area in the adult completely destroys the intellectual processes:

- A. because most memories are stored in this area.

- B. providing the similar area on the opposite side of the brain is also destroyed.

- C. but only for a short while until a period of relearning takes place.

D. because this area integrates information from other areas of the brain.

- E. because all potential for abstract thought lies in this area.

20. In order for a general anesthetic to produce unconsciousness, it must prevent which of the following structures from receiving impulses?

- A. Medulla

B. Thalamus

- C. Pons
- D. Hypothalamus
- E. Pituitary gland

21. Which pair of organs is most directly related to relaying impulses to the motor cortex for action?

A. basal ganglia and cerebellum

- B. superior and inferior colliculi
- C. cerebellum and medulla oblongata
- D. thalamus and hypothalamus

22. Which of the following is not a function of cerebrospinal fluid?

- A. Provides cushion and support for delicate neural tissues.

B. Acts as an important transport medium for certain nutrients.

- C. Used for diagnosis in clinical situations.
- D. Carries important antibiotics to sites of injury in the brain.

23. Which of the following conditions is due to a defect in the cerebrum?

- A. Senility

- B. CVA
- C. Epilepsy

D. All of the above

24. The ? contains relatively large blood vessels and cerebrospinal fluid.

- A. Subarachnoid space**
- B. Subdural spaces
- C. Dural sinuses
- D. Fissure of Sylvius
- E. Cerebral ventricles

25. Following an auto accident, a man with an obvious head injury was observed stumbling about the scene. An inability to walk properly and a loss of balance were quite obvious. What brain area was involved?

- A. Cerebellum**
- B. Corpus callosum
- C. Occipital lobe of cerebrum
- D. Temporal lobe of cerebrum
- E. Medulla oblongata

26. Which of the following pairs are mismatched?

- A. Right cerebral hemisphere - aesthetic hemisphere
- B. Left cerebral hemisphere - analytical hemisphere
- C. Speech center for most of the population - left cerebral hemisphere

D. Right cerebral hemisphere - dominant hemisphere

- E. Motor cortex of right cerebral hemisphere - control of the left side of the body

27. When you turned your head to the side wall in the classroom to see the clock, the actions were performed under control of the ? in the ?.

- A. Riting center; inferior colliculus
- B. Righting center; superior colliculus**
- C. Writing center; corpora quadrigemina
- D. Writhing center; midbrain
- E. reighting center; medulla oblongata

28. Information reaching the common integrative area comes from which of the following places?

- A. Visual association area
- B. Auditory association area
- C. Gustatory association area
- D. Olfactory association area
- E. All of the above**

29. The cerebellum:

- A. initiates voluntary muscular movement.
- B. receives sensory input from muscle proprioceptors and the vestibular apparatus of the inner ear.**
- C. if destroyed would result in the loss of all voluntary skeletal muscle activity.
- D. contains the center responsible for the regulation of the body temperature.
- E. None of the above

30. Constant arteriolar blood flow to all parts of the brain is made by

- A. a system of choroid plexus capillaries.
- B. the internal jugular vein.

C. the circle of Willis connecting to the basilar and internal carotid arteries.

D. All of the above

31. In order to reason the answer to this question you have to gain some knowledge about the cerebral cortex. Which of these answers best tells what you need in order to get the correct answer?

A. Modulation

B. Perception

C. A good personality

D. Associative memory

E. Modest emotions

32. Which of the following is not ordinarily found in the cerebrospinal fluid?

A. Red and white blood cells

B. Water

C. Glucose

D. Sodium ions

E. All of the above

33. When impulses from receptors for deep somatic pain and visceral pain are incorrectly interpreted by the brain as having come from the surface of the body, we call that

A. phantom pain.

B. psychosomatic pain.

C. visceral pain.

D. referred pain.

E. None of the above

34. The arachnoid villi:

A. serves as the outer binding or cover of a nerve.

B. separates the cerebral hemispheres.

C. help in the return of cerebrospinal fluid to the blood stream.

D. project into the lumen of the intestines and stomach.

E. comprise the grey matter of the cerebrum.

35. Which one of the following is correct?

A. Short-term memory does not require that information be rehearsed.

B. Neuroglial cell numbers remain constant when long-term memories are being stored.

C. Reverberating neuronal circuits may account for long-term memory.

D. Long-term memory involves changes that are both structural as well as biochemical.

36. The greater the space in the primary motor cortex allotted to each part of the body, the greater the control or "fidelity" over its movements. This statement explains our ability to

A. eat with a fork.

B. turn the steering wheel sharply to the right to miss another car.

C. write answers on this answer form.

D. All of the above

E. B and C only.

37. The longitudinal fissure divides the:

A. frontal and parietal lobes.

B. parietal and occipital lobes.

C. right and left cerebral hemispheres.

D. frontal and temporal lobes.

38. A young man is admitted to the hospital after receiving serious burn resulting from standing with his back too close to a bonfire. He is muttering that he never felt the pain--otherwise, he would have smothered the flames by rolling on the ground. What part of his CNS is malfunctional?

A. Premotor area of cerebral cortex

B. Somesthetic cortex of cerebrum

C. Both A and B

D. Neither A nor B

39. Learned patterns of skilled movement are probably stored in the

A. primary motor area.

B. premotor area.

C. basal ganglia.

D. cerebellum.

E. reticular activating system.

40. The "primary visual area" of the cerebral cortex:

A. interprets basic meanings of visual sensations, i.e., color and shape of an object viewed.

B. interprets the interrelationships of different objects that are felt and makes discrete identification of them.

C. Both A and B

D. Neither A nor B

41. Which of the following is not ordinarily accomplished through associative memory?

A. Dilation of your pupils during extreme excitement.

B. Recalling the answer to this question.

C. Remembering to put on your shirt or blouse this morning.

D. Turning on your car motor with the car keys.

E. None of the above

42. The right cerebral hemisphere:

A. controls the movements of the left side of the body.

B. receives sensory information from the right side of the body.

C. is covered by a thin layer of white matter.

D. All of the above are correct.

E. None of the above is correct.

43. Which of the following is/are a true statement?

A. Anti-diuretic hormone or ADH acts to increase the rate of filtration at the glomerulus of the kidney and thus causes more reabsorption of water.

B. The hypothalamus has both inhibitory and excitatory control over contraction of smooth muscle in the walls of the viscera.

C. Both A and B

D. Neither A nor B

44. Which of the following is not a response to sympathetic stimulation?

A. Increased heart rate

B. Increased blood pressure

C. Increased motility of the digestive tract

D. Increased metabolism

E. Increased release of glucose from the liver

45. Which one of the following is "not" true of both ordinary somatic efferent activity and autonomic function?

- A. The impulses pass through ventral roots of spinal nerves.
- B. The fiber emerging from the CNS releases acetylcholine at its endings.
- C. The cell body of the fiber emerging from the CNS lies in the lateral gray column of the spinal cord.

D. A pre and a post synaptic neuron exist between the spinal cord and the effector organ or muscle.

46. Which of the following is a true statement?

A. Adrenalin or epinephrine is the hormone released by the adrenal gland during a stressful situation.

- B. Noradrenaline/norepinephrine is the neurotransmitter released from post ganglionic neurons of the sympathetic nervous system.
- C. Both A and B
- D. neither A nor B

47. The preganglionic autonomic nerve fibers that arise from the thoracic and lumbar parts of the spinal cord:

A. are also called preganglionic sympathetic fibers.

- B. synapse with postganglionic fibers of the parasympathetic nervous system.
- C. form the dorsal roots of the thoracic and lumbar spinal nerves.
- D. are also called preganglionic parasympathetic fibers.

48. You've just consumed thanksgiving dinner; yes, even the green jell-o. Now you retreat to the couch, snuggle up under an afghan, and turn on the

interviews that precede the afternoon football game. The division of your autonomic nervous system is predominately in command of your visceral responses at this moment.

- A. Parasympathetic**
- B. Sympathetic
- C. Thoraco-lumbar
- D. All of the above
- E. B and C only

49. Which one of the following is not true of the reticular formation?

- A. It extends throughout the brainstem.
- B. It receives impulses from some selected ascending sensory tracts as they pass through the medulla.
- C. It receives impulses from the cerebellum.**
- D. Injury to this system may produce coma.
- E. It sends impulses to the cerebral cortex.

50. The secretion of hormones from the anterior lobe of the pituitary gland is largely controlled by:

- A. releasing factors from the hypothalamus.**
- B. releasing factors from the thalamus.
- C. nerve impulses from the hypothalamus.
- D. nerve impulses from the thalamus.

BRAIN 3 BRAIN STRUCTURE AND FUNCTION

DIRECTIONS: Read the questions carefully and pick the BEST CORRECT ANSWER. Then check your answer against the correct answers on the Key at the bottom of the page. Good luck.

1. Which of the following is NOT related to the cerebrospinal fluid?

A. Provides a cushion and support for delicate neural tissues

B. Its pressure is dependent upon blood pressure and volume of fluid it contains

C. both a and b

D. neither a nor b

2. An impulse passing from the cerebrum to the cerebellum would necessarily pass through which of the following?

A. midbrain

B. medulla

C. spinal cord

D. cerebral aqueduct

3. Which of the following is NOT true of the hypothalamus?

A. All afferent impulses are relayed here before they reach the cerebrum

B. The hypothalamus and thalamus are considered closely associated with the Reticular Activating System (RAS) which controls the degree of wakefulness

C. It secretes several releasing factors that regulate the secretion and release of hormones from the anterior pituitary

D. The hypothalamus is the center that coordinates many body functions such as body temperature regulation and thirst

4. A local mathematician, Lois Carmen Denominator, was attending an opera at the Kennedy Center. She heard Bertha D. Blues sing, she talked to a national politician, Warren Pease, and she smelled the wonderful fragrance from Polly Dendron. In what part of Lois' brain did the "whole picture" of the event come from?

A. frontal lobe of cerebral cortex

B. gnostic area of cerebral cortex

C. auditory association area

D. visual association area

E. none of the above

5. Name the sources of the two receptors that send nerve impulses to the cerebellum for interpretation.

A. Touch and pain receptors of the skin of on the trunk

B. Organ of Corti and gustatory cells of tongue

C. Proprioceptors of joints and stone cells of semicircular canals

D. Nociceptors of olfactory apparatus and chemoreceptors of blood vessels

E. Organ of Corti and semicircular canals

6. Which of the following is a characteristic of the thalamus?

A. It receives motor impulses from stretch receptors in the viscera such as the stomach and bladder

B. It is associated with feelings of rage and aggression

C. It has a type of thermostat which controls normal body temperature

D. It is a non-specific interpretation center for most sensory impulses, such as pain, temperature, touch, and physical pressure

E. Branches of it include the largest of the cranial nerves, i.e., the trigeminal and vagus nerves

7. Which of the following is/are out of order and incorrect in the workings of the reticular activating system(RAS)?

A. RAS is stimulated by sensory impulses due to stretching of stretch receptors in the wall of organ such as the stomach

B. Motor cortex of cerebrum is aroused and interprets sensory impulses

C. Impulses are sent back to thalamus to reinforce firing of RAS

D. All of the above

E. None of the above

8. Which of these groups will be cut through in an exact midsagittal section of the brain?

A. Cerebellum, 3rd and 4th ventricles, and longitudinal fissure

B. Medulla oblongata, pineal body, infundibulum and optic chiasm

C. Both A and B

D. Neither A nor B

9. The spectrum of physiological events that occur when you see your worst enemy walking towards you will probably involve which of the following parts of your central nervous system the most?

A. Visual cortex of cerebrum

B. Limbic system

C. Both A and B

D. Neither A nor B

10. Destruction of the postcentral gyrus of the left cerebral cortex results in loss of:

A. reflexes on the right side of the body.

B. touch sensations on the right side of the body.

C. voluntary movements on the right side of the body.

D. All of the above

11. The fingers, thumb, and mouth are important in determining our rank in the scale of evolution. This fact is represented functionally by which of the following?

A. The representation of these areas in the motor cortex is relatively large

B. The representation of these areas in the sensory cortex is relatively large

C. Both A and B

D. Neither A nor B

12. The Roman naval attach., Umbilicus, has collected nearly \$10,000,000 in royalties for having his endless design incorporated on every human being over 1900 years. On the other hand, Heinz Zeit, a German historian, is making a modest living near the Univ of Wisconsin in Madison WI. Since you have to pick which one to go out with on a date, you would use your -?-- to select your choice.

A. wise judgement

B. emotions

C. sense of projection

D. personality

E. intelligence

13. Which of these is NOT a component of the frontal lobe of the cerebrum?

A. Scanning eye field area

B. Primary motor cortex

C. Broca's area

D. Wernicke's area

E. all of the above

14.. The groove that separates each temporal lobe from the lower portion of the frontal and parietal lobe is known as the

A. central fissure

B. longitudinal fissure

C. transverse fissure

D. lateral fissure

E. fissure of Bridgman

15. Which of the following substances is NOT manufactured in the hypothalamus?

- A. Growth hormone
- B. Adreno-corticotrophin-releasing factor
- C. Luteinizing hormone-releasing factor
- D. Antidiuretic hormone
- E. Prolactin-inhibiting factor

16. A student is really uptight about all science college courses. He doesn't respect his teachers, he is sarcastic to his classmates and he works by himself. These characteristics indicate his

- A. emotions.
- B. reasoning.
- C. judgements.
- D. personality.
- E. intelligence.

17. Sometimes too much alcohol will temporarily damage the premotor gyrus of the

cerebrum so that the

- A. interpretation of questions becomes unintelligible.
- B. programmed skeletal muscle movements become uncoordinated.
- C. Both A and B
- D. Neither A nor B

18. Which of the following is/are true?

A. The potential intelligence of an individual is the same as his/her actual intelligence.

B. The sensory and motor homunculus are exactly the same

C. Both a and b

D. Neither a nor b

19. The structures primarily concerned in the control of food intake are

- A. the stomach.
- B. intestinal receptors, called fortitudes.
- C. several clusters of nerve cells in the hypothalamus.
- D. adipose tissue depots or reservoirs in the skin.
- E. the parietal lobe of the cerebral cortex.

20. The circle of Willis is an anastomosing channel of blood vessels; it connects the _____ to the _____.

- A. third ventricle; fourth ventricle
- B. choroid plexus; arachnoid granulations
- C. vertebral artery; internal jugular vein
- D. lateral ventricles; third ventricle
- E. branches of the basilar artery; branches of the internal carotid arteries

21. Every time the respiratory center of the medulla fires, nerve impulses exert on the pneumotaxic center, this results in a(an) _____ in firing of the _____.

- A. a positive feedback; decrease; lungs
- B. a positive feedback; increase; apneustic center
- C. a negative feedback; increase; pneumotaxic center
- D. a negative feedback; decrease; respiratory center

22. The organ that contains nuclei that regulate body temperature, water balance, appetite, and gastrointestinal activity is the

- A. medulla oblongata
- B. thalamus
- C. hypothalamus
- D. pituitary gland

23. Which of the following is/are a function of the right half of the cerebrum?

- A. Recognition of complex visual patterns
- B. Expression of emotion
- C. Artistic abilities
- D. Processing of information in a holistic manner
- E. All of the above

24. The control of specific groups of muscles involved in behavior, and which describes the way you walk or the way you talk, would be carried out by the of the cerebrum.

- A. primary somesthetic cortex
- B. primary motor area in the precentral gyrus
- C. common integrative area
- D. premotor area
- E. frontal eye and speech field areas

25. Abnormal body movements, such as uncontrollable shaking, and involuntary movements of the skeletal muscles probably indicate damage to the:

- A. sensory areas of the cerebrum.
- B. basal ganglia (cerebral nuclei).
- C. association areas of the cerebral cortex.
- D. primary motor area.

E. hypothalamus.

26. A disease affecting which of the following organs would be most detrimental to survival?

- A. Cerebral cortex
- B. Hypothalamus
- C. Pons
- D. Medulla oblongata
- E. All diseases would be equally detrimental

27. Which one of the following structures listed is passed THIRDLY by a drop of cerebrospinal fluid formed in the lateral ventricle?

- A. Cerebral aqueduct
- B. Sub-arachnoid space
- C. Interventricular foramen of Monro
- D. Fourth ventricle

28. The venous drainage that includes collecting CSF at the arachnoid villi occurs via the:

- A. dura mater
- B. carotid veins
- C. internal jugular veins
- D. subarachnoid space
- E. two of the above

29. Which one of the following structures listed would be pierced THIRDLY by a point of a pin entering the brain from the outside?

- A. Dura mater
- B. Arachnoid
- C. Pia mater

D. Bone

E. Scalp

30. The structure concerned with maintaining the state of wakefulness is the .

A. Sarcoplasmic reticulum.

B. reticular activating system.

C. Both A and B

D. Neither A nor B

31. The visceral efferent neuron which has its cell body in the brain or spinal cord is the:

A. preganglionic neuron

B. postganglionic neuron

C. terminal neuron

D. pre-effector neuron

32. Adrenergic fibers produce the transmitter substance called:

A. acetylcholine

B. norepinephrine or noradrenaline

C. catechol-o-methyltransferase

D. monamine oxidase

E. carboxypeptidase

33. The chemical transmitter between sympathetic postganglionic fibers and the effector organ is:

A. norepinephrine.

B. acetylcholine.

C. adrenaline.

D. epinephrine

34. Afferent fibers that terminate in the hypothalamus provide input from all of the following areas except:

A. visceral organs

B. taste receptors of the tongue

C. tactile receptors of the penis

D. cutaneous areas such as the nipples and genitalia

E. medial and temporal lobe of the cerebrum

35. Heart action, exocrine gland secretion, digestive tract peristalsis, urinary bladder emptying, sweating, are all functions:

A. consciously controlled by neurons from the precentral gyrus of the parietal cortex.

B. controlled by the autonomic nervous system.

C. controlled by the cranio-sacral division of peripheral nerves.

D. operating only when the body is not being subjected to stress (Fear, hunger, rage, pain).

E. of reflexes whose receptors are located within the actual organs involved.

36. From the sympathetic ganglia, nerve fibers run to most of the visceral organs. The effects of impulses to these organs:

A. are mostly antagonistic to those of the parasympathetic System.

B. generally promote digestion.

C. cause the production of adrenalin in the target organ.

D. all of the above.

E. none of the above.

37. The preganglionic autonomic nerve fibers that arise from the thoracic and lumbar parts of the spinal cord:

- A. are also called preganglionic sympathetic fibers.
- B. synapse with postganglionic fibers of the parasympathetic Nervous system.
- C. form the dorsal roots of the thoracic and lumbar spinal Nerves.
- D. are also called preganglionic parasympathetic fibers.

38. A preganglionic nerve fiber conducting impulses for slowing the heart rate would synapse with a postganglionic fiber in the:

- A. lateral or vertebral ganglion.
- B. wall of the heart.
- C. collateral or prevertebral ganglion.
- D. dorsal root ganglion.
- E. cerebral ganglion (nucleus).

39. Which of the following statements is TRUE regarding the parasympathetic ganglia of the autonomic nervous system?

- A. they contain afferent neuron cell bodies only.
- B. they are located in or on the walls of the viscera to which Their impulses are going.
- C. they lie within the spinal cord.
- D. they consists of a double chain of structures along the Spinal column.
- E. none of the above.

40. Which of the following is TRUE of the postganglionic neurons of the autonomic nervous system?

- A. they all secrete acetylcholine
- B. they all secrete norepinephrine(noradrenaline)

C. they are located entirely outside the central nervous system.

- D. they synapse with preganglionic neurons in the spinal cord
- E. none of the above

41. Phil O'Dendron, the college's horticulturist, had no trouble smelling flowers in the head house. Every time he went out there, his --?-- nerve was activated.

- A. Vestibulocochlear
- B. Olfactory
- C. Oculomotor
- D. Optic

42. Which of the following groups are correctly paired?

- A. Commissural fibers = transmit from one side of CNS to another
- B. Association fibers = transmit from one part of cerebral cortex To another
- C. Both A and B
- D. Neither A nor B

43. Which of the following situations would most likely be facilitated by the action of the primary motor area of the cerebral cortex?

- A. Using a golf club to knock the ball into a cup 25 feet Away.
- B. Seeing a jet 10,000 feet in the air above you.
- C. Both A and B
- D. Neither A nor B

44. My new Pontiac is in the garage getting repaired by four mechanics wearing blue jeans and listening to the grateful dead. This interpretation is made by my:

- A. Somesthetic cortex
- B. Limbic system
- C. Pre-frontal motor area
- D. Gnostic area
- E. Broca's area

45. Nuclei buried deep in the cerebrum that modify involuntary muscle movement are called the:

- A. Cerebral nuclei
- B. Arbor vitae
- C. Pyramids
- D. Limbic system
- E. Corpora quadrigeminal

46. Which of the following is NOT TRUE of the corticospinal tract?

- A. Most of their neurons cross to the opposite side of the cord in the medulla
- B. They carry motor nerve impulses
- C. Their nerve cell bodies lie in the precentral gyrus
- D. It begins at the premotor cortex of the cerebrum

47. Damage to the association areas of the cerebral cortex would result in:

- A. Loss of motor activity
- B. Loss of cutaneous sensation
- C. Paralysis
- D. Loss of recognition abilities
- E. Death

48. Lesions of the limbic system may result in:

- A. A voracious appetite
- B. Constant feeling of sexual harassment from your boss
- C. Perverse sexual activity
- D. Bizarre sensual behavior
- E. All of the above

49. The fingers, thumb, and mouth are important in determining man's rank in the scale of evolution. This fact is represented functionally by which of the following?

- A. The representation of these areas in the motor cortex is Relatively large
- B. The representation of these areas in the sensory cortex is relatively large
- C. Both A and B
- D. Neither A nor B

50. A local mathematician, Lois Carmen Denominator, was attending an opera at the Kennedy Center. She heard Bertha D. Blues sing, she talked to a national politician, Warren Pease, and she smelled the wonderful fragrance from Polly Dendron. In what part of Lois' brain did the "whole picture" of the event come from?

- A. Frontal lobe of cerebral cortex
- B. Gnostic area of cerebral cortex
- C. Auditory association area
- D. Visual association area
- E. None of the above

BRAIN-3 ANSWERS

1. Which of the following is NOT related to the cerebrospinal fluid?

A. Provides a cushion and support for delicate neural tissues

B. Its pressure is dependent upon blood pressure and volume of fluid it contains

C. both a and b

D. neither a nor b

2. An impulse passing from the cerebrum to the cerebellum would necessarily pass through which of the following?

A. midbrain

B. medulla

C. spinal cord

D. cerebral aqueduct

3. Which of the following is NOT true of the hypothalamus?

A. All afferent impulses are relayed here before they reach the cerebrum

B. The hypothalamus and thalamus are considered closely associated with the Reticular Activating System (RAS) which controls the degree of wakefulness

C. It secretes several releasing factors that regulate the secretion and release of hormones from the anterior pituitary

D. The hypothalamus is the center that coordinates many body functions such as body temperature regulation and thirst

4. A local mathematician, Lois Carmen Denominator, was attending an opera at the Kennedy Center. She heard Bertha D. Blues sing, she talked to a national politician, Warren Pease, and she smelled the wonderful fragrance from Polly Dendron. In what part of Lois' brain did the "whole picture" of the event come from?

A. frontal lobe of cerebral cortex

B. gnostic area of cerebral cortex

C. auditory association area

D. visual association area

E. none of the above

5. Name the sources of the two receptors that send nerve impulses to the cerebellum for interpretation.

A. Touch and pain receptors of the skin of on the trunk

B. Organ of Corti and gustatory cells of tongue

C. Proprioceptors of joints and stone cells of semicircular canals

D. Nociceptors of olfactory apparatus and chemoreceptors of blood vessels

E. Organ of Corti and semicircular canals

6. Which of the following is a characteristic of the thalamus?

A. It receives motor impulses from stretch receptors in the viscera such as the stomach and bladder

B. It is associated with feelings of rage and aggression

C. It has a type of thermostat which controls normal body temperature

D. It is a non-specific interpretation center for most sensory impulses, such as pain, temperature, touch, and physical pressure

E. Branches of it include the largest of the cranial nerves, i.e., the trigeminal and vagus nerves

7. Which of the following is/are out of order and incorrect in the workings of the reticular activating system(RAS)?

A. RAS is stimulated by sensory impulses due to stretching of stretch receptors in the wall of organ such as the stomach

B. Motor cortex of cerebrum is aroused and interprets sensory impulses

C. Impulses are sent back to thalamus to reinforce firing of RAS

- D. All of the above
- E. None of the above

8. Which of these groups will be cut through in an exact midsagittal section of the brain?

- A. Cerebellum, 3rd and 4th ventricles, and longitudinal fissure
- B. Medulla oblongata, pineal body, infundibulum and optic chiasm

C. Both A and B

- D. Neither A nor B

9. The spectrum of physiological events that occur when you see your worst enemy walking towards you will probably involve which of the following parts of your central nervous system the most?

- A. Visual cortex of cerebrum

B. Limbic system

- C. Both A and B

- D. Neither A nor B

10. Destruction of the postcentral gyrus of the left cerebral cortex results in loss of:

- A. reflexes on the right side of the body.

B. touch sensations on the right side of the body.

- C. voluntary movements on the right side of the body.

- D. All of the above

11. The fingers, thumb, and mouth are important in determining our rank in the scale of evolution. This fact is represented functionally by which of the following?

- A. The representation of these areas in the motor cortex is relatively large

B. The representation of these areas in the sensory cortex is relatively large

C. Both A and B

- D. Neither A nor B

12. The Roman naval attach,, Umblicus, has collected nearly \$10,000,000 in royalties for having his endless design incorporated on every human being over 1900 years. On the other hand, Heinz Zeit, a German historian, is making a modest living near the Univ of Wisconsin in Madison WI. Since you have to pick which one to go out with on a date, you would use your -?-- to select your choice.

A. wise judgement

- B. emotions

- C. sense of projection

- D. personality

- E. intelligence

13. Which of these is NOT a component of the frontal lobe of the cerebrum?

- A. Scanning eye field area

- B. Primary motor cortex

- C. Broca's area

D. Wernicke's area

- E. all of the above

14.. The groove that separates each temporal lobe from the lower portion of the frontal and parietal lobe is known as the

- A. central fissure

- B. longitudinal fissure

- C. transverse fissure

D. lateral fissure

E. fissure of Bridey

15. Which of the following substances is NOT manufactured in the hypothalamus?

A. Growth hormone

B. Adreno-corticotrophin-releasing factor

C. Luteinizing hormone-releasing factor

D. Antidiuretic hormone

E. Prolactin-inhibiting factor

16. A student is really up tight about all science college courses. He doesn't respect his teachers, he is sarcastic to his classmates and he works by himself. These characteristics indicate his

A. emotions.

B. reasoning.

C. judgements.

D. personality.

E. intelligence.

17. Sometimes too much alcohol will temporarily damage the premotor gyrus of the

cerebrum so that the

A. interpretation of questions becomes unintelligible.

B. programmed skeletal muscle movements become uncoordinated.

C. Both A and B

D. Neither A nor B

18. Which of the following is/are true?

A. The potential intelligence of an individual is the same as his/her actual intelligence.

B. The sensory and motor homunculus are exactly the same

C. Both a and b

D. Neither a nor b

19. The structures primarily concerned in the control of food intake are

A. the stomach.

B. intestinal receptors, called fortitudes.

C. several clusters of nerve cells in the hypothalamus.

D. adipose tissue depots or reservoirs in the skin.

E. the parietal lobe of the cerebral cortex.

20. The circle of Willis is an anastomosing channel of blood vessels; it connects the to the .

A. third ventricle; fourth ventricle

B. choroid plexus; arachnoid granulations

C. vertebral artery; internal jugular vein

D. lateral ventricles; third ventricle

E. branches of the basilar artery; branches of the internal carotid arteries

21. Every time the respiratory center of the medulla fires, nerve impulses exert on the pneumotaxic center, this results in a(an) in firing of the .

A. a positive feedback; decrease; lungs

B. a positive feedback; increase; apneustic center

C. a negative feedback; increase; pneumotaxic center

D. a negative feedback; decrease; respiratory center

22. The organ that contains nuclei that regulate body temperature, water balance, appetite, and gastrointestinal activity is the

- A. medulla oblongata
- B. thalamus
- C. hypothalamus**
- D. pituitary gland

23. Which of the following is/are a function of the right half of the cerebrum?

- A. Recognition of complex visual patterns
- B. Expression of emotion
- C. Artistic abilities
- D. Processing of information in a holistic manner
- E. All of the above**

24. The control of specific groups of muscles involved in behavior, and which describes the way you walk or the way you talk, would be carried out by the of the cerebrum.

- A. primary somesthetic cortex
- B. primary motor area in the precentral gyrus**
- C. common integrative area
- D. premotor area
- E. frontal eye and speech field areas

25. Abnormal body movements, such as uncontrollable shaking, and involuntary movements of the skeletal muscles probably indicate damage to the:

- A. sensory areas of the cerebrum.
- B. basal ganglia (cerebral nuclei).**
- C. association areas of the cerebral cortex.
- D. primary motor area.

E. hypothalamus.

26. A disease affecting which of the following organs would be most detrimental to survival?

- A. Cerebral cortex
- B. Hypothalamus
- C. Pons
- D. Medulla oblongata**
- E. All diseases would be equally detrimental

27. Which one of the following structures listed is passed THIRDLY by a drop of cerebrospinal fluid formed in the lateral ventricle?

- A. Cerebral aqueduct
- B. Sub-arachnoid space
- C. Interventricular foramen of Monro
- D. Fourth ventricle**

28. The venous drainage that includes collecting CSF at the arachnoid villi occurs via the:

- A. dura mater
- B. carotid veins
- C. internal jugular veins**
- D. subarachnoid space
- E. two of the above

29. Which one of the following structures listed would be pierced THIRDLY by a point of a pin entering the brain from the outside?

- A. Dura mater**
- B. Arachnoid
- C. Pia mater

D. Bone

E. Scalp

30. The structure concerned with maintaining the state of wakefulness is the .

A. Sarcoplasmic reticulum.

B. reticular activating system.

C. Both A and B

D. Neither A nor B

31. The visceral efferent neuron which has its cell body in the brain or spinal cord is the:

A. preganglionic neuron

B. postganglionic neuron

C. terminal neuron

D. pre-effector neuron

32. Adrenergic fibers produce the transmitter substance called:

A. acetylcholine

B. norepinephrine or noradrenaline

C. catechol-o-methyltransferase

D. monamine oxidase

E. carboxypeptidase

33. The chemical transmitter between sympathetic postganglionic fibers and the effector organ is:

A. norepinephrine.

B. acetylcholine.

C. adrenaline.

D. epinephrine

34. Afferent fibers that terminate in the hypothalamus provide input from all of the following areas except:

A. visceral organs

B. taste receptors of the tongue

C. tactile receptors of the penis

D. cutaneous areas such as the nipples and genitalia

E. medial and temporal lobe of the cerebrum

35. Heart action, exocrine gland secretion, digestive tract peristalsis, urinary bladder emptying, sweating, are all functions:

A. consciously controlled by neurons from the precentral gyrus Of the parietal cortex.

B. controlled by the autonomic nervous system.

C. controlled by the cranio-sacral division of peripheral nerves.

D. operating only when the body is not being subjected to stress (Fear, hunger, rage, pain).

E. of reflexes whose receptors are located within the actual

Organs involved.

36. From the sympathetic ganglia, nerve fibers run to most of the visceral organs. The effects of impulses to these organs:

A. are mostly antagonistic to those of the parasympathetic System.

B. generally promote digestion.

C. cause the production of adrenalin in the target organ.

D. all of the above.

E. none of the above.

37. The preganglionic autonomic nerve fibers that arise from the thoracic and lumbar parts of the spinal cord:

A. are also called preganglionic sympathetic fibers.

B. synapse with postganglionic fibers of the parasympathetic Nervous system.

C. form the dorsal roots of the thoracic and lumbar spinal Nerves.

D. are also called preganglionic parasympathetic fibers.

38. A preganglionic nerve fiber conducting impulses for slowing the heart rate would synapse with a postganglionic fiber in the:

A. lateral or vertebral ganglion.

B. wall of the heart.

C. collateral or prevertebral ganglion.

D. dorsal root ganglion.

E. cerebral ganglion (nucleus).

39. Which of the following statements is TRUE regarding the parasympathetic ganglia of the autonomic nervous system?

A. they contain afferent neuron cell bodies only.

B. they are located in or on the walls of the viscera to which Their impulses are going.

C. they lie within the spinal cord.

D. they consists of a double chain of structures along the Spinal column.

E. none of the above.

40. Which of the following is TRUE of the postganglionic neurons of the autonomic nervous system?

A. they all secrete acetylcholine

B. they all secrete norepinephrine(noradrenaline)

C. they are located entirely outside the central nervous system.

D. they synapse with preganglionic neurons in the spinal cord

E. none of the above

41. Phil O'Dendron, the college's horticulturist, had no trouble smelling flowers in the head house. Every time he went out there, his --?-- nerve was activated.

A. Vestibulocochlear

B. Olfactory

C. Oculomotor

D. Optic

42. Which of the following groups are correctly paired?

A. Commissural fibers = transmit from one side of CNS to another

B. Association fibers = transmit from one part of cerebral cortex To another

C. Both A and B

D. Neither A nor B

43. Which of the following situations would most likely be facilitated by the action of the primary motor area of the cerebral cortex?

A. Using a golf club to knock the ball into a cup 25 feet Away.

B. Seeing a jet 10,000 feet in the air above you.

C. Both A and B

D. Neither A nor B

44. My new Pontiac is in the garage getting repaired by four mechanics wearing blue jeans and listening to the grateful dead. This interpretation is made by my:

- A. Somesthetic cortex
- B. Limbic system
- C. Pre-frontal motor area
- D. Gnostic area**
- E. Broca's area

45. Nuclei buried deep in the cerebrum that modify involuntary muscle movement are called the:

- A. Cerebral nuclei**
- B. Arbor vitae
- C. Pyramids
- D. Limbic system
- E. Corpora quadrigeminal

46. Which of the following is NOT TRUE of the corticospinal tract?

- A. Most of their neurons cross to the opposite side of the cord in the medulla
- B. They carry motor nerve impulses
- C. Their nerve cell bodies lie in the precentral gyrus

D. It begins at the premotor cortex of the cerebrum

47. Damage to the association areas of the cerebral cortex would result in:

- A. Loss of motor activity
- B. Loss of cutaneous sensation
- C. Paralysis

D. Loss of recognition abilities

E. Death

48. Lesions of the limbic system may result in:

- A. A voracious appetite
- B. Constant feeling of sexual harassment from your boss
- C. Perverse sexual activity
- D. Bizarre sensual behavior

E. All of the above

49. The fingers, thumb, and mouth are important in determining man's rank in the scale of evolution. This fact is represented functionally by which of the following?

- A. The representation of these areas in the motor cortex is Relatively large
- B. The representation of these areas in the sensory cortex is relatively large

C. Both A and B

D. Neither A nor B

50. A local mathematician, Lois Carmen Denominator, was attending an opera at the Kennedy Center. She heard Bertha D. Blues sing, she talked to a national politician, Warren Pease, and she smelled the wonderful fragrance from Polly Dendron. In what part of Lois' brain did the "whole picture" of the event come from?

A. Frontal lobe of cerebral cortex

B. Gnostic area of cerebral cortex

C. Auditory association area

D. Visual association area

E. None of the above

BRAIN 4 BRAIN STRUCTURE AND FUNCTION

DIRECTIONS: Read the questions carefully and pick the BEST CORRECT ANSWER. Then check your answer

against the correct answers on the Key at the bottom of the page. Good luck.

1. Parasympathetic effects

- A. prepare the body to resist stress
- B. lead to acceleration of body activity
- C. cause rage and strong emotional outbursts
- D. maintain normality of body functions
- E. all of the above

2. Roughly 75% of the parasympathetic outflow of nerve impulses is carried over the --?-- nerve.

- A. vagus
- B. brachial
- C. sciatic
- D. optic
- E. olfactory

3. With few exceptions, postganglionic sympathetic fibers release:

- A. adrenalin
- B. acetyl coenzymeA
- C. norepinephrine
- D. acetylcholine

4. The sympathetic and parasympathetic division of the ANS differ in the

- A. length of the preganglionic and postganglionic neurons
- B. position of the preganglionic cell bodies
- C. position of the ganglia where preganglionic and postganglionic Neurons se

D. all of the above

E. A and B only

5. Which of the following is NOT a response to sympathetic stimulation?

- A. increased heart rate
- B. increased blood pressure
- C. increased motility of the digestive tract
- D. increased metabolism
- E. increased release of glucose from the liver

6. Which of the following is NOT a correct statement about the parasympathetic division?

- A. the acetylcholine released is very short-lived
- B. most of the acetylcholine released becomes inactivated by cholinesterase
- C. epinephrine and norepinephrine are released by preganglionic and Postganglionic fibers of the parasympathetic division
- D. any acetylcholine diffusing into tissues is deactivated by tissue cholinesterase

7. Acting as an automatic processing center that directs postural reflexes and coordinates conscious and unconscious motor commands of the cerebral hemispheres, cerebral nuclei and brainstem, is a function of the:

- A. cerebrum
- B. midbrain
- C. thalamus
- D. cerebellum

8. Which of the following is/are a TRUE statement?

A. anti diuretic hormone or ADH acts to increase the rate of filtration at the glomerulus of the kidney and thus causes more reabsorption of water.

B. the hypothalamus has both inhibitory and excitatory control over contraction of smooth muscle in the walls of the viscera

C. Both A and B

D. Neither A nor B

9. The most important brain area for the control of visceral function and homeostasis is related to the activities of the:

A. hypothalamus

B. thalamus

C. medulla

D. cerebellum

10. What part of the brain is inactive when the RAS isn't stimulated?

A. thalamus

B. cerebellum

C. cerebral cortex

D. hypothalamus

11. Which one of the following listed is passed THIRDLY by a nerve impulse?

A. Temporal lobe

B. Olfactory nerve

C. Olfactory bulb

D. Olfactory tract

12. Retention of sensory input for extremely short periods of time, as having the spinal cord "remember" how to respond to striking the patellar tendon, is called:

A. sensory memory.

B. short-term memory.

C. Both A and B

D. Neither A nor B

13. In the sensory homunculus, the the portion of the post-central gyrus that receives that sensation from a particular part, the is the amount of interpretation from that part of the body.

A. greater; greater

B. lesser; less

C. both A and B

D. neither A nor B

14. If a patient exhibits irregular fluctuations in body temperature, loss of appetite, and lack of sensation of thirst, the portion of the brain that is probably not functioning properly is the:

A. cerebrum.

B. midbrain.

C. hypothalamus.

D. medulla.

15. Activity within the RAS a person's general level of attentiveness.

A. decreases

B. increases

C. has no relevance to

16. Drugs that mimic the effects of sympathetic stimulation are called:

A. memetics

B. blocking agents

C. sympathomimetics

D. morphine

C. cauda equina

D. filum terminale

17. Which of the following is NOT increased by sympathetic innervation?

A. heart rate

B. sweat gland secretion

C. general level of activity of the digestive system

D. respiratory rate

21. Which of these works through a negative feedback?

A. Reticular activating system of the thalamus

B. Pneumotaxic center of the pons

C. Both A and B

D. Neither A nor B

18. Efferent neurons:

A. can be clearly divided into four divisions

B. of the somatomotor nerves connect skeletal muscles to the sympathetic chain ganglia of the spinal cord

C. of the autonomic nervous system use two neurons in series to connect the Central nervous system to the effector

D. of the ANS only have synapses in the spinal cord

E. of the ANS innervate skeletal muscles only

22. Which of the following is a correct pathway for interpretation of communicated ideas?

A. Midbrain -> auditory association area -> Wernicke's area -> gnostic area

B. Primary auditory area -> auditory association area -> auditory motor area

C. Both A and B

D. Neither A nor B

19. The limbic system is important to all of the following except

A. rage.

B. aggression

C. pleasure.

D. sleeping.

23. Gluconeogenesis, acting to get --?-- from non-carbohydrate materials, is caused to occur through the action of --?-- secreted by the adrenal gland.

A. energy - glucocorticoids

B. glucose - cortisone

C. Both A and B

D. Neither A nor B

20. The ? helps attach the brain to the skull and prevents excess movement within the braincase.

A. dura mater

B. arachnoid

24. The --?-- fights the original stress of the "GAS" long after the initial alarm reaction is over.

A. exhaustion stage

B. resistance stage

C. fight or flight response

D. all of the above

E. none of the above

25. What chemical is released at synapses and neuroeffector junctions by all of the preganglionic and postganglionic fibers in the parasympathetic division?

- A. epinephrine
- B. norepinephrine
- C. acetyl coenzyme a
- D. acetylcholine

26. An elderly gentleman had just suffered a stroke. He is able to understand verbal and written language, but when he tries to respond, his words come out garbled. What cortical region has been damaged?

- A. visual area of occipital lobe
- B. Broca's area of frontal lobe
- C. Primary sensory area of parietal lobe
- D. Premotor area of frontal lobe
- E. None of the above

27. At what site does cerebrospinal fluid eventually mix with blood; that is, where is the cerebrospinal fluid returned to the blood circulation?

- A. Fourth ventricle
- B. Subarachnoid space
- C. Choroid plexuses in first, second, and third ventricles.
- D. Arachnoid villi in dural sinuses.
- E. Filum terminale at distal end of spinal cord.

28. The ability "to answer this question by hitting the correct key on the computer screen" is a motor activity promoted by:

- A. the cerebral medulla, i.e., the basal ganglia.

B. the postcentral gyrus, and occipital lobes of the cerebrum.

C. the precentral gyrus of the cerebrum, and the cerebellum.

D. the reticular activating system, and the reticular formation.

29. The control of voluntary motion in a very fine, meticulous way is in the of the cerebrum

- A. precentral gyrus
- B. parietal lobe
- C. temporal lobe
- D. occipital lobe
- E. voluntary motion area

30. ? is a relatively permanent change in learning resulting from experience.

- A. A thought
- B. Short-term memory
- C. Long-term memory
- D. All of the above

31. If you were discussing a money matter with your employer and the discussion turned ugly, that is, made both of you use 4-letter words, which part of your brain would recall that event at least a week or even a month later?

- A. Medulla oblongata
- B. Cerebellum
- C. Hypothalamus
- D. Limbic system

32. The ability to sense that a shower is running but not knowing how hot is the water, is an interpretation made by the:

- A. midbrain.
- B. cerebral cortex.
- C. thalamus.
- D. basal ganglia.

33. A person becomes hungry after he has not eaten for a time because:

- A. an empty stomach stimulates the hunger nerves.
- B. a satiety center in the hypothalamus sends messages to the conscious centers of the brain.
- C. he becomes weak because the muscles lack sufficient food.
- D. a reduced glucose content of the blood stimulates the hunger center in the hypothalamus to urge eating.

34. The specialized circulatory system that receives releasing factors and carries them to the anterior pituitary gland for immediate impact, is the:

- A. systemic circulation.
- B. pulmonary circulation.
- C. hypothalamic/hypophyseal portal circulation.
- D. cerebral circulation.
- E. None of the above

35. An individual could distinguish the exhilaration of a tenor singing an operatic aria from the flashiness of the boys and men singing in a MCI center concert by the action of their:

- A. primary auditory area.
- B. Broca's area of the frontal lobe.
- C. Wernicke's area.

D. gnostic-auditory facilitation pathway.

E. All of the above

36. All EXCEPT which one of the following body activities are controlled by the cerebrum?

- A. Circulation of the blood to the brain
- B. Perception of moving objects in subdued light
- C. Deciding whether or not to put money into a parking meter
- D. Learning scientific names and associating them with particular organisms
- E. Manipulation of the fingers when scratching your nose

37. The working of reverberating circuits is one explanation for our ability to automatically control the

- A. rate of heart beating.
- B. rate of breathing.
- C. patellar or knee jerk reflex.
- D. All of the above
- E. None of the above

38. A local PG politician, Jerry Mander knows just where his hands are when he's trying to get a bill through the Maryland senate. He waves them around, often jesting to his colleagues to support his measures. This ability to understand the spatial representation of his arms is a function of the:

- A. precentral gyrus.
- B. prefrontal cortex.
- C. postcentral gyrus.
- D. somesthetic association area.
- E. temporal lobe.

39. The transverse fissure:

- A. separates the cerebral hemispheres from each other.
- B. separates the cerebrum from the cerebellum.
- C. is located near areas associated with the sense of pain.
- D. is located near areas with centers for speech and hearing.

40. What part of the brain is not alerted if the RAS is not stimulated?

- A. Thalamus
- B. Cerebellum
- C. Cerebral cortex
- D. Hypothalamus

41. A person feels "nervous" before going in to take her test on the nervous system. Palms are sweaty and heart rate is increased. The part of the brain involved in these body responses is the:

- A. pons.
- B. medulla.
- C. midbrain.
- D. hypothalamus.
- E. cerebrum.

42. Which of the following does NOT protect the brain from injury or harmful substances?

- A. Cranial bones and meninges
- B. Blood-brain barrier
- C. Cerebrospinal fluid
- D. Blood in the subdural space

43. The neurons that connect the left and right cerebral hemispheres form :

- A. projection tracts.
- B. association tracts.
- C. commissural tracts.

44. The type of sensation that a person feels when he touches a hot object is:

- A. determined solely by the receptor that detects the sensation.
- B. a function of the thalamus and cerebral cortex.
- C. Both A and B
- D. Neither A nor B

45. The persistence of an incoming thought for a few seconds or a few minutes without causing any permanent imprint on the brain is called:

- A. not quite long term memory.
- B. short term memory.
- C. sensory memory
- D. All of the above
- E. B and C only

46. Hesitant and distorted speech would indicate a possible lesion in

- A. the postcentral gyrus.
- B. the precentral gyrus.
- C. the prefrontal area.
- D. Wernicke's area.
- E. Broca's area.

47. If the production of antidiuretic hormone by the brain is increased, the chief result will be increased:

- A. water reabsorption by the kidney tubules.
- B. excretion of water via the urine.
- C. Sodium reabsorption by the kidney tubules.
- D. potassium reabsorption by the distal tubules of the kidney.

48. Commissural fibers connect:

- A. the cerebrum with the spinal cord.
- B. one cerebral hemisphere to another.
- C. the spinal cord to the cerebrum.
- D. areas of the cerebral cortex within the same hemisphere.
- E. areas of the cerebral cortex with areas of the cerebellum.

49. Which of the following is NOT primarily a function of the hypothalamus:

- A. links nervous and endocrine systems.
- B. regulates body temperature.
- C. serves as center for language and memory.
- D. regulates food intake (appetite).
- E. produces anti-diuretic hormone.

50. Which of the following is/are a true statement?

- A. The primary sensory area of the cerebral hemisphere(s) is found in the precentral gyrus.
- B. Cortical areas involved in sound are found in the occipital lobe.
- C. Both A and B
- D. Neither A nor B

BRAIN-4 ANSWERS

1. Parasympathetic effects

- A. prepare the body to resist stress
- B. lead to acceleration of body activity
- C. cause rage and strong emotional outbursts

D. maintain normality of body functions

- E. all of the above

2. Roughly 75% of the parasympathetic outflow of nerve impulses is carried over the --?-- nerve.

A. vagus

- B. brachial
- C. sciatic
- D. optic
- E. olfactory

3. With few exceptions, postganglionic sympathetic fibers release:

- A. adrenalin
- B. acetyl coenzymeA
- C. norepinephrine**
- D. acetylcholine

4. The sympathetic and parasympathetic division of the ANS differ in the

- A. length of the preganglionic and postganglionic neurons
- B. position of the preganglionic cell bodies

C. position of the ganglia where preganglionic and postganglionic Neurons synapse

D. all of the above

E. A and B only

5. Which of the following is NOT a response to sympathetic stimulation?

A. increased heart rate

B. increased blood pressure

C. increased motility of the digestive tract

D. increased metabolism

E. increased release of glucose from the liver

6. Which of the following is NOT a correct statement about the parasympathetic division?

A. the acetylcholine released is very short-lived

B. most of the acetylcholine released becomes inactivated By acetylcholinesterase

C. epinephrine and norepinephrine are released by preganglionic And postganglionic fibers of the parasympathetic division

D. any acetylcholine diffusing into tissues is deactivated by Tissue cholinesterase

7. Acting as an automatic processing center that directs postural reflexes and coordinates conscious and unconscious motor commands of the cerebral hemispheres, cerebral nuclei and brainstem, is a function of the:

A. cerebrum

B. midbrain

C. thalamus

D. cerebellum

8. Which of the following is/are a TRUE statement?

A. anti diuretic hormone or ADH acts to increase the rate of Filtration at the glomerulus of the kidney and thus causes More reabsorption of water.

B. the hypothalamus has Both inhibitory and excitatory control Over contraction of smooth muscle in the walls of the viscera

C. Both A and B

D. Neither A nor B

9. The most important brain area for the control of visceral function and homeostasis is related to the activities of the:

A. hypothalamus

B. thalamus

C. medulla

D. cerebellum

10. What part of the brain is inactive when the RAS isn't stimulated?

A. thalamus

B. cerebellum

C. cerebral cortex

D. hypothalamus

11. Which one of the following listed is passed THIRDLY by a nerve impulse?

A. Temporal lobe

B. Olfactory nerve

C. Olfactory bulb

D. Olfactory tract

12. Retention of sensory input for extremely short periods of time, as having the spinal cord "remember" how to respond to striking the patellar tendon, is called:

- A. **sensory memory.**
- B. short-term memory.
- C. Both A and B
- D. Neither A nor B

13. In the sensory homunculus, the the portion of the post-central gyrus that receives that sensation from a particular part, the is the amount of interpretation from that part of the body.

- A. greater; greater
- B. lesser; less
- C. **both A and B**
- D. neither A nor B

14. If a patient exhibits irregular fluctuations in body temperature, loss of appetite, and lack of sensation of thirst, the portion of the brain that is probably not functioning properly is the:

- A. cerebrum.
- B. midbrain.
- C. **hypothalamus.**
- D. medulla.

15. Activity within the RAS a person's general level of attentiveness.

- A. decreases
- B. **increases**
- C. has no relevance to

16. Drugs that mimic the effects of sympathetic stimulation are called:

- A. memetics
- B. blocking agents
- C. **sympathomimetics**
- D. morphine

17. Which of the following is NOT increased by sympathetic innervation?

- A. heart rate
- B. sweat gland secretion
- C. **general level of activity of the digestive system**
- D. respiratory rate

18. Efferent neurons:

- A. can be clearly divided into four divisions
- B. of the somatomotor nerves connect skeletal muscles to the Sympathetic chain ganglia of the spinal cord
- C. **of the autonomic nervous system use two neurons in series to Connect the central nervous system to the effector**
- D. of the Ans only have synapses in the spinal cord
- E. of the Ans innervate skeletal muscles only

19. The limbic system is important to all of the following except

- A. rage.
- B. aggression
- C. pleasure.
- D. **sleeping.**

20. The helps attach the brain to the skull and prevents excess movement within the braincase.

- A. **dura mater**
- B. arachnoid
- C. cauda equina
- D. filum terminale

21. Which of these works through a negative feedback?

- A. Reticular activating system of the thalamus
- B. **Pneumotaxic center of the pons**
- C. Both A and B
- D. Neither A nor B

22. Which of the following is a correct pathway for interpretation of communicated ideas?

- A. **Midbrain -> auditory association area -> Wernicke's area -> gnostic area**
- B. Primary auditory area -> auditory association area -> auditory motor area
- C. Both A and B
- D. Neither A nor B

23. Gluconeogenesis, acting to get --?-- from non-carbohydrate materials, is caused to occur through the action of --?-- secreted by the adrenal gland.

- A. **energy - glucocorticoids**
- B. glucose - Cortisone
- C. Both A and B
- D. Neither A nor B

24. The --?-- fights the original stress of the "GAS" long after the initial alarm reaction is over.

- A. exhaustion stage
- B. **resistance stage**
- C. fight or flight response
- D. all of the above
- E. none of the above

25. What chemical is released at synapses and neuroeffector junctions by all of the preganglionic and postganglionic fibers in the parasympathetic division?

- A. epinephrine
- B. norepinephrine
- C. acetyl coenzyme a
- D. **acetylcholine**

26. An elderly gentleman had just suffered a stroke. He is able to understand verbal and written language, but when he tries to respond, his words come out garbled. What cortical region has been damaged?

- A. visual area of occipital lobe
- B. **Broca's area of frontal lobe**
- C. Primary sensory area of parietal lobe
- D. Premotor area of frontal lobe
- E. None of the above

27. At what site does cerebrospinal fluid eventually mix with blood; that is, where is the cerebrospinal fluid returned to the blood circulation?

- A. Fourth ventricle
- B. Subarachnoid space
- C. Choroid plexuses in first, second, and third ventricles.
- D. **Arachnoid villi in dural sinuses.**
- E. Filum terminale at distal end of spinal cord.

C. Hypothalamus

D. Limbic system

28. The ability "to answer this question by hitting the correct key on the computer screen" is a motor activity promoted by:

A. the cerebral medulla, I.E., the basal ganglia.

B. the postcentral gyrus, and occipital lobes of the cerebrum.

C. the precentral gyrus of the cerebrum, and the cerebellum.

D. the reticular activating system, and the reticular formation.

32. The ability to sense that a shower is running but not knowing how hot is the water, is an interpretation made by the:

A. midbrain.

B. cerebral cortex.

C. thalamus.

D. basal ganglia.

29. The control of voluntary motion in a very fine, meticulous way is in the of the cerebrum

A. precentral gyrus

B. parietal lobe

C. temporal lobe

D. occipital lobe

E. voluntary motion area

33. A person becomes hungry after he has not eaten for a time because:

A. an empty stomach stimulates the hunger nerves.

B. a satiety center in the hypothalamus sends messages to the conscious centers of the brain.

C. he becomes weak because the muscles lack sufficient food.

D. a reduced glucose content of the blood stimulates the hunger center in the hypothalamus to urge eating.

30. is a relatively permanent change in learning resulting from experience.

A. A thought

B. Short-term memory

C. Long-term memory

D. All of the above

34. The specialized circulatory system that receives releasing factors and carries them to the anterior pituitary gland for immediate impact, is the:

A. systemic circulation.

B. pulmonary circulation.

C. hypothalamic/hypophyseal portal circulation.

D. cerebral circulation.

E. None of the above

31. If you were discussing a money matter with your employer and the discussion turned ugly, that is, made both of you use 4-letter words, which part of your brain would recall that event at least a week or even a month later?

A. Medulla oblongata

B. Cerebellum

35. An individual could distinguish the exhilaration of a tenor singing an operatic aria from the flashiness of the

boys and men singing in a US Air Arena concert by the action of their:

- A. primary auditory area.
- B. Broca's area of the frontal lobe.
- C. Wernicke's area.**
- D. gnostic-auditory facilitation pathway.
- E. All of the above

36. All EXCEPT which one of the following body activities are controlled by the cerebrum?

- A. Circulation of the blood to the brain**
- B. Perception of moving objects in subdued light
- C. Deciding whether or not to put money into a parking meter
- D. Learning scientific names and associating them with particular organisms
- E. Manipulation of the fingers when scratching your nose

37. The working of reverberating circuits is one explanation for our ability to automatically control the

- A. rate of heart beating.
- B. rate of breathing.
- C. patellar or knee jerk reflex.
- D. All of the above

E. None of the above

38. A local PG politician, Jerry Mander knows just where his hands are when he's trying to get a bill through the Maryland senate. He waves them around, often jesting to his colleagues to support his measures. This ability to understand the spatial representation of his arms is a function of the:

- A. precentral gyrus.

B. prefrontal cortex.

C. postcentral gyrus.

D. somesthetic association area.

E. temporal lobe.

39. The transverse fissure:

A. separates the cerebral hemispheres from each other.

B. separates the cerebrum from the cerebellum.

C. is located near areas associated with the sense of pain.

D. is located near areas with centers for speech and hearing.

40. What part of the brain is not alerted if the RAS is not stimulated?

A. Thalamus

B. Cerebellum

C. Cerebral cortex

D. Hypothalamus

41. A person feels "nervous" before going in to take her test on the nervous system. Palms are sweaty and heart rate is increased. The part of the brain involved in these body responses is the:

A. pons.

B. medulla.

C. midbrain.

D. hypothalamus.

E. cerebrum.

42. Which of the following does NOT protect the brain from injury or harmful substances?

- A. Cranial bones and meninges
- B. Blood-brain barrier
- C. Cerebrospinal fluid

D. Blood in the subdural space

43. The neurons that connect the left and right cerebral hemispheres form :

- A. projection tracts.
- B. association tracts.

C. commissural tracts.

44. The type of sensation that a person feels when he touches a hot object is:

A. determined solely by the receptor that detects the sensation.

B. a function of the thalamus and cerebral cortex.

- C. Both A and B
- D. Neither A nor B

45. The persistence of an incoming thought for a few seconds or a few minutes without causing any permanent imprint on the brain is called:

- A. not quite long term memory.
- B. short term memory.**
- C. sensory memory
- D. All of the above
- E. B and C only

46. Hesitant and distorted speech would indicate a possible lesion in

- A. the postcentral gyrus.
- B. the precentral gyrus.
- C. the prefrontal area.
- D. Wernicke's area.

E. Broca's area.

47. If the production of antidiuretic hormone by the brain is increased, the chief result will be increased:

- A. water reabsorption by the kidney tubules.**
- B. excretion of water via the urine.
- C. Sodium reabsorption by the kidney tubules.

D. potassium reabsorption by the distal tubules of the kidney.

48. Commissural fibers connect:

- A. the cerebrum with the spinal cord.
- B. one cerebral hemisphere to another.**
- C. the spinal cord to the cerebrum.

D. areas of the cerebral cortex within the same hemisphere.

E. areas of the cerebral cortex with areas of the cerebellum.

49. Which of the following is NOT primarily a function of the hypothalamus:

- A. links nervous and endocrine systems.
- B. regulates body temperature.
- C. serves as center for language and memory.**
- D. regulates food intake (appetite).
- E. produces anti-diuretic hormone.

50. Which of the following is/are a true statement?

- A. The primary sensory area of the cerebral hemisphere(s) is found in the precentral gyrus.
- B. Cortical areas involved in sound are found in the occipital lobe.
- C. Both A and B
- D. Neither A nor B**

BRAIN 5 BRAIN STRUCTURE AND FUNCTION

DIRECTIONS: Read the questions carefully and pick the BEST CORRECT ANSWER. Then check your answer against the correct answers on the Key at the bottom of the page. Good luck.

1. The knowledge that the light switch is on the far wall of the lecture hall in the science building was made because you previously turned it on from there. What part of your brain did you use to recall that point in your memory?

- A. Visual association area
- B. Primary motor area
- C. Somesthetic association area
- D. Premotor area
- E. None of the above

2. The famous sobbing sisters, Maude Lynn and Wella Baulsome were often in their dreary moods. They complained a lot and griped often to their teacher. They seldom smiled in class. This moodiness reflects their:

- A. complexion and expression.
- B. personality and emotions.
- C. wise judgements and decision making processes.
- D. all of the above
- E. none of the above

3. --?-- memory involves the retention of facts such as names, dates, and places.

- A. Sensory
- B. Short-term
- C. Both A and B
- D. Neither A nor B

4. The visual association area:

- A. interprets written language by distinguishing shapes of letters in words.
- B. interprets what a sentence means when it comes over the radio.
- C. would be used to identify the location of the pons vs the thalamus on a model of the brainstem.
- D. All of the above
- E. A and C only

5. Because anti-diuretic hormone --?-- the amount of water in the blood, the blood pressure ___?___.

- A. increases; increases
- B. increases; decreases
- C. decreases; increases
- D. decreases; decreases

6. Stimulation of what area produces the sensations of touch, pressure, pain, taste and temperature?

- A. Olfactory cortex
- B. Auditory cortex
- C. Primary motor cortex
- D. Primary somesthetic cortex

7. Which of the following are paired correctly?

- A. Primary motor area = postcentral gyrus
- B. Central sulcus = central fissure
- C. General somesthetic area = postcentral gyrus
- D. Visual association area = primary visual area
- E. Broca's area = Wernicke's area

- B. thyroid gland
- C. pituitary gland
- D. adrenal medulla
- E. A and B only

8. Whereas the auditory area of the brain is in the --?-- lobe, the visual area is in the --?-- area.

- A. parietal; frontal
- B. insular; temporal
- C. temporal; occipital
- D. Broca's; somesthetic
- E. None of the above

9. The function of the --?-- is to localize very exactly the points in the body from which sensations for pressure, touch and tactility are interpreted.

- A. somesthetic cortex
- B. sensory association area
- C. premotor area of frontal lobe
- D. basal ganglia
- E. None of the above

10. The "fight or flight response" is affected chiefly by the --?-- nervous system.

- A. sympathetic B. autonomic C. peripheral D. somatic E. central

11. Hormones secreted by the ___?___ reinforce the actions of the autonomic nervous system during periods of stress.

- A. adrenal cortex

12. Which of the following is a TRUE statement?

A. adrenalin or epinephrine is the hormone released by the Adrenal gland during a stressful situation.

B. noradrenaline/norepinephrine is the neurotransmitter released From post ganglionic neurons of the sympathetic nervous System

- C. Both A and B
- D. Neither A nor B

13. Expressive areas of the cerebral cortex include locations:

A. posterior to the central sulcus, i.e., postcentral gyrus.

B. in front of the central sulcus, i.e., premotor area.

C. anterior to the corpus callosum, i.e, parietal lobe.

D. posterior to the pineal gland, i.e, midbrain.

E. inferior to the septum pellucidum, i.e., thalamus.

14. A small area of the cerebrum seen only when the temporal lobe is pushed out of the way is the:

- A. gyri.
- B. insula.
- C. sulci.
- D. internal capsule.

15. Which of these could be called a deep groove between and beside a lobe of the cerebrum?

- A. Postcentral gyrus
- B. aqueduct of Sylvius
- C. Longitudinal fissure
- D. Insula
- E. fissure of Briedey

D. Limbic system

16. The area of the somatic sensory cortex devoted to each part of the body is:

- A. proportional to the surface area of each part of the body.
- B. related to the distance of the part of the body from the brain.
- C. proportional to the number of specialized nerve endings in that part and the amount of space in the cerebral cortex devoted to it.
- D. apparently unrelated to any known aspects of that part.
- E. a mirror image of the motor area for that part.

19. The part of the brain that seems to search out for memories of past experiences is the

- A. medulla.
- B. frontal lobe.
- C. limbic system.
- D. pons.
- E. thalamus.

17. The white matter of the brain(and spinal cord) is composed of:

- A. meninges.
- B. myelinated processes of neurons.
- C. projection and commissural fibers
- D. all of the above
- E. B and C only

20. Damage to the reticular activating system may result in:

- A. coma.
- B. loss of memory.
- C. loss of sleep.
- D. heart failure.
- E. All of the above

18. A widespread stimulation of which structure can produce heightened alertness and a generalized feeling of exuberation?

- A. Reticular formation
- B. Anterior nuclear group
- C. Corpora quadrigemina

21. At the pons, the aqueduct of Sylvius expands to form the:

- A. lateral ventricle.
- B. lateral sulcus.
- C. longitudinal fissure.
- D. fourth ventricle.

22. Which of the following is most closely concerned with emotions and emotional expression?

- A. Pyramidal system
- B. Arbor vitae of cerebellum
- C. Hippocampus, amygdaloid nucleus and hypothalamus

D. Pneumotaxic and apneustic centers of pons

E. Basal ganglia and medulla oblongata

23. The autonomic nervous system functions chiefly in:

A. the coordination of muscular activities such as those used by a basketball player in shooting a basket

B. the reception of sensory stimuli

C. the innervation of smooth muscles and glands of the viscera

D. the solution of complex problem situations which involves the application of many previously learned rules

24. The effects of sympathetic fibers:

A. tend to reinforce those of parasympathetic fibers

B. are generally opposite to those of parasympathetic fibers

C. slow down the heart rate

D. are the same as those of the peripheral nervous system

E. are transmitted mainly via the vagus nerve

25. Which of the following divisions of the nervous system is associated most closely with stress?

A. parasympathetic division of autonomic nervous system

B. sympathetic division of autonomic nervous system

C. Both A and B

D. Neither A nor B

26. The hypothalamus:

A. lies above the thalamus.

B. has no important role in humans but quite a bit in animals.

C. relays motor impulses to cerebral cortex.

D. is involved in autonomic functions, sleep, appetite, and control of hypophyseal secretion.

E. directly controls the action of most skeletal muscles.

27. Drugs which mimic the parasympathetic nervous system would be:

A. adrenergic

B. cholinergic

C. both A and B

D. neither A nor B

28. Which of the following does not happen during the fight-or-flight response?

A. pupils dilate

B. heart beat accelerates

C. blood vessels of the viscera dilate

D. blood vessels of the skeletal muscles dilate

E. adrenal medulla secretes epinephrine

29. Which of the following is a characteristic of the thalamus?

A. It receives motor impulses from stretch receptors in the viscera such as the stomach and bladder

B. It is associated with feelings of rage and aggression

C. It has a type of thermostat which controls normal body temperature

D. It is a non-specific interpretation center for most sensory impulses, such as pain, temperature, touch, and pressure

E. Branches of it include the largest of the cranial nerves, I.E., the trigeminal and vagus nerves

A. reflexes on the right side of the body.

B. touch sensations on the right side of the body.

C. voluntary movements on the right side of the body.

D. All of the preceding

30. Which of the following is/are out of order and incorrect in the workings of the reticular activating system(RAS)?

A. RAS is stimulated by sensory impulses due to stretching of stretch receptors in the wall of a hollow internal organ

B. Motor cortex of cerebrum is aroused and interprets sensory impulses

C. Impulses are sent back to thalamus to reinforce firing of RAS

D. All of the above

E. None of the above

34. The fingers, thumb, and mouth are important in determining our rank in the scale of evolution. This fact is represented functionally by which of the following?

A. The representation of these areas in the motor cortex is relatively large

B. The representation of these areas in the sensory cortex is relatively large

C. Both A and B

D. Neither A nor B

31. Which of these groups will be cut through in an EXACT midsagittal section of the brain?

A. Cerebellum, 3rd and 4th ventricles, and longitudinal fissure

B. Medulla oblongata, pineal body, infundibulum and optic chiasm

C. Both A and B

D. Neither A nor B

35. The Roman naval attaché, Umbilicus, has collected nearly \$10,000,000 in royalties for having his endless design incorporated on every human being over the years. On the other hand, Heinz Zeit, a German historian, is making a modest living at Prince George's Community College in beautiful Largo, Maryland. Since you have to pick which one to go out with on a date, you would use your ? to select your choice.

A. wise judgement

B. emotions

C. sense of projection

D. personality

E. intelligence

32. The spectrum of physiological events that occur when you see your worst enemy walking towards you will probably involve which of the following parts of your central nervous system the most?

A. Visual cortex of cerebrum

B. Limbic system

C. Both A and B

D. Neither A nor B

36. A student is really "up tight" about all science college courses. He doesn't respect his teachers, he is sarcastic to his classmates and he works by himself. These characteristics indicate his

A. perception

B. reasoning.

C. judgements.

33. Destruction of the postcentral gyrus of the left cerebral cortex results in loss of:

D. personality.

E. intelligence.

37. Every time the respiratory center of the medulla fires, nerve impulses exert ?_ on the pneumotaxic center, this results in a(an) ?_ in firing of the ?_.

A. a positive feedback; decrease; lungs

B. a positive feedback; increase; apneustic center

C. a negative feedback; increase; pneumotaxic center

D. a negative feedback; decrease; respiratory center

38. Which of the following is/are TRUE?

A. The resistance stage of the general adaptation syndrome usually corrects the stress and brings the individual back to normal balance

B. The exhaustion stage of the GAS is brought about by excessive loss of potassium ions, and precipitous lowering of blood sugar levels

C. Both A and B

D. Neither A nor B

39. Sensations that are very discretely located include

A. placement of letters in a written word.

B. light touch.

C. position of a part of your body relative to another part.

D. All of the above

E. B and C only

40. Which of the following is NOT TRUE for the sympathetic nervous system

A. inhibits peristalsis

B. accelerates the heart rate or pulse

C. causes constriction of the pupil

D. produces relaxation of the bronchioles of the lung

E. promotes secretion of adrenalin from the adrenal gland

41. The sympathetic division of the autonomic nervous system produces all but which of the following responses?

A. dilation of pupils of the eye

B. increase in heart rate

C. constriction of peripheral blood vessels

D. increase in rate of urination

E. glycogenolysis or release of glucose from the liver

42. Which of the following is/are a TRUE statement?

A. true (or fine) discrimination of pain, touch, and temperature Sensations are a function of the sensory nerve endings

B. the property of excitability is most highly developed in Effector organs.

C. the subdivision of the autonomic nervous that would tend to Aid you in times of stress is the sympathetic division

D. all of the above

E. A and C only

43. A disease of which of the following organs would be most detrimental to survival?

A. Cerebral cortex

B. Hypothalamus

C. Pons

D. Medulla oblongata

E. All diseases would be equally detrimental

44. In the sensory "homunculus", the ? the portion of the post-central gyrus that receives that sensation from a particular part, the ? is the amount of interpretation from that part of the body.

- A. greater; greater
- B. lesser; less
- C. both A and B
- D. neither A nor B

45. The ability to know that the test you are taking is on white bond paper, and that you are holding a pencil in your hand, and that the two are distinctly different is called:

- A. association.
- B. clarification.
- C. modality.
- D. adaptation.
- E. projection.

46. The ability to solve problems on anatomy and physiology lecture exams, is called:

- A. learning.
- B. reasoning.
- C. conditioning.
- D. habituation.
- E. perception

47. Which of the following statements about the cerebral cortex is true?

- A. The cortex has sensory and motor nerve tracts.

B. The cortex is the central, white portion of the cerebrum.

C. The cells in the right hemisphere control the right side of the body.

D. The cortex is the outer gray area of the cerebrum and is composed of nerve cell bodies.

E. None of the above

48. The autonomic nervous system provides the chief nervous control in which of these activities?

- A. following a moving object with the eyes
- B. moving a hand reflexly from a hot object
- C. typing
- D. digesting food
- E. writing an essay

49. Sympathetic impulses would be responsible for which of the following actions?

1. Decreased motility of the stomach and intestines.
2. Dilation of the pupil of the eye.
3. Increased rate and force of heart beat.
4. Secretion of norepinephrine from the adrenal medulla.
5. Constriction of blood vessels in the skin.

=====

- A. 1, 2
- B. 1, 2, 3
- C. 2, 3, 4
- D. 1, 2, 3, 4
- E. 1, 2, 3, 4, 5

50. The area of somatic sensory cortex devoted to each part of the body is:

- A. proportional to the surface area of each part of the body.
- B. related to the distance of the part of the body from the brain.
- C. proportional to the number of specialized nerve endings in that part and the amount of space in the cortex devoted to it.
- D. apparently unrelated to any known aspects of that part.
- E. a mirror image of the motor area for that part.

BRAIN-5 ANSWERS

1. The knowledge that the light switch is on the far wall of the lecture hall in the science building was made because you previously turned it on from there. What part of your brain did you use to recall that point in your memory?

- A. Visual association area
- B. Primary motor area
- C. Somesthetic association area**
- D. Premotor area
- E. None of the above

2. The famous sobbing sisters, Maude Lynn and Wella Baulsome were often in their dreary moods. They complained a lot and griped often to their teacher. They seldom smiled in class. This moodiness reflects their:

- A. complexion and expression.
- B. personality and emotions.**
- C. wise judgements and decision making processes.
- D. all of the above
- E. none of the above

3. --?-- memory involves the retention of facts such as names, dates, and places.

- A. Sensory
- B. Short-term
- C. Both A and B
- D. Neither A nor B**

4. The visual association area:

- A. interprets written language by distinguishing shapes of letters in words.
- B. interprets what a sentence means when it comes over the radio.
- C. would be used to identify the location of the pons vs the thalamus on a model of the brainstem.
- D. All of the above

E. A and C only

5. Because anti-diuretic hormone --?-- the amount of water in the blood, the blood pressure ___?___.

- A. increases; increases**
- B. increases; decreases
- C. decreases; increases
- D. decreases; decreases

6. Stimulation of what area produces the sensations of touch, pressure, pain, taste and temperature?

- A. Olfactory cortex
- B. Auditory cortex
- C. Primary motor cortex
- D. Primary somesthetic cortex**

7. Which of the following are paired correctly?

A. Primary motor area = postcentral gyrus

B. Central sulcus = central fissure

C. General somesthetic area = postcentral gyrus

D. Visual association area = primary visual area

E. Broca's area = Wernicke's area

8. Whereas the auditory area of the brain is in the --?-- lobe, the visual area is in the --?-- area.

A. parietal; frontal

B. insular; temporal

C. temporal; occipital

D. Broca's; somesthetic

E. None of the above

9. The function of the --?-- is to localize very exactly the points in the body from which sensations for pressure, touch and tactility are interpreted.

A. somesthetic cortex

B. sensory association area

C. premotor area of frontal lobe

D. basal ganglia

E. None of the above

10. The "fight or flight response" is affected chiefly by the --?-- nervous system.

A. sympathetic B. autonomic C. peripheral D. somatic E. central

11. Hormones secreted by the ___?___ reinforce the actions of the autonomic nervous system during periods of stress.

A. adrenal cortex

B. thyroid gland

C. pituitary gland

D. adrenal medulla

E. A and B only

12. Which of the following is a TRUE statement?

A. adrenalin or epinephrine is the hormone released by the Adrenal gland during a stressful situation.

B. noradrenaline/norepinephrine is the neurotransmitter released From post ganglionic neurons of the sympathetic nervous System

C. Both A and B

D. Neither A nor B

13. Expressive areas of the cerebral cortex include locations:

A. posterior to the central sulcus, i.e., postcentral gyrus.

B. in front of the central sulcus, i.e., premotor area.

C. anterior to the corpus callosum, i.e, parietal lobe.

D. posterior to the pineal gland, i.e, midbrain.

E. inferior to the septum pellucidum, i.e., thalamus.

14. A small area of the cerebrum seen only when the temporal lobe is pushed out of the way is the:

A. gyri.

B. insula.

C. sulci.

D. internal capsule.

15. Which of these could be called a deep groove between and beside a lobe of the cerebrum?

- A. Postcentral gyrus
- B. aqueduct of Sylvius
- C. Longitudinal fissure**
- D. Insula
- E. fissure of Bridey

16. The area of the somatic sensory cortex devoted to each part of the body is:

- A. proportional to the surface area of each part of the body.
- B. related to the distance of the part of the body from the brain.
- C. proportional to the number of specialized nerve endings in that part and the amount of space in the cerebral cortex devoted to it.**
- D. apparently unrelated to any known aspects of that part.
- E. a mirror image of the motor area for that part.

17. The white matter of the brain(and spinal cord) is composed of:

- A. meninges.
- B. myelinated processes of neurons.
- C. projection and commissural fibers
- D. all of the above
- E. B and C only**

18. A widespread stimulation of which structure can produce heightened alertness and a generalized feeling of exuberation?

- A. Reticular formation**

- B. Anterior nuclear group
- C. Corpora quadrigemina
- D. Limbic system

19. The part of the brain that seems to search out for memories of past experiences is the

- A. medulla.
- B. frontal lobe.
- C. limbic system.
- D. pons.
- E. thalamus.**

20. Damage to the reticular activating system may result in:

- A. coma.**
- B. loss of memory.
- C. loss of sleep.
- D. heart failure.
- E. All of the above

21. At the pons, the aqueduct of Sylvius expands to form the:

- A. lateral ventricle.
- B. lateral sulcus.
- C. longitudinal fissure.
- D. fourth ventricle.**

22. Which of the following is most closely concerned with emotions and emotional expression?

- A. Pyramidal system

B. Arbor vitae of cerebellum

C. Hippocampus, amygdaloid nucleus and hypothalamus

D. Pneumotaxic and apneustic centers of pons

E. Basal ganglia and medulla oblongata

23. The autonomic nervous system functions chiefly in:

A. the coordination of muscular activities such as those used by A basketball player in shooting a basket

B. the reception of sensory stimuli

C. the innervation of smooth muscles and glands of the viscera

D. the solution of complex problem situations which involves the Application of many previously learned rules

24. The effects of sympathetic fibers:

A. tend to reinforce those of parasympathetic fibers

B. are generally opposite to those of parasympathetic fibers

C. slow down the heart rate

D. are the same as those of the peripheral nervous system

E. are transmitted mainly via the vagus nerve

25. Which of the following divisions of the nervous system is associated most closely with stress?

A. parasympathetic division of autonomic nervous system

B. sympathetic division of autonomic nervous system

C. Both A and B

D. Neither A nor B

26. The hypothalamus:

A. lies above the thalamus.

B. has no important role in humans but quite a bit in animals.

C. relays motor impulses to cerebral cortex.

D. is involved in autonomic functions, sleep, appetite, and control of hypophyseal secretion.

E. directly controls the action of most skeletal muscles.

27. Drugs which mimic the parasympathetic nervous system would be:

A. adrenergic

B. cholinergic

C. both A and B

D. neither A nor B

28. Which of the following does not happen during the fight-or-flight response?

A. pupils dilate

B. heart beat accelerates

C. blood vessels of the viscera dilate

D. blood vessels of the skeletal muscles dilate

E. adrenal medulla secretes epinephrine

29. Which of the following is a characteristic of the thalamus?

A. It receives motor impulses from stretch receptors in the viscera such as the stomach and bladder

B. It is associated with feelings of rage and aggression

C. It has a type of thermostat which controls normal body temperature

D. It is a non-specific interpretation center for most sensory impulses, such as pain, temperature, touch, and pressure

E. Branches of it include the largest of the cranial nerves, I.E., the trigeminal and vagus nerves

30. Which of the following is/are out of order and incorrect in the workings of the reticular activating system(RAS)?

A. RAS is stimulated by sensory impulses due to stretching of stretch receptors in the wall of a hollow internal organ

B. Motor cortex of cerebrum is aroused and interprets sensory impulses

C. Impulses are sent back to thalamus to reinforce firing of RAS

D. All of the above

E. None of the above

31. Which of these groups will be cut through in an EXACT midsagittal section of the brain?

A. Cerebellum, 3rd and 4th ventricles, and longitudinal fissure

B. Medulla oblongata, pineal body, infundibulum and optic chiasm

C. Both A and B

D. Neither A nor B

32. The spectrum of physiological events that occur when you see your worst enemy walking towards you will probably involve which of the following parts of your central nervous system the most?

A. Visual cortex of cerebrum

B. Limbic system

C. Both A and B

D. Neither A nor B

33. Destruction of the postcentral gyrus of the left cerebral cortex results in loss of:

A. reflexes on the right side of the body.

B. touch sensations on the right side of the body.

C. voluntary movements on the right side of the body.

D. All of the preceding

34. The fingers, thumb, and mouth are important in determining our rank in the scale of evolution. This fact is represented functionally by which of the following?

A. The representation of these areas in the motor cortex is relatively large

B. The representation of these areas in the sensory cortex is relatively large

C. Both A and B

D. Neither A nor B

35. The Roman naval attaché, Umbilicus, has collected nearly \$10,000,000 in royalties for having his endless design incorporated on every human being over the years. On the other hand, Heinz Zeit, a German historian, is making a modest living at Prince George's Community College in beautiful Largo, Maryland. Since you have to pick which one to go out with on a date, you would use your ? to select your choice.

A. wise judgement

B. emotions

C. sense of projection

D. personality

E. intelligence

36. A student is really "up tight" about all science college courses. He doesn't respect his teachers, he is sarcastic

to his classmates and he works by himself. These characteristics indicate his

- A. perception
- B. reasoning.
- C. judgements.
- D. *personality.***
- E. intelligence.

37. Every time the respiratory center of the medulla fires, nerve impulses exert ? on the pneumotoxic center, this results in a(an) ? in firing of the ?.

- A. a positive feedback; decrease; lungs
- B. a positive feedback; increase; apneustic center
- C. a negative feedback; increase; pneumotoxic center
- D. *a negative feedback; decrease; respiratory center***

38. Which of the following is/are TRUE?

- A. The resistance stage of the general adaptation syndrome usually corrects the stress and brings the individual back to normal balance
- B. The exhaustion stage of the GAS is brought about by excessive loss of potassium ions, and precipitous lowering of blood sugar levels

C. *Both A and B*

D. Neither A nor B

39. Sensations that are very discretely located include

- A. placement of letters in a written word.
- B. light touch.
- C. position of a part of your body relative to another part.

D. All of the above

E. *B and C only*

40. Which of the following is NOT TRUE for the sympathetic nervous system

- A. inhibits peristalsis
- B. accelerates the heart rate or pulse

C. *causes constriction of the pupil*

D. produces relaxation of the bronchioles of the lung

E. promotes secretion of adrenalin from the adrenal gland

41. The sympathetic division of the autonomic nervous system produces all but which of the following responses?

- A. dilation of pupils of the eye
- B. increase in heart rate
- C. constriction of peripheral blood vessels

D. *increase in rate of urination*

E. glycogenolysis or release of glucose from the liver

42. Which of the following is/are a TRUE statement?

A. true (or fine) discrimination of pain, touch, and temperature Sensations are a function of the sensory nerve endings

B. the property of excitability is most highly developed in Effector organs.

C. *the subdivision of the autonomic nervous that would tend to Aid you in times of stress is the sympathetic division*

D. all of the above

E. A and C only

43. A disease of which of the following organs would be most detrimental to survival?

- A. Cerebral cortex
- B. Hypothalamus
- C. Pons
- D. Medulla oblongata**
- E. All diseases would be equally detrimental

44. In the sensory "homunculus", the ? the portion of the post-central gyrus that receives that sensation from a particular part, the ? is the amount of interpretation from that part of the body.

- A. greater; greater
- B. lesser; less
- C. both A and B**
- D. neither A nor B

45. The ability to know that the test you are taking is on white bond paper, and that you are holding a pencil in your hand, and that the two are distinctly different is called:

- A. association.
- B. clarification.
- C. modality.**
- D. adaptation.
- E. projection.

46. The ability to solve problems on anatomy and physiology lecture exams, is called:

- A. learning.
- B. reasoning.**
- C. conditioning.

- D. habituation.
- E. perception

47. Which of the following statements about the cerebral cortex is true?

- A. The cortex has sensory and motor nerve tracts.
- B. The cortex is the central, white portion of the cerebrum.
- C. The cells in the right hemisphere control the right side of the body.

D. The cortex is the outer gray area of the cerebrum and is composed of nerve cell bodies.

- E. None of the above

48. The autonomic nervous system provides the chief nervous control in which of these activities?

- A. following a moving object with the eyes
- B. moving a hand reflexly from a hot object
- C. typing
- D. digesting food**
- E. writing an essay

49. Sympathetic impulses would be responsible for which of the following actions?

1. Decreased motility of the stomach and intestines.
2. Dilation of the pupil of the eye.
3. Increased rate and force of heart beat.
4. Secretion of norepinephrine from the adrenal medulla.
5. Constriction of blood vessels in the skin.

=====
=====

- A. 1, 2
- B. 1, 2, 3**
- C. 2, 3, 4
- D. 1, 2, 3, 4
- E. 1, 2, 3, 4, 5

50. The area of somatic sensory cortex devoted to each part of the body is:

- A. proportional to the surface area of each part of the body.
- B. related to the distance of the part of the body from the brain.
- C. proportional to the number of specialized nerve endings in that part and the amount of space in the cortex devoted to it.**
- D. apparently unrelated to any known aspects of that part.
- E. a mirror image of the motor area for that part.

BRAIN 6 BRAIN STRUCTURE AND FUNCTION

DIRECTIONS: Read the questions carefully and pick the BEST CORRECT ANSWER. Then check your answer against the correct answers on the Key at the bottom of the page. Good luck.

1. Because anti-diuretic hormone ? the amount of water in the blood, the pressure applied upon the blood by the heart ?.

- A. increases; increases
- B. increases; decreases
- C. decreases; increases
- D. decreases; decreases

2. Abnormal body movements, such as uncontrollable shaking, and involuntary movements of the skeletal muscles probably indicate damage to the:

- A. sensory areas of the cerebrum.
- B. basal ganglia (cerebral nuclei).
- C. association areas of the cortex.
- D. primary olfactory area.
- E. hypothalamus.

3. Which of the following secrete acetylcholine as a chemical transmitter?

- A. parasympathetic pre-ganglionic neurons
- B. sympathetic pre-ganglionic neurons
- C. somatic motor neurons
- D. parasympathetic post-ganglionic neurons
- E. all of the above

4. Destruction of the entire postcentral gyrus of the left cerebral cortex results in loss of:

- A. reflexes on the right side of the body.
- B. touch sensations on the right side of the body.
- C. voluntary movements on the right side of the body.
- D. All of the above

5. Adrenal medullary hormones mimic the effect of the :

- A. sympathetic nervous system
- B. parasympathetic nervous system
- C. adrenal Cortical hormones
- D. thyroidal hormones
- E. pituitary hormones

6. Which of the following is/are actions promoted by the sympathetic nervous system?

- A. vasodilation of arteries in the skin during stress
- B. dilation of bronchioles of lungs
- C. Both A and B
- D. Neither A nor B

7. Stimulation of the parasympathetic division's vagus nerves would exert what, if any, effect upon heart action?

- A. increase the rate of heartbeat
- B. decrease the rate of heartbeat
- C. have no effect on the rate of heartbeat
- D. decrease the strength of myocardial contraction, especially in the left ventricle

8. Which of these is NOT a component of the frontal lobe of the cerebrum?

- A. Scanning eye field area
- B. Primary motor cortex
- C. Broca's area
- D. Wernicke's area
- E. all of the above

9. The groove that separates each temporal lobe from the lower portion of the frontal and parietal lobe is known as the ?.

- A. central fissure
- B. longitudinal fissure
- C. transverse fissure
- D. lateral fissure

10. Which of the following substances is NOT manufactured in the hypothalamus?

- A. Growth hormone
- B. Adreno-corticotrophin-releasing factor
- C. Luteinizing hormone-releasing factor
- D. Antidiuretic hormone
- E. Prolactin-inhibiting factor

11. The structures primarily concerned in the control of food intake are

- A. the stomach.
- B. intestinal receptors, called fortitudes.
- C. several clusters of nerve cells in the hypothalamus.
- D. adipose tissue depots or reservoirs in the skin.
- E. the parietal lobe of the cerebral cortex.

12. The circle of Willis is an anastomosing channel of vessels; it connects the ? to the ?.

- A. third ventricle; fourth ventricle
- B. choroid plexus; arachnoid granulations
- C. vertebral artery; internal jugular vein
- D. lateral ventricles; third ventricle
- E. branches off basilar artery; branches of the internal carotid arteries

13. The organ that contains nuclei that regulate body temperature, water balance, appetite, and gastrointestinal activity is the ?.

- A. medulla oblongata
- B. thalamus
- C. hypothalamus

D. pituitary gland

B cerebral aqueduct

C third ventricle

D. Fourth ventricle

E Subarachnoid space

F arachnoid villi

G choroid plexus of lateral ventricles

H Interventricular foramen

I foramen of Magendie

J cerebral aqueduct

14. The control of specific groups of muscles involved in behavior, that describes the way you walk or the way you talk, would be carried out by the ? of the cerebrum.

A. primary somesthetic cortex

B. primary motor area in the precentral gyrus

C. common integrative area

D. premotor area

E. frontal eye and speech field areas

15. Which of the following would be considered a parasympathetic function?

A. increased rate of digesting food

B. increased rate of urinating.

C. erection of sexual organs in a man or woman

D. all of the above

E. A and B only

A. A, B C, D, E, F, G, H, I, J

B. J, I, H, G, F, E, D, C, B, A

C. D, C, E, F,

D. G, H, C, B, D, I, E, F

E. B, D, F, H, J, A, C, E, G, I

16. Here's a typical diagnostic picture: 120 cc volume, contains Na and K ions, albumin, some globulins, and glucose, but is mostly water. This describes:

A. blood plasma

B. urine

C. urea

D. cerebrospinal fluid

E. none of the above

18. All of these are components of the brain stem EXCEPT:

A. cerebellum

B. reticular formation

C. pons

D. medulla oblongata

E. cerebral peduncle

17. The following structures are labeled by number. Put them in the correct sequence as CSF would pass through them:

A foramen of Magendie

19. A local P.G. politician, Jerry Mander knows just where his hands are when he's trying to get a bill through the Maryland senate. He waves them around, often gesturing to his colleagues to support his measures. This ability to understand the spatial representation of his arms is a function of the:

A. precentral gyrus.

- B. prefrontal cortex.
- C. postcentral gyrus.
- D. somesthetic association area.
- E. temporal lobe.

20. A person feels "nervous, jittery and apprehensive" before going in to take her test on the nervous system. Palms are sweaty and heart rate is increased. The part of the brain involved in these body responses is the:

- A. pons.
- B. medulla oblongata.
- C. midbrain.
- D. hypothalamus.
- E. cerebrum.

21. Which fibers of the parasympathetic nervous system are "Cholinergic"?

- A. preganglionic only
- B. postganglionic only
- C. Both A and B
- D. Neither A nor B

22. Which is NOT part of the "fight or flight" response?

- A. dilation of the bronchi and bronchioles of the lung
- B. dilation of the pupils
- C. increased heart rate
- D. constriction of the blood vessels of the skin and viscera
- E. increased motility, or peristalsis, in the stomach

23. Which one of the following is NOT TRUE of both ordinary somatic efferent activity and autonomic function?

- A. the impulses pass through ventral roots of spinal nerves
- B. the fiber emerging from the CNS releases acetylcholine at its endings
- C. the cell body of the fiber emerging from the CNS lies in the Lateral gray column the spinal cord
- D. a pre and a post synaptic neuron exist between the spinal cord and the effector organ or muscle

24. The fibers that connect the left and right cerebral hemispheres form the:

- A. projection tracts.
- B. association tracts.
- C. commissural tracts.

25. Which of these is immediately lateral to the right and left thalamus?

- A. cerebral cortex
- B. septum pellucidum
- C. fornix
- D. pituitary gland
- E. basal ganglia

26. At the pons, the cerebral aqueduct expands to form the:

- A. lateral ventricle.
- B. lateral sulcus.
- C. longitudinal fissure.
- D. fourth ventricle.
- E. Lateral malleolus

27. Which of these pairs are the most nearly identical in a functional manner?

- A. Cerebral arousing center of hypothalamus and the reticular activating system
- B. Broca's speech area and the reticular formation
- C. Hypothalamus and thalamus
- D. Infundibulum and the pituitary gland
- E. Pneumotaxic center and respiratory center

28. The hypothalamus:

- A. lies above and posterior to the thalamus.
- B. has no really important role in humans but quite a bit in dogs and cats
- C. relays motor impulses to cerebral cortex.
- D. is involved in autonomic functions, sleep, appetite, and control of hypophyseal secretion.
- E. Two of the above

29. Which of the following organs has the arbor vitae, is located posterior to the medulla oblongata and pons, and is involved in coordination of motor activity?

- A. motor cortex of cerebrum
- B. cerebellum
- C. both A and B
- D. neither A nor B

30. In order to figure out the answer to this question, you have to gain some knowledge about the cerebral cortex. Which of these answers best tells what you need in order to get the correct answer?

- A. Modulation
- B. Perception

- C. A good personality
- D. Associative memory
- E. Modest amount of emotions

31. Which of these is not part of the brainstem?

- A. pineal gland
- B. superior colliculus
- C. pons
- D. medulla oblongata
- E. cerebral peduncle

32. The hypothalamus is the largest organ of the diencephalon.

- A. True
- B. False

33. Anything that brings on the stress response is called :

- A. GAS
- B. a stressor
- C. the alarm reaction
- D. resistance
- E. all of the above

34. Complex motor activities such as riding a bicycle or eating:

- A. Only require neural processing at the level of the cerebrum.
- B. involve little input from the brain.
- C. require the coordinated activity of several regions of the brain.

D. are controlled at the level of the spinal cord.

E. do not require input from the cerebellum.

C. The body's response to stress.

D. The response to a sexual deficiency.

E. A common type of irritability in the gastrointestinal tract

35. Which of the following is/are true?

A. Sympathetic and parasympathetic nervous systems are antagonistic to each other.

B. Almost all internal viscera have both sympathetic and parasympathetic innervation

C. both A and B

D. neither A nor B

39. Which of these works through a "negative feedback"?

A. Reticular activating system of the thalamus

B. Pneumotaxic center of the pons

C. Both A and B

D. Neither A nor B

36. The majority of parasympathetic fibers pass from the central nervous system to the periphery via the

A. sacral nerves

B. vagus nerve

C. sciatic nerves

D. sympathetic chain

E. none of the above

40. The ability to answer this question by "marking your answer on the space provided on your answer sheet" is a motor activity promoted by:

A. the cerebral medulla, I.E., the basal ganglia.

B. the post central gyrus and occipital lobes of the cerebrum.

C. the precentral gyrus of the cerebrum, and the cerebellum.

D. the reticular activating system and the reticular formation.

37. Adrenergic stimulation causes all of the following except

A. dilation of the pupil of the eye

B. peristalsis of the gastrointestinal tract

C. increased basal metabolism

D. increased heart rate

E. dilation of the pulmonary bronchi

41. Which of the following is NOT ordinarily accomplished through "associative memory"?

A. Dilation of your pupils when surprised by an old boy friend

B. Recalling the answer to this question.

C. Remembering to put on your shirt or blouse this morning.

D. Turning on your car engine with the car keys.

E. all of the above.

38. The term general-adaptation syndrome (gas) is used to describe:

A. The body's ability to cope with excessive amounts of thyroid Hormone secretion.

B. The body's ability to adapt to high pain levels.

42. The working of "reverberating" circuits is one explanation for our ability to automatically control the

- A. rate of heart beating.
- B. rate of breathing.
- C. patellar or knee jerk reflex.
- D. conditioned reflexes
- E. None of the above

43. The ability to determine the meaning of "depolarization" in a Biology 233 lecture exam is called:

- A. learning.
- B. reasoning.
- C. conditioning.
- D. habituation.
- E. Pain

44. Preganglionic fibers in the autonomic nervous system secrete:

- A. acetylcholine
- B. epinephrine
- C. norepinephrine
- D. acetylcholine and norepinephrine.
- E. adrenalin

45. "It has densely packed cells around capillaries, continuous basement membrane, and it protects the brain from injurious materials." This statement describes the:

- A. choroid plexus of the ventricles that make cerebrospinal fluid
- B. blood brain barrier
- C. reticular activating system

D. hypothalamic-hypophyseal portal system

E. anterior pituitary releasing factors

46. Which of the following are paired correctly?

- A. Primary motor area = premotor area
- B. Central sulcus = median gray fissure of cerebrum
- C. General somesthetic area = postcentral gyrus
- D. Visual association area = posterior most part of occipital lobe
- E. Broca's area = primary gustatory area

47. Which of the following is/are true?

- A. fluid accumulates excessively in the ventricles of the brain in a condition called internal hydrocephalus.
- B. There exists a dual blood supply to each side of the brain.
- C. There exists a dual innervation to all organs supplied by the autonomic nervous system
- D. all of the above
- E. two of the above

48. Damage to the superior colliculi of the midbrain would interfere with the ability to:

- A. express rage
- B. voluntarily move the arm
- C. react to the movement of a car with your eyes
- D. react to loud noises
- E. maintain proper posture

49. Tracing a straight line from the first segment of the spinal cord to the cerebral cortex, which is the first organ out of order?

- A. medulla oblongata
- B. cerebellum
- C. pons
- D. cerebral peduncle
- E. Thalamus

E. hypothalamus.

3. Which of the following secrete acetylcholine as a chemical transmitter?

- A. parasympathetic pre-ganglionic neurons
- B. sympathetic pre-ganglionic neurons
- C. somatic motor neurons
- D. parasympathetic post-ganglionic neurons

E. all of the above

4. Destruction of the entire postcentral gyrus of the left cerebral cortex results in loss of:

A. reflexes on the right side of the body.

B. touch sensations on the right side of the body.

C. voluntary movements on the right side of the body.

D. All of the above

5. Adrenal medullary hormones mimic the effect of the :

A. sympathetic nervous system

B. parasympathetic nervous system

C. adrenal Cortical hormones

D. thyroidal hormones

E. pituitary hormones

6. Which of the following is/are actions promoted by the sympathetic nervous system?

A. vasodilation of arteries in the skin during stress

B. dilation of bronchioles of lungs

C. Both A and B

50. Projection fibers connect:

A. the cerebrum with the spinal cord.

B. one cerebral hemisphere to another.

C. the spinal cord to the cerebral peduncle

D. areas of the cerebral cortex within the same hemisphere.

E. Two of the above

BRAIN-6 ANSWERS

1. Because anti-diuretic hormone ? the amount of water in the blood, the pressure applied upon the blood by the heart ?.

A. increases; increases

B. increases; decreases

C. decreases; increases

D. decreases; decreases

2. Abnormal body movements, such as uncontrollable shaking, and involuntary movements of the skeletal muscles probably indicate damage to the:

A. sensory areas of the cerebrum.

B. basal ganglia (cerebral nuclei).

C. association areas of the cortex.

D. primary olfactory area.

D. Neither A nor B

7. Stimulation of the parasympathetic division's vagus nerves would exert what, if any, effect upon heart action?

A. increase the rate of heartbeat

B. decrease the rate of heartbeat

C. have no effect on the rate of heartbeat

D. decrease the strength of myocardial contraction, especially in the left ventricle

8. Which of these is NOT a component of the frontal lobe of the cerebrum?

A. Scanning eye field area

B. Primary motor cortex

C. Broca's area

D. Wernicke's area

E. all of the above

9. The groove that separates each temporal lobe from the lower portion of the frontal and parietal lobe is known as the ?.

A. central fissure

B. longitudinal fissure

C. transverse fissure

D. lateral fissure

10. Which of the following substances is NOT manufactured in the hypothalamus?

A. Growth hormone

B. Adreno-corticotrophin-releasing factor

C. Luteinizing hormone-releasing factor

D. Antidiuretic hormone

E. Prolactin-inhibiting factor

11. The structures primarily concerned in the control of food intake are

A. the stomach.

B. intestinal receptors, called fortitudes.

C. several clusters of nerve cells in the hypothalamus.

D. adipose tissue depots or reservoirs in the skin.

E. the parietal lobe of the cerebral cortex.

12. The circle of Willis is an anastomosing channel of vessels; it connects the ? to the ?.

A. third ventricle; fourth ventricle

B. choroid plexus; arachnoid granulations

C. vertebral artery; internal jugular vein

D. lateral ventricles; third ventricle

E. branches off basilar artery; branches of the internal carotid arteries

13. The organ that contains nuclei that regulate body temperature, water balance, appetite, and gastrointestinal activity is the ?.

A. medulla oblongata

B. thalamus

C. hypothalamus

D. pituitary gland

14. The control of specific groups of muscles involved in behavior, that describes the way you walk or the way you talk, would be carried out by the ? of the cerebrum.

- A. primary somesthetic cortex
- B. primary motor area in the precentral gyrus
- C. common integrative area
- D. premotor area**
- E. frontal eye and speech field areas

- F arachnoid villi
 - G choroid plexus of lateral ventricles
 - H Interventricular foramen
 - I foramen of Magendie
 - J cerebral aqueduct
-

15. Which of the following would be considered a parasympathetic function?

- A. increased rate of digesting food
- B. increased rate of urinating.
- C. erection of sexual organs in a man or woman
- D. all of the above**
- E. A and B only

- A. A, B C, D, E, F, G, H, I, J
- B. J, I, H, G, F, E, D, C, B, A
- C. D, C, E, F,
- D. G, H, C, B, D, I, E, F**
- E. B, D, F, H, J, A, C, E, G, I

16. Here's a typical diagnostic picture: 120 cc volume, contains Na and K ions, albumin, some globulins, and glucose, but is mostly water. This describes:

- A. blood plasma
- B. urine
- C. urea
- D. cerebrospinal fluid**
- E. none of the above

18. All of these are components of the brain stem EXCEPT:

- A. cerebellum**
- B. reticular formation
- C. pons
- D. medulla oblongata
- E. cerebral peduncle

17. The following structures are labeled by number. Put them in the correct sequence as CSF would pass through them:

- A foramen of Magendie
- B cerebral aqueduct
- C third ventricle
- D. Fourth ventricle
- E Subarachnoid space

19. A local P.G. politician, Jerry Mander knows just where his hands are when he's trying to get a bill through the Maryland senate. He waves them around, often gesturing to his colleagues to support his measures. This ability to understand the spatial representation of his arms is a function of the:

- A. precentral gyrus.
- B. prefrontal cortex.
- C. postcentral gyrus.
- D. somesthetic association area.**
- E. temporal lobe.

20. A person feels "nervous, jittery and apprehensive" before going in to take her test on the nervous system. Palms are sweaty and heart rate is increased. The part of the brain involved in these body responses is the:

- A. pons.
- B. medulla oblongata.
- C. midbrain.

D. hypothalamus.

- E. cerebrum.

21. Which fibers of the parasympathetic nervous system are "Cholinergic"?

- A. preganglionic only
- B. postganglionic only

C. Both A and B

- D. Neither A nor B

22. Which is NOT part of the "fight or flight" response?

A. dilation of the bronchi and bronchioles of the lung

B. dilation of the pupils

C. increased heart rate

D. constriction of the blood vessels of the skin and viscera

E. increased motility, or peristalsis, in the stomach

23. Which one of the following is NOT TRUE of both ordinary somatic efferent activity and autonomic function?

A. the impulses pass through ventral roots of spinal nerves

B. the fiber emerging from the CNS releases acetylcholine at its endings

C. the cell body of the fiber emerging from the CNS lies in the lateral gray column of the spinal cord

D. a pre and a post synaptic neuron exist between the spinal cord and the effector organ or muscle

E. All of the above are false

24. The fibers that connect the left and right cerebral hemispheres form the:

A. projection tracts.

B. association tracts.

C. commissural tracts.

25. Which of these is immediately lateral to the right and left thalamus?

A. cerebral cortex

B. septum pellucidum

C. fornix

D. pituitary gland

E. basal ganglia

26. At the pons, the cerebral aqueduct expands to form the:

A. lateral ventricle.

B. lateral sulcus.

C. longitudinal fissure.

D. fourth ventricle.

E. Lateral malleolus

27. Which of these pairs are the most nearly identical in a functional manner?

A. Cerebral arousing center of hypothalamus and the reticular activating system

- B. Broca's speech area and the reticular formation
- C. Hypothalamus and thalamus
- D. Infundibulum and the pituitary gland
- E. Pneumotaxic center and respiratory center

28. The hypothalamus:

- A. lies above and posterior to the thalamus.
- B. has no really important role in humans but quite a bit in dogs and cats
- C. relays motor impulses to cerebral cortex.
- D. is involved in autonomic functions, sleep, appetite, and control of hypophyseal secretion.

E. Two of the above

29. Which of the following organs has the arbor vitae, is located posterior to the medulla oblongata and pons, and is involved in coordination of motor activity?

- A. motor cortex of cerebrum
- B. cerebellum**
- C. both A and B
- D. neither A nor B

30. In order to figure out the answer to this question, you have to gain some knowledge about the cerebral cortex. Which of these answers best tells what you need in order to get the correct answer?

- A. Modulation
- B. Perception**
- C. A good personality
- D. Associative memory

E. Modest amount of emotions

31. Which of these is not part of the brainstem?

- A. pineal gland**
- B. superior colliculus
- C. pons
- D. medulla oblongata
- E. cerebral peduncle

32. The hypothalamus is the largest organ of the diencephalon.

- A. True
- B. False**

33. Anything that brings on the stress response is called :

- A. GAS
- B. a stressor**
- C. the alarm reaction
- D. resistance
- E. all of the above

34. Complex motor activities such as riding a bicycle or eating:

- A. Only require neural processing at the level of the cerebrum.
- B. involve little input from the brain.
- C. require the coordinated activity of several regions of the brain.**
- D. are controlled at the level of the spinal cord.
- E. do not require input from the cerebellum.

D. The response to a sexual deficiency.

35. Which of the following is/are true?

A. Sympathetic and parasympathetic nervous systems are antagonistic to each other.

B. Almost all internal viscera have both sympathetic and parasympathetic innervation

C. both A and B

D. neither A nor B

36. The majority of parasympathetic fibers pass from the central nervous system to the periphery via the

A. sacral nerves

B. vagus nerve

C. sciatic nerves

D. sympathetic chain

E. none of the above

37. Adrenergic stimulation causes all of the following except

A. dilation of the pupil of the eye

B. peristalsis of the gastrointestinal tract

C. increased basal metabolism

D. increased heart rate

E. dilation of the pulmonary bronchi

38. The term general-adaptation syndrome (gas) is used to describe:

A. The body's ability to cope with excessive amounts of thyroid Hormone secretion.

B. The body's ability to adapt to high pain levels.

C. The body's response to stress.

E. A common type of irritability in the gastrointestinal tract

39. Which of these works through a "negative feedback"?

A. Reticular activating system of the thalamus

B. Pneumotaxic center of the pons

C. Both A and B

D. Neither A nor B

40. The ability to answer this question by "marking your answer on the space provided on your answer sheet" is a motor activity promoted by:

A. the cerebral medulla, I.E., the basal ganglia.

B. the post central gyrus and occipital lobes of the cerebrum.

C. the precentral gyrus of the cerebrum, and the cerebellum.

D. the reticular activating system and the reticular formation.

41. Which of the following is NOT ordinarily accomplished through "associative memory"?

A. Dilation of your pupils when surprised by an old boy friend

B. Recalling the answer to this question.

C. Remembering to put on your shirt or blouse this morning.

D. Turning on your car engine with the car keys.

E. all of the above.

42. The working of "reverberating" circuits is one explanation for our ability to automatically control the

- A. rate of heart beating.
- B. rate of breathing.
- C. patellar or knee jerk reflex.
- D. conditioned reflexes
- E. None of the above**

43. The ability to determine the meaning of "depolarization" in a Biology 233 lecture exam is called:

- A. learning.**
- B. reasoning.
- C. conditioning.
- D. habituation.
- E. Pain

44. Preganglionic fibers in the autonomic nervous system secrete:

- A. acetylcholine**
- B. epinephrine
- C. norepinephrine
- D. acetylcholine and norepinephrine.
- E. adrenalin

45. "It has densely packed cells around capillaries, continuous basement membrane, and it protects the brain from injurious materials." This statement describes the:

A. choroid plexus of the ventricles that make cerebrospinal fluid

- B. blood brain barrier**
- C. reticular activating system
- D. hypothalamic-hypophyseal portal system
- E. anterior pituitary releasing factors

46. Which of the following are paired correctly?

- A. Primary motor area = premotor area
- B. Central sulcus = median gray fissure of cerebrum
- C. General somesthetic area = postcentral gyrus**
- D. Visual association area = posterior most part of occipital lobe
- E. Broca's area = primary gustatory area

47. Which of the following is/are true?

- A. fluid accumulates excessively in the ventricles of the brain in a condition called internal hydrocephalus.
- B. There exists a dual blood supply to each side of the brain.
- C. There exists a dual innervation to all organs supplied by the autonomic nervous system

D. all of the above

E. two of the above

48. Damage to the superior colliculi of the midbrain would interfere with the ability to:

- A. express rage
- B. voluntarily move the arm

C. react to the movement of a car with your eyes

- D. react to loud noises
- E. maintain proper posture

49. Tracing a straight line from the first segment of the spinal cord to the cerebral cortex, which is the first organ out of order?

A. medulla oblongata

B. cerebellum

C. pons

D. cerebral peduncle

E. Thalamus

50. Projection fibers connect:

A. the cerebrum with the spinal cord.

B. one cerebral hemisphere to another.

C. the spinal cord to the cerebral peduncle

D. areas of the cerebral cortex within the same hemisphere.

E. Two of the above